

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date June 3, 2015

Reviewed on June 3, 2015

## 1 Identification

- **Product identifier**
- **Trade name:** KleenBore™ Black Magic™
- **Article number:** GB2 (1009440)
- **Recommended use and restriction on use**
- **Recommended use:** Acidic cleaner.
- **Restrictions on use:** No further relevant information available.
- **Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**  
Safariland, LLC  
11386 International Parkway  
Jacksonville, FL 32218  
Customer Care (800) 347-1200
- **Emergency telephone number:**  
ChemTel Inc.  
(800)255-3924, +1 (813)248-0585



## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS06 Skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed.



GHS08 Health hazard

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.



GHS07

Acute Tox. 4 H332 Harmful if inhaled.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

- **Label elements**
- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date June 3, 2015

Reviewed on June 3, 2015

Trade name: KleenBore™ Black Magic™

(Contd. of page 1)

- **Hazard pictograms**



GHS05 GHS06 GHS07 GHS08

- **Signal word** Danger

- **Hazard-determining components of labeling:**

selenious acid

copper sulphate

- **Hazard statements**

H301 Toxic if swallowed.

H332 Harmful if inhaled.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

- **Precautionary statements**

P260 Do not breathe mist/vapours/spray.

P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P310 Immediately call a poison center/doctor.

P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Hazard description:**

- **WHMIS-symbols:**

D1B - Toxic material causing immediate and serious toxic effects

D2B - Toxic material causing other toxic effects

E - Corrosive material



- **Classification system:**

- **NFPA ratings (scale 0 - 4)**



Health = 3

Fire = 0

Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**



HEALTH 3 Health = 3

FIRE 0 Fire = 0

REACTIVITY 0 Reactivity = 0

\* - Indicates a long term health hazard from repeated or prolonged exposures.

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date June 3, 2015

Reviewed on June 3, 2015

Trade name: KleenBore™ Black Magic™






(Contd. of page 2)

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

7783-00-8	selenious acid  Acute Tox. 3, H301; Acute Tox. 3, H331  STOT RE 2, H373	10-25%
7647-01-0	hydrochloric acid  Met. Corr. 1, H290; Skin Corr. 1B, H314  STOT SE 3, H335	5-15%
7758-98-7	copper sulphate  Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319	5-15%

### 4 First-aid measures

- **Description of first aid measures**
- **General information:**
  - Personal protection for the First Aider.
  - Immediately remove any clothing soiled by the product.
  - Involve doctor immediately. Symptoms, including pain, following any exposure may be delayed by as much as 24 hours.
  - Take affected persons out into the fresh air.
- **After inhalation:**
  - Supply fresh air.
  - Seek immediate medical advice.
  - Provide oxygen treatment if affected person has difficulty breathing.
  - In case of irregular breathing or respiratory arrest provide artificial respiration.
- **After skin contact:**
  - Immediately rinse with water.
  - Seek immediate medical advice.
  - Seek immediate medical help for blistering or open wounds.
- **After eye contact:**
  - Protect unharmed eye.
  - Remove contact lenses if worn, if possible.
  - Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:**
  - Rinse out mouth and then drink plenty of water.
  - Do not induce vomiting; immediately call for medical help.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed**
  - Strong caustic effect on skin and mucous membranes.

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date June 3, 2015

Reviewed on June 3, 2015

**Trade name: KleenBore™ Black Magic™**

(Contd. of page 3)

Coughing  
Breathing difficulty  
Nausea  
Cramp  
Acidosis  
Cyanosis  
Disorientation

- **Danger**

Danger of gastric perforation.  
Causes serious eye damage.  
Danger of disturbed cardiac rhythm.  
Danger of impaired breathing.  
Danger of convulsion.

- **Indication of any immediate medical attention and special treatment needed**

Contains selenium compounds. Consult literature for specific antidotes.  
May produce a hemotoxic effect.  
Medical supervision for at least 48 hours.  
Monitor circulation, possible shock treatment.

## 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents:** None.
- **Special hazards arising from the substance or mixture**  
During heating or in case of fire poisonous gases are produced.
- **Advice for firefighters**
- **Protective equipment:**  
Wear self-contained respiratory protective device.  
Wear fully protective suit.
- **Additional information** No further relevant information available.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Use respiratory protective device against the effects of fumes/dust/aerosol.  
Wear protective equipment. Keep unprotected persons away.  
Ensure adequate ventilation.
- **Environmental precautions:**  
Do not allow to enter sewers/ surface or ground water.  
Inform respective authorities in case of seepage into water course or sewage system.
- **Methods and material for containment and cleaning up:**  
Use limestone to neutralize and absorb spill.  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Send for recovery or disposal in suitable receptacles.  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date June 3, 2015

Reviewed on June 3, 2015

**Trade name: KleenBore™ Black Magic™**

(Contd. of page 4)

- **Reference to other sections**

See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## 7 Handling and storage

- **Handling:**

- **Precautions for safe handling**

Prevent formation of aerosols.  
Use only in well ventilated areas.  
Avoid splashes or spray in enclosed areas.

- **Information about protection against explosions and fires:**

Keep respiratory protective device available.

- **Conditions for safe storage, including any incompatibilities**

- **Storage:**

- **Requirements to be met by storerooms and receptacles:**

Provide ventilation for receptacles.  
Avoid storage near extreme heat, ignition sources or open flame.  
Store only in the original receptacle.  
Unsuitable material for receptacle: aluminium.  
Unsuitable material for receptacle: steel.

- **Information about storage in one common storage facility:**

Store away from foodstuffs.  
Do not store together with oxidizing and acidic materials.  
Do not store together with alkalis (caustic solutions).  
Store away from metals.

- **Further information about storage conditions:**

Store in cool, dry conditions in well sealed receptacles.  
Keep receptacle tightly sealed.

- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

**7647-01-0 hydrochloric acid**

PEL (USA)	Ceiling limit value: 7 mg/m <sup>3</sup> , 5 ppm
REL (USA)	Ceiling limit value: 7 mg/m <sup>3</sup> , 5 ppm
TLV (USA)	Ceiling limit value: 2.98 mg/m <sup>3</sup> , 2 ppm
EL (Canada)	Short-term value: C 2 ppm
LMPE (Mexico)	Short-term value: 7 mg/m <sup>3</sup> , 5 ppm
	P

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date June 3, 2015

Reviewed on June 3, 2015

**Trade name: KleenBore™ Black Magic™**

(Contd. of page 5)

- **Additional information:** The lists that were valid during the creation were used as basis.

- **Exposure controls**

- **Personal protective equipment:**

- **General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

- **Engineering controls:** No further relevant information available.

- **Breathing equipment:**

Use suitable respiratory protective device when aerosol or mist is formed.

For spills, respiratory protection may be advisable.

Use suitable respiratory protective device when high concentrations are present.

- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**

Contact lenses should not be worn.



Safety glasses

- **Body protection:** Acid resistant protective clothing

- **Limitation and supervision of exposure into the environment**

No further relevant information available.

- **Risk management measures**

See Section 7 for additional information.

No further relevant information available.

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date June 3, 2015

Reviewed on June 3, 2015

Trade name: KleenBore™ Black Magic™

(Contd. of page 6)

## 9 Physical and chemical properties

### · Information on basic physical and chemical properties

#### · General Information

#### · Appearance:

Form: Liquid

Color: Blue

· Odor: Acrid

· Odor threshold: Not determined.

· pH-value at 20 °C (68 °F): 1.5 - 2.0

#### · Change in condition

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: 216 °F / 102 °C (421 °F / 216 °F) (Estimate)

· Flash point: Not applicable.

· Flammability (solid, gaseous): Not applicable.

· Auto-ignition temperature: Not determined.

· Decomposition temperature: Not determined.

· Auto igniting: Product is not self-igniting.

· Danger of explosion: Product does not present an explosion hazard.

#### · Explosion limits:

Lower: Not determined.

Upper: Not determined.

· Vapor pressure at 20 °C (68 °F): 23 hPa (17 mm Hg)

· Density: Not determined.

· Relative density: Not determined.

· Vapour density: Not determined.

· Evaporation rate: Not determined.

#### · Solubility in / Miscibility with

Water: Soluble.

· Partition coefficient (n-octanol/water): Not determined.

#### · Viscosity:

Dynamic: Not determined.

Kinematic: Not determined.

· Other information: No further relevant information available.

(Contd. on page 8)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date June 3, 2015

Reviewed on June 3, 2015

Trade name: KleenBore™ Black Magic™

(Contd. of page 7)

## 10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

### 7647-01-0 hydrochloric acid

Oral | LD50 | 900 mg/kg (rabbit)

### 7758-98-7 copper sulphate

Oral | LD50 | 300 mg/kg (rat)

- **Primary irritant effect:**
  - **on the skin:** Caustic effect on skin and mucous membranes.
  - **on the eye:** Strong caustic effect.
  - **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
  - Toxic
  - Corrosive
  - Irritant
  - Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.
  - Danger through skin absorption.
  - May discolor skin.
  - Toxic and/or corrosive effects may be delayed up to 48 hours.

- **Carcinogenic categories**

- **NTP (National Toxicology Program)**

7783-00-8 | selenious acid

R

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

- **Probable Routes of Exposure** Skin contact.
- **Repeated Dose Toxicity:** May cause damage to organs through prolonged or repeated exposure.

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** Toxic for aquatic organisms

(Contd. on page 9)



# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date June 3, 2015

Reviewed on June 3, 2015

**Trade name: KleenBore™ Black Magic™**

(Contd. of page 8)

- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:**  
 Very toxic for fish  
 Inhibition of the development of the biomass  
 Toxic for algae
- **Additional ecological information:**
- **General notes:**  
 Do not allow product to reach ground water, water course or sewage system, even in small quantities.  
 Must not reach bodies of water or drainage ditch undiluted or unneutralized.  
 Danger to drinking water if even extremely small quantities leak into the ground.  
 Also poisonous for fish and plankton in water bodies.  
 Very toxic for aquatic organisms  
 Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.
- **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
 Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Dilute concentrate with water and neutralize afterwards with suitable material (lime or chalk). The formed salts are inert and pose little hazard.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

- |   |  |
|---|--|
| <ul style="list-style-type: none"> <li>· <b>UN-Number</b></li> <li>· <b>DOT, ADR, IMDG, IATA</b></li> <li>· <b>UN proper shipping name</b></li> <li>· <b>DOT</b></li> <li>· <b>ADR</b></li> <li>· <b>IMDG</b></li> <li>· <b>IATA</b></li> </ul> | <p>UN2922</p> <p>Corrosive liquids, toxic, n.o.s. (Hydrochloric acid, selenious acid)</p> <p>2922 CORROSIVE LIQUID, TOXIC, N.O.S. (HYDROCHLORIC ACID, selenious acid), ENVIRONMENTALLY HAZARDOUS</p> <p>CORROSIVE LIQUID, TOXIC, N.O.S. (HYDROCHLORIC ACID, selenious acid), MARINE POLLUTANT</p> <p>CORROSIVE LIQUID, TOXIC, N.O.S. (HYDROCHLORIC ACID, selenious acid)</p> |
|---|--|

(Contd. on page 10)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date June 3, 2015

Reviewed on June 3, 2015

Trade name: KleenBore™ Black Magic™

(Contd. of page 9)


· **Transport hazard class(es)**

· **DOT**



· **Class** 8 Corrosive substances  
 · **Label** 8+6.1

· **ADR**




· **Class** 8 (CT1) Corrosive substances  
 · **Label** 8+6.1

· **IMDG**



· **Class** 8 Corrosive substances  
 · **Label** 8+6.1

· **IATA**



· **Class** 8 Corrosive substances  
 · **Label** 8+6.1  
 · **Packing group**  
 · **DOT, ADR, IMDG, IATA** II  
 · **Environmental hazards:** Product contains environmentally hazardous substances: selenious acid, copper sulphate  
 · **Marine pollutant:** Yes  
 Symbol (fish and tree)  
 · **Special precautions for user** Warning: Corrosive substances  
 · **Danger code (Kemler):** 86  
 · **EMS Number:** F-A,S-B  
 · **Segregation groups** Acids  
 · **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.  
 · **Transport/Additional information:**  
 · **DOT**  
 · **Remarks:** Special marking with the symbol (fish and tree).

(Contd. on page 11)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date June 3, 2015

Reviewed on June 3, 2015

Trade name: KleenBore™ Black Magic™

## · UN "Model Regulation":

(Contd. of page 10)

 UN2922, Corrosive liquids, toxic, n.o.s. (Hydrochloric acid, selenious acid), ENVIRONMENTALLY HAZARDOUS, 8 (6.1), II

## 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- United States (USA)
- SARA

## · Section 355 (extremely hazardous substances):

7783-00-8	selenious acid
7647-01-0	hydrochloric acid

## · Section 313 (Specific toxic chemical listings):

7783-00-8	selenious acid
7647-01-0	hydrochloric acid
7758-98-7	copper sulphate

## · TSCA (Toxic Substances Control Act):

All ingredients are listed.

## · Proposition 65 (California)

## · Chemicals known to cause cancer:

None of the ingredients are listed.

## · Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

## · Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

## · Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

## · Carcinogenic categories

## · EPA (Environmental Protection Agency)

7783-00-8	selenious acid	D
-----------	----------------	---

## · IARC (International Agency for Research on Cancer)

7783-00-8	selenious acid	3
7647-01-0	hydrochloric acid	3

## · TLV (Threshold Limit Value established by ACGIH)

7647-01-0	hydrochloric acid	A4
-----------	-------------------	----

## · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

## · State Right to Know Listings

None of the ingredients is listed.

(Contd. on page 12)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date June 3, 2015

Reviewed on June 3, 2015

**Trade name: KleenBore™ Black Magic™**

(Contd. of page 11)

· **Canadian substance listings:**

· **Canadian Domestic Substances List (DSL)**

All ingredients are listed.

· **Canadian Ingredient Disclosure list (limit 0.1%)**

None of the ingredients is listed.

· **Canadian Ingredient Disclosure list (limit 1%)**

7783-00-8	selenious acid
7647-01-0	hydrochloric acid
7758-98-7	copper sulphate

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Date of preparation / last revision** June 3, 2015 / -

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Met. Corr. 1: Corrosive to metals, Hazard Category 1

Acute Tox. 3: Acute toxicity, Hazard Category 3

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2

· **Sources**

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: [www.chemtelinc.com](http://www.chemtelinc.com)