Page: 1/9

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: February 6, 2017 Revision: February 6, 2017

1 Identification

· Product identifier

· Trade name: Blitz-Green™ Magnetic Fluorescent Fingerprint Powder

· Product code: 1-0063 (1003877)

· **CAS Number:** 7439-89-6

· Recommended use and restriction on use

· Recommended use: Forensics.

· Restrictions on use: Contact manufacturer/supplier

Details of the supplier of the Safety Data Sheet

Manufacturer/Supplier:

Safariland, LLC 13386 International Parkway Jacksonville, FL 32218 Customer Care (800) 347-1200



ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International)



2 Hazard(s) identification

· Classification of the substance or mixture

Combustible Dust May form combustible dust concentrations in air.

- · Label elements
- · GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

- · Hazard pictograms: None.
- · Signal word: Warning
- · Hazard statements:

May form combustible dust concentrations in air.

- · Precautionary statements: None.
- · NFPA ratings (scale 0 4)



Health = 0 Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 0Fire = 0

REACTIVITY Reactivity = 0

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: February 6, 2017 Revision: February 6, 2017

Trade name: Blitz-Green™ Magnetic Fluorescent Fingerprint Powder

(Cont'd. of page 1)

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description

7439-89-6 iron

· Components: None in reportable quantities.

4 First-aid measures

- Description of first aid measures
- General information: Take affected persons out into the fresh air.
- · After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

In case of irregular breathing or respiratory arrest provide artificial respiration.

After skin contact:

Brush off loose particles from skin.

Clean with water and soap.

If skin irritation continues, consult a doctor.

· After eve contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

Most important symptoms and effects, both acute and delayed:

Slight irritant effect on eyes.

Coughing

Cramp

Nausea

- · **Danger:** No relevant information available.
- Indication of any immediate medical attention and special treatment needed:

Contains metallic iron. Consult literature for specific antidotes.

If necessary oxygen respiration treatment.

Medical supervision for at least 48 hours.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

Dry sand.

Limestone powder

Special powder for metal fires. Do not use water.

· For safety reasons unsuitable extinguishing agents:

Carbon dioxide

Water

(Cont'd. on page 3)

Page: 3/9

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: February 6, 2017 Revision: February 6, 2017

Trade name: Blitz-Green™ Magnetic Fluorescent Fingerprint Powder

(Cont'd. of page 2)

Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information:

Cool endangered receptacles with water in flooding quantities.

No relevant information available.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

For large spills, wear protective clothing.

- · Environmental precautions No special measures required.
- · Methods and material for containment and cleaning up

Pick up mechanically.

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- Handling
- Precautions for safe handling:

Use only in well ventilated areas.

Any deposit of dust which cannot be avoided must be regularly removed.

Information about protection against explosions and fires:

Dust can combine with air to form an explosive mixture.

- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles:

Protect from humidity and water.

Avoid storage near extreme heat, ignition sources or open flame.

· Information about storage in one common storage facility:

Do not store together with oxidizing and acidic materials.

Store away from foodstuffs.

- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · Specific end use(s) No relevant information available.

(Cont'd. on page 4)

Page: 4/9

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: February 6, 2017 Revision: February 6, 2017

Trade name: Blitz-Green™ Magnetic Fluorescent Fingerprint Powder

(Cont'd. of page 3)

8 Exposure controls/personal protection

· Control parameters

Components with limit values that require monitoring at the workplace:

7439-89-6 iron

EV (Canada) Long-term value: 1* 5** mg/m³

as iron;*salts, water-soluble;**welding fume

LMPE (Mexico) Long-term value: 1 mg/m³

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: No relevant information available.
- Engineering controls: Provide adequate ventilation.
- · Breathing equipment:

Not required under normal conditions of use.

Use suitable respiratory protective device in case of insufficient ventilation.

Use suitable respiratory protective device when high concentrations are present.

For spills, respiratory protection may be advisable.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- · Material of gloves Sensibilization by the components in the glove materials is possible.
- For the permanent contact gloves made of the following materials are suitable:

Butyl rubber, BR

Neoprene gloves

Natural rubber, NR

Nitrile rubber, NBR

· Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment No special requirements.
- · Risk management measures No special requirements.

(Cont'd. on page 5)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: February 6, 2017 Revision: February 6, 2017

Trade name: Blitz-Green™ Magnetic Fluorescent Fingerprint Powder

(Cont'd. of page 4)

Physical and chemical properties		
Information on basic physical and chemical properties		
Appearance:		
Form:	Powder	
Color:	Green	
· Odor:	Odorless	
· Odor threshold:	Not determined.	
· pH-value:	Not applicable.	
· Melting point/Melting range:	Not determined.	
· Boiling point/Boiling range:	Not determined.	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not determined.	
· Auto-ignition temperature:	Not determined.	
Decomposition temperature:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure:	Not applicable.	
· Density:	Not determined.	
Relative density:	Not determined.	
· Vapor density:	Not applicable.	
· Evaporation rate:	Not applicable.	
· Solubility in / Miscibility with		
Water:	Soluble.	
Partition coefficient (n-octanol/wat	ter): Not determined.	
· Viscosity		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
Other information	No relevant information available.	

10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability:
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· Possibility of hazardous reactions

As the product is supplied it is not capable of dust explosion; however enrichment with fine dust causes risk of dust explosion.

(Cont'd. on page 6)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: February 6, 2017 Revision: February 6, 2017

Trade name: Blitz-Green™ Magnetic Fluorescent Fingerprint Powder

(Cont'd. of page 5)

Reacts with acids, alkalis and oxidizing agents.

Reacts with humid air.

Reacts with steam releasing flammable gases (hydrogen).

· Conditions to avoid

Store away from oxidizing agents.

Moisture.

- · **Incompatible materials** No relevant information available.
- · Hazardous decomposition products

Carbon monoxide and carbon dioxide

Toxic metal oxide smoke

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- · On the skin: No irritant effect.
- · On the eye: Based on available data, the classification criteria are not met.
- · Sensitization: No sensitizing effects known.
- · IARC (International Agency for Research on Cancer):

Substance is not listed.

· NTP (National Toxicology Program):

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration):

Substance is not listed.

· Probable route(s) of exposure:

Ingestion.

Inhalation.

Eve contact.

Skin contact.

- · Acute effects (acute toxicity, irritation and corrosivity): From product as supplied: None.
- · Repeated dose toxicity: From product as supplied: None.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- Reproductive toxicity: Based on available data, the classification criteria are not met.
- STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- · Toxicity
- · Aquatic toxicity No relevant information available.

(Cont'd. on page 7)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: February 6, 2017 Revision: February 6, 2017

Trade name: Blitz-Green™ Magnetic Fluorescent Fingerprint Powder

(Cont'd. of page 6)

- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · Mobility in soil: No relevant information available.
- Additional ecological information
- · General notes: Not known to be hazardous to water.
- Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.
- Other adverse effects No relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Smaller quantities can be disposed of with household waste.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- · Uncleaned packagings
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information		
· UN-Number · DOT, ADR, IMDG, IATA	Not regulated.	
· UN proper shipping name · DOT, ADR, IMDG, IATA	Not regulated.	
· Transport hazard class(es)		
· DOT, ADR, IMDG, IATA · Class	Not regulated.	
· Packing group · DOT, ADR, IMDG, IATA	Not regulated.	
· Environmental hazards · Marine pollutant:	No	
· Special precautions for user	Not applicable.	
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	of Not applicable.	

(Cont'd. on page 8)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: February 6, 2017 Revision: February 6, 2017

Trade name: Blitz-Green™ Magnetic Fluorescent Fingerprint Powder

(Cont'd. of page 7)

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- · Section 302 (extremely hazardous substances):

Substance is not listed.

· Section 355 (extremely hazardous substances):

Substance is not listed.

Section 313 (Specific toxic chemical listings):

Substance is not listed.

TSCA (Toxic Substances Control Act)

Substance is listed.

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

- Carcinogenic categories
- · EPA (Environmental Protection Agency):

Substance is not listed.

· IARC (International Agency for Research on Cancer):

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health):

Substance is not listed.

· Canadian Domestic Substances List (DSL):

Substance is listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Date of preparation / last revision 02/06/2017 / -
- · Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods

(Cont'd. on page 9)

Page: 9/9

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: February 6, 2017 Revision: February 6, 2017

Trade name: Blitz-Green™ Magnetic Fluorescent Fingerprint Powder

(Cont'd. of page 8)

DOT: US Department of Transportation IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health LDLo: Lowest Lethal Dose Observed

· Sources

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com