acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: October 03, 2016 Revision: October 03, 2016

1 Identification

· Product identifier

· Trade name: Latent Print Reference Pad - Sebaceous Oil Secretions

· Product code: 1-2792 (1004124)

· Recommended use and restriction on use

· Recommended use: Forensics.

· Restrictions on use: Contact manufacturer/supplier

Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier:

Safariland, LLC

13386 International Parkway Jacksonville, FL 32218

Customer Care (800) 347-1200

· Emergency telephone number:

ChemTel Inc.

(800)255-3924, +1 (813)248-0585



2 Hazard(s) identification

· Classification of the substance or mixture

Eye Irrit. 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:



GHS07

Signal word: Warning

· Hazard statements:

H319 Causes serious eye irritation.

Precautionary statements:

P264 Wash thoroughly after handling.

P280 Wear protective gloves and eye protection.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

Other hazards There are no other hazards not otherwise classified that have been identified.

(Cont'd. on page 2)

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: October 03, 2016 Revision: October 03, 2016

Trade name: Latent Print Reference Pad - Sebaceous Oil Secretions

(Cont'd. of page 1)

3 Composition/information on ingredients

· Chemical characterization: Mixtures

Components:				
122-99-6	2-phenoxyethanol	♦ Acute Tox. 4, H302; Eye Irrit. 2A, H319	40-60%	
8001-26-1	Linseed oil		40-60%	

· Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements refer to section 16.

4 First-aid measures

- Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Clean with water and soap.

If skin irritation continues, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

Most important symptoms and effects, both acute and delayed:

Irritant to eyes.

Gastric or intestinal disorders when ingested.

- · Danger: May be harmful if swallowed.
- Indication of any immediate medical attention and special treatment needed:

No relevant information available.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents:

Foam

Fire-extinguishing powder

Carbon dioxide

Gaseous extinguishing agents

Water fog / haze

· For safety reasons unsuitable extinguishing agents:

Water stream.

Water spray

(Cont'd. on page 3)

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: October 03, 2016 Revision: October 03, 2016

Trade name: Latent Print Reference Pad - Sebaceous Oil Secretions

(Cont'd. of page 2)

Special hazards arising from the substance or mixture

Rags, steel wool, or waste soaked with product may spontaneously ignite if improperly handled or discarded.

Formation of toxic gases is possible during heating or in case of fire.

- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information: Cool endangered containers with water fog.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation.

For large spills, wear protective clothing.

· Environmental precautions:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Send for recovery or disposal in suitable receptacles.

Dispose unusable material as waste according to item 13.

Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- Handling
- Precautions for safe handling:

Prevent formation of aerosols.

Use only in well ventilated areas.

Rags, metal wools / cuttings / shavings and waste papers soaked with product must be placed in a sealed metal container rated for flammable waste.

- Information about protection against explosions and fires: No special measures required.
- Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with oxidizing and acidic materials.

· Further information about storage conditions: Keep containers tightly sealed.

(Cont'd. on page 4)

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: October 03, 2016 Revision: October 03, 2016

Trade name: Latent Print Reference Pad - Sebaceous Oil Secretions

(Cont'd. of page 3)

· **Specific end use(s):** No relevant information available.

8 Exposure controls/personal protection

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

122-99-6 2-phenoxyethanol

EV (Canada) Long-term value: 141 mg/m³, 25 ppm

8001-26-1 Linseed oil

OEL (Canada) | Short-term value: 10* 3** mg/m³

*Mist **Respirable mist

TWA (Canada) Short-term value: 10* 3** mg/m³

*Mist **Respirable mist

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

- · Engineering controls: No relevant information available.
- · Breathing equipment: Not required under normal conditions of use.
- · Protection of hands: Protection may be required for spills.
- · Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- · Body protection: Protection may be required for spills.
- · Limitation and supervision of exposure into the environment

No relevant information available.

9 Physical and chemical properties

Information on basic physical and chemical properties

· Appearance:

Form:
Color:
Clear
Odor:
Odor threshold:
Not determined.

pH-value: Not determined.Melting point/Melting range: Not determined.

(Cont'd. on page 5)

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: October 03, 2016 Revision: October 03, 2016

Trade name: Latent Print Reference Pad - Sebaceous Oil Secretions

		(Cont'd. of page 4)		
· Boiling point/Boiling range:	>200 °C (>392 °F)			
· Flash point:	>94 °C (>201 °F)			
· Flammability (solid, gaseous):	Not applicable.			
· Auto-ignition temperature:	>260 °C (>500 °F)			
· Decomposition temperature:	Not determined.			
· Danger of explosion:	Product does not present an explosion hazard.			
 Explosion limits Lower: Upper: Oxidizing properties: 	Not determined. Not determined. Not determined.			
· Vapor pressure:	Not determined.			
Density: Relative density: Vapor density: Evaporation rate:	Not determined. Not determined. Not determined.			
· Solubility in / Miscibility with Water:	Not miscible or difficult to mix.			
· Partition coefficient (n-octanol/water): Not determined.				
· Viscosity Dynamic: Kinematic: · Other information	Not determined. Not determined. No relevant information available.			

10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· Possibility of hazardous reactions:

Toxic fumes may be released if heated above the decomposition point.

- Conditions to avoid: No relevant information available.
- · Incompatible materials: No relevant information available.
- · Hazardous decomposition products:

Under fire conditions only:

Carbon monoxide and carbon dioxide

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: October 03, 2016 Revision: October 03, 2016

Trade name: Latent Print Reference Pad - Sebaceous Oil Secretions

(Cont'd. of page 5)

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

ATE (Acute Toxicity Estimates)

Oral LD50 2221 mg/kg (rat)
Dermal LD50 8812 mg/kg (rabbit)

122-99-6 2-phenoxyethanol

Oral	LD50	1260 mg/kg (rat)
Dermal	LD50	5000 mg/kg (rabbi

- · Primary irritant effect:
- On the skin: Based on available data, the classification criteria are not met.
- On the eye: Irritating effect.
- · Sensitization: Based on available data, the classification criteria are not met.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

Probable route(s) of exposure:

Ingestion.

Inhalation.

Eye contact.

Skin contact.

· Acute effects (acute toxicity, irritation and corrosivity):

Irritating to eyes.

May be harmful if swallowed.

- · Repeated dose toxicity: No relevant information available.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- STOT-single exposure: Based on available data, the classification criteria are not met.
- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- · Toxicity
- · Aquatic toxicity No relevant information available.
- Persistence and degradability No relevant information available.

(Cont'd. on page 7)

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: October 03, 2016 Revision: October 03, 2016

Trade name: Latent Print Reference Pad - Sebaceous Oil Secretions

(Cont'd. of page 6)

- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.
- · Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- PBT: Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects: No relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- Uncleaned packagings
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information			
· UN-Number · DOT, ADR, IMDG, IATA	Not regulated.		
UN proper shipping name DOT, ADR, IMDG, IATA	Not regulated.		
Transport hazard class(es)			
· DOT, ADR, IMDG, IATA · Class	Not regulated.		
Packing group DOT, ADR, IMDG, IATA	Not regulated.		
· Environmental hazards	Not applicable.		
· Special precautions for user	Not applicable.		
Transport in bulk according to Annex I MARPOL73/78 and the IBC Code	l of Not applicable.		

(Cont'd. on page 8)

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: October 03, 2016 Revision: October 03, 2016

Trade name: Latent Print Reference Pad - Sebaceous Oil Secretions

(Cont'd. of page 7)

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- · Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

122-99-6 2-phenoxyethanol

· TSCA (Toxic Substances Control Act)

All ingredients are listed.

- Proposition 65 (California)
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed.

· Canadian Domestic Substances List (DSL):

All ingredients are listed.

* Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision 10/03/2016 / -

(Cont'd. on page 9)

Page: 9/9

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: October 03, 2016 Revision: October 03, 2016

Trade name: Latent Print Reference Pad - Sebaceous Oil Secretions

(Cont'd. of page 8)

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health LDLo: Lowest Lethal Dose Observed Acute Tox. 4: Acute toxicity – Category 4

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

· Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com