

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
OSHA GHS

Printing date: April 19, 2016

Revision: April 19, 2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

- Trade name: **Lightning Powder® Latent Print Powder Paks (Bi-Chromatic™ Magnetic)**
- Product code: 1-0165R (1161466), 1-0165R-25 (1162626)

1.2 Relevant identified uses of the substance or mixture and uses advised against

- Sector of Use
SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- Application of the substance / the mixture: Forensic examination.
- Uses advised against: Contact manufacturer.

1.3 Details of the supplier of the Safety Data Sheet

Manufacturer/Supplier:

Safariland, LLC
13386 International Parkway
Jacksonville, FL 32218
Customer Care (800) 347-1200



1.4 Emergency telephone number:

ChemTel Inc.
+1 (800)255-3924, +1 (813)248-0585

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

May form combustible dust concentrations in air. (USA and Canada GHS Only)
The product is not classified as hazardous according to the CLP regulation.

2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008 Not Regulated
- Hazard pictograms Not Regulated
- Signal word Not Regulated

Hazard-determining components of labelling: None.

Hazard statements

May form combustible dust concentrations in air. (USA and Canada GHS Only)
The product is not classified as hazardous according to the CLP regulation.

NFPA ratings (scale 0 - 4)



Health = 0
Fire = 0
Reactivity = 0

HMIS-ratings (scale 0 - 4)



HEALTH 0 Health = 0
FIRE 0 Fire = 0
REACTIVITY 0 Reactivity = 0

(Cont'd. on page 2)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
OSHA GHS

Printing ddate: April 19, 2016

Revision: April 19, 2016

Trade name: Lightning Powder® Latent Print Powder Paks (Bi-Chromatic™ Magnetic)


(Cont'd. from page 1)

- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· **Components:**

CAS: 1333-86-4 EINECS: 215-609-9	carbon black substance with a Community workplace exposure limit	10-30%
CAS: 7429-90-5	aluminum metal  Water-react. 1, H260	<20%

- **Additional information:** For the wording of the listed Hazard Statements refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:** Take affected persons out into the fresh air.
- **After inhalation:**
Supply fresh air; consult doctor in case of complaints.
Provide oxygen treatment if affected person has difficulty breathing.
In case of irregular breathing or respiratory arrest provide artificial respiration.
- **After skin contact:**
Brush off loose particles from skin.
Clean with water and soap.
- **After eye contact:**
Remove contact lenses if worn.
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**
Rinse out mouth and then drink plenty of water.
Do not induce vomiting; call for medical help immediately.
- **4.2 Most important symptoms and effects, both acute and delayed**
Slight irritant effect on eyes.
Coughing
Gastric or intestinal disorders when ingested.
- **Hazards:** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
If necessary oxygen respiration treatment.
Medical supervision for at least 48 hours.

(Cont'd. on page 3)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
OSHA GHS

Printing date: April 19, 2016

Revision: April 19, 2016

Trade name: Lightning Powder® Latent Print Powder Paks (Bi-Chromatic™ Magnetic)

(Cont'd. from page 2)

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**
Water in flooding quantities.
Foam
Dry sand
Limestone powder
- **For safety reasons unsuitable extinguishing agents:** None.
- **5.2 Special hazards arising from the substance or mixture**
Formation of toxic gases is possible during heating or in case of fire.
May form combustible dust concentrations in air.
- **5.3 Advice for firefighters**
- **Protective equipment:**
Wear self-contained respiratory protective device.
Wear fully protective suit.
- **Additional information:** No further relevant information available.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Use respiratory protective device against the effects of fumes/dust/aerosol.
Ensure adequate ventilation
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions** No special measures required.
- **6.3 Methods and material for containment and cleaning up**
Pick up mechanically.
Send for recovery or disposal in suitable receptacles.
Clean the affected area carefully; suitable cleaners are:
Warm water and cleansing agent
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Any unavoidable deposit of dust must be regularly removed.
Use only in well ventilated areas.
- **Information about fire - and explosion protection:** May form combustible dust concentrations in air.

(Cont'd. on page 4)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
OSHA GHS

Printing date: April 19, 2016

Revision: April 19, 2016

Trade name: Lightning Powder® Latent Print Powder Paks (Bi-Chromatic™ Magnetic)

(Cont'd. from page 3)

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:**

Protect from humidity and water.

Avoid storage near extreme heat, ignition sources or open flame.

· **Information about storage in one common storage facility:**

Do not store together with oxidising and acidic materials.

Protect from humidity and water.

Store away from foodstuffs.

· **Further information about storage conditions:**

Store in cool, dry conditions in well sealed receptacles.

This product is hygroscopic.

· **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

1333-86-4 carbon black

PEL (USA)	Long-term value: 3,5 mg/m ³
REL (USA)	Long-term value: 3,5* mg/m ³ *0,1 in presence of PAHs; See Pocket Guide Apps.A+C
TLV (USA)	Long-term value: 3* mg/m ³ *inhalable fraction
EL (Canada)	Long-term value: 3 mg/m ³ IARC 2B
EV (Canada)	Long-term value: 3,5 mg/m ³

· **DNELs:** No further relevant information available.

· **PNECs:** No further relevant information available.

· **8.2 Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:** No further relevant information available.

· **Respiratory protection:** Not required under normal conditions of use.

· **Protection of hands:** Not required under normal conditions of use.

· **Material of gloves** Sensibilisation by the components in the glove materials is possible.

· **Eye protection:**



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

· **Body protection:** Not required under normal conditions of use.

· **Limitation and supervision of exposure into the environment:** No special requirements.

(Cont'd. on page 5)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
OSHA GHS

Printing date: April 19, 2016

Revision: April 19, 2016

Trade name: Lightning Powder® Latent Print Powder Paks (Bi-Chromatic™ Magnetic)

· **Risk management measures:** No special requirements.

(Cont'd. from page 4)

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· Appearance

 Form: Powder

 Colour: Black

· Odour: Odourless

· Odour threshold: Not determined.

· pH-value: Not applicable.

· Melting point/Melting range: Not determined.

· Boiling point/Boiling range: Not determined.

· Flash point: Not applicable.

· Flammability (solid, gaseous): Not determined.

· Auto/Self-ignition temperature: Not determined.

· Decomposition temperature: Not determined.

· Danger of explosion: Product does not present an explosion hazard.

· Explosion limits

 Lower: Not determined.

 Upper: Not determined.

· Vapour pressure: Not applicable.

· Density: Not determined.

· Relative density: Not determined.

· Vapour density: Not applicable.

· Evaporation rate: Not applicable.

· Solubility in / Miscibility with water: Soluble.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity

 Dynamic: Not applicable.

 Kinematic: Not applicable.

· 9.2 Other information: No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity: No further relevant information available.

(Cont'd. on page 6)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
OSHA GHS

Printing date: April 19, 2016

Revision: April 19, 2016

Trade name: Lightning Powder® Latent Print Powder Paks (Bi-Chromatic™ Magnetic)

(Cont'd. from page 5)

- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used and stored according to specifications.
May form combustible dust concentrations in air.
- **10.3 Possibility of hazardous reactions**
As the product is supplied it is not capable of dust explosion; however enrichment with fine dust causes risk of dust explosion.
Reacts with acids, alkalis and oxidising agents.
- **10.4 Conditions to avoid** Store away from oxidising agents.
- **10.5 Incompatible materials** No further relevant information available.
- **10.6 Hazardous decomposition products**
Carbon monoxide and carbon dioxide
Toxic metal oxide smoke

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity:** Based on available data, the classification criteria are not met.
- **LD/LC50 values relevant for classification:** None.
- **Primary irritant effect**
- **Skin corrosion/irritation:** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation:** Slight irritant effect on eyes.
- **Respiratory or skin sensitisation:** Based on available data, the classification criteria are not met.
- **Carcinogenic categories**

· IARC (International Agency for Research on Cancer):	
1333-86-4	carbon black
2B	

· NTP (National Toxicology Program):	
None of the ingredients are listed.	

· OSHA-Ca (Occupational Safety & Health Administration):	
None of the ingredients are listed.	

- **Probable routes of exposure:**

- Inhalation.
- Ingestion.
- Skin contact.
- Eye contact.

- **Acute effects (acute toxicity, irritation and corrosivity):** From product as supplied: None.
- **Repeated dose toxicity:** From product as supplied: None.
- **Germ cell mutagenicity:** Based on available data, the classification criteria are not met.
- **Carcinogenicity:**
Carbon black in this product contains <0.1% polycyclic aromatic hydrocarbons and is not classifiable as a suspect carcinogen.
- **Reproductive toxicity:** Based on available data, the classification criteria are not met.
- **STOT-single exposure:** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure:** Based on available data, the classification criteria are not met.

(Cont'd. on page 7)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
OSHA GHS

Printing date: April 19, 2016

Revision: April 19, 2016

Trade name: Lightning Powder® Latent Print Powder Paks (Bi-Chromatic™ Magnetic)

(Cont'd. from page 6)

- **Aspiration hazard:** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.
On the basis of the necessary technical regulations and after consultation with the disposal agent and the relevant authorities, can be disposed of with domestic waste or incinerated with domestic waste.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

SECTION 14: Transport information

- | | |
|---|---------------|
| <ul style="list-style-type: none"> · 14.1 UN-Number · DOT, ADR, IMDG, IATA | Not Regulated |
| <ul style="list-style-type: none"> · 14.2 UN proper shipping name · DOT, ADR, IMDG, IATA | Not Regulated |
| <ul style="list-style-type: none"> · 14.3 Transport hazard class(es) · DOT, ADR, IMDG, IATA · Class | Not Regulated |

(Cont'd. on page 8)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
OSHA GHS

Printing date: April 19, 2016

Revision: April 19, 2016

Trade name: Lightning Powder® Latent Print Powder Paks (Bi-Chromatic™ Magnetic)

(Cont'd. from page 7)

· **14.4 Packing group**
· DOT, ADR, IMDG, IATA Not Regulated

· **14.5 Environmental hazards:**
· Marine pollutant: No

· **14.6 Special precautions for user** Not applicable.

· **14.7 Transport in bulk according to Annex II of Marpol and the IBC Code** Not applicable.

SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
· United States (USA)
· SARA

· **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients are listed.

· **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

· **Proposition 65 (California):**

· **Chemicals known to cause cancer:**

1333-86-4 carbon black

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

· **Carcinogenic Categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients are listed.

· **IARC (International Agency for Research on Cancer)**

1333-86-4 carbon black

2B

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

1333-86-4 carbon black

· **Labelling according to Regulation (EC) No 1272/2008 GHS label elements**

(Cont'd. on page 9)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
OSHA GHS

Printing date: April 19, 2016

Revision: April 19, 2016

Trade name: Lightning Powder® Latent Print Powder Paks (Bi-Chromatic™ Magnetic)

(Cont'd. from page 8)

- **Other regulations, limitations and prohibitive regulations**

- **Substances of very high concern (SVHC) according to REACH, Article 57**

None of the ingredients are listed.

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

H260 In contact with water releases flammable gases which may ignite spontaneously.

- **Abbreviations and acronyms:**

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

Water-react. 1: Substances and Mixtures which, in contact with water, emit flammable gases, Hazard Category 1

- **Sources**

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com