
according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date November 30, 2015

Revision: November 30, 2015



Printing date November 30, 2015

Revision: November 30, 2015

## Trade name: ODV Cocaine Reagent 1st Ampoule

	(Cont'd. from pag
· Hazard-determi	ning components of labelling:
(+)-tartaric acid	
cobalt dithiocyan	ate
· Hazard stateme	ints
The following H	lazard Statements are applicable only to the EU regulations and not the US G
regulation: H412	
H319 Causes se	rious eye irritation.
H412 Harmful to	aquatic life with long lasting effects.
· Precautionary s	statements
The following Pr	ecautionary Statements are applicable only to the EU CLP regulations and not the OS
GHS regulations	: P273, P501.
P264	Wash thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P273	Avoid release to the environment.
P305+P351+P33	38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses
	present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P501	Dispose of contents/container in accordance with local/regional/national/internation regulations.
· NFPA ratings (s	
A Healt	h = 1
Fire =	
	tivity = 0
• •	•
· HMIS-ratings (s	cale 0 - 4)
HEALTH *1 Hea	lth = *1
FIRE 0 Fire	
REACTIVITY 0 Rea	
	-
2.3 Other hazar	
	and vPvB assessment
• PBT: Not applica	
· vPvB: Not applie	cable.
	Composition/information on ingradiants

## **SECTION 3: Composition/information on ingredients**

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components		
CAS: 56-81-5 EINECS: 200-289-5	glycerol substance with a Community workplace exposure limit	25-50%
CAS: 3017-60-5 EINECS: 221-156-8	cobalt dithiocyanate Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332	≤ 2,5%
	(Cont'd	. on page 3)

GHŚ

Printing date November 30, 2015

Revision: November 30, 2015

## Trade name: ODV Cocaine Reagent 1st Ampoule

	(Cont'd. f	rom page 2)
CAS: 87-69-4	(+)-tartaric acid	≤ <b>2</b> ,5%
EINECS: 201-766-0	🔶 Eye Dam. 1, H318	
CAS: 10043-35-3	boric acid	1,0%
EINECS: 233-139-2	🚸 Repr. 1B, H360FD	
Index number: 005-007-00-2	▼ 1	
0)//10		

## · SVHC

10043-35-3 boric acid

#### Additional information:

For the wording of the listed Hazard Statements refer to section 16.

For the listed ingredient(s), the identity and exact percentages are being withheld as a trade secret.

## **SECTION 4: First aid measures**

## · 4.1 Description of first aid measures

· General information: No special measures required.

## • After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

#### • After skin contact:

Immediately rinse with water.

If skin irritation is experienced, consult a doctor.

#### · After eye contact:

#### Protect unharmed eye.

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

#### • After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

## · 4.2 Most important symptoms and effects, both acute and delayed

Irritant to eyes.

Breathing difficulty

Coughing

· Hazards May be harmful if inhaled.

• 4.3 Indication of any immediate medical attention and special treatment needed

If necessary oxygen respiration treatment.

## **SECTION 5: Firefighting measures**

## · 5.1 Extinguishing media

• Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

• For safety reasons unsuitable extinguishing agents: None.

· 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

(Cont'd. on page 4)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date November 30, 2015

Revision: November 30, 2015

## Trade name: ODV Cocaine Reagent 1st Ampoule

(Cont'd. from page 3)

## 5.3 Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information Use large quantities of foam as it is partially destroyed by the product.

## **SECTION 6: Accidental release measures**

## · 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

For large spills, wear protective clothing.

Particular danger of slipping on leaked/spilled product.

• 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

### 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Send for recovery or disposal in suitable receptacles.

Dispose contaminated material as waste according to section 13.

### 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

• 7.1 Precautions for safe handling Use only in well ventilated areas.

· Information about fire - and explosion protection: No special measures required.

• 7.2 Conditions for safe storage, including any incompatibilities

Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with oxidising and acidic materials.

• Further information about storage conditions: Keep container tightly sealed.

• 7.3 Specific end use(s) No further relevant information available.

# **SECTION 8: Exposure controls/personal protection**

· Additional information about design of technical facilities: No further data; see section 7.

· 8.1 Control parameters

## · Ingredients with limit values that require monitoring at the workplace:

## 56-81-5 glycerol

PEL (USA) Long-term value: 15\* 5\*\* mg/m<sup>3</sup>

mist; \*total dust \*\*respirable fraction

(Cont'd. on page 5)

Printing date November 30, 2015

Revision: November 30, 2015

## Trade name: ODV Cocaine Reagent 1st Ampoule

	(Cont'd. from page
• •	TLV withdrawn-insufficient data human occup. exp.
EL (Canada)	Long-term value: 10* 3** mg/m <sup>3</sup> *mist; **mist, respirable
EV (Canada)	Long-term value: 10 mg/m <sup>3</sup>
10043-35-3 b	
TLV (USA)	Short-term value: 6* mg/m <sup>3</sup>
TEV (03A)	Long-term value: 2* mg/m <sup>3</sup> *as inhalable fraction
EL (Canada)	Short-term value: 6 mg/m³ Long-term value: 2 mg/m³
EV (Canada)	Short-term value: 6 mg/m³ Long-term value: 2 mg/m³ inorganic, inhalable
	rther relevant information available. rther relevant information available.
Do not inhale Avoid contact <b>Respiratory p</b> Not required u Use suitable r	<b>protection:</b> Inder normal conditions of use. espiratory protective device when aerosol or mist is formed. piratory protection may be advisable.
Prote	ctive gloves
The glove ma	terial has to be impermeable and resistant to the product/ the substance/ the preparation. on:
Safet	y glasses
Limitation an No further rele Risk manage See Section 7	tion: Protective work clothing ad supervision of exposure into the environment evant information available. Internet measures If for additional information. Evant information available.
	(Cont'd. on page

GHŚ

Printing date November 30, 2015

Revision: November 30, 2015

## Trade name: ODV Cocaine Reagent 1st Ampoule

(Cont'd. from page 5)

9.1 Information on basic physical ar General Information	nd chemical properties
Appearance:	
Form:	Liquid
Colour:	Pink
Odour:	Odourless
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Not determined.
Boiling point/Boiling range:	100 °C (212 °F)
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Auto/Self-ignition temperature:	400 °C (752 °F)
Decomposition temperature:	Not determined.
Self-igniting:	Product is not self-igniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure at 20 °C (68 °F):	23 hPa (17 mm Hg)
Density at 20 °C (68 °F):	1 g/cm³ (8,345 lbs/gal)
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Fully miscible.
Partition coefficient (n-octanol/wate	r): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
9.2 Other information	No further relevant information available.

# **SECTION 10: Stability and reactivity**

· 10.1 Reactivity No further relevant information available.

(Cont'd. on page 7)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date November 30, 2015

Revision: November 30, 2015

## Trade name: ODV Cocaine Reagent 1st Ampoule

(Cont'd. from page 6)

10.2 Chemical stability
 Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

## · 10.3 Possibility of hazardous reactions

Toxic fumes may be released if heated above the decomposition point.

Reacts with strong alkali.

Reacts with strong oxidising agents.

• 10.4 Conditions to avoid Store away from oxidising agents.

• **10.5 Incompatible materials:** No further relevant information available.

10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Toxic metal oxide smoke

Sulphur oxides (SOx)

# **SECTION 11: Toxicological information**

## · 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

## · LD/LC50 values relevant for classification:

### 10043-35-3 boric acid

Oral LD50 2660 mg/kg (rat)

Primary irritant effect:

· Skin corrosion/irritation Based on available data, the classification criteria are not met.

· Serious eye damage/irritation

Causes serious eye irritation.

• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

- · Additional toxicological information: May be harmful if inhaled.
- · Repeated dose toxicity: Repeated exposure may result in skin sensitivity.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

# **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: The product contains materials that are harmful to the environment.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish

(Cont'd. on page 8)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date November 30, 2015

Revision: November 30, 2015

## Trade name: ODV Cocaine Reagent 1st Ampoule

(Cont'd. from page 7)

## · Additional ecological information:

## · General notes:

The product contains materials that are harmful to the environment.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

## 12.5 Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

• 12.6 Other adverse effects No further relevant information available.

## **SECTION 13: Disposal considerations**

## · 13.1 Waste treatment methods

### · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

## · Uncleaned packaging:

- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport informati	on	
· 14.1 UN-Number · DOT, ADR, IMDG, IATA	Not Regulated	
<ul> <li>14.2 UN proper shipping name</li> <li>DOT, ADR, IMDG, IATA</li> </ul>	Not Regulated	
<ul> <li>14.3 Transport hazard class(es)</li> </ul>		
· DOT, ADR, IMDG, IATA · Class	Not Regulated	
<ul> <li>14.4 Packing group</li> <li>DOT, ADR, IMDG, IATA</li> </ul>	Not Regulated	
<ul> <li>14.5 Environmental hazards:</li> <li>Marine pollutant:</li> </ul>	No	
· 14.6 Special precautions for user	Not applicable.	
		(Cont'd. on page 9

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date November 30, 2015

Revision: November 30, 2015

(Cont'd. from page 8)

## Trade name: ODV Cocaine Reagent 1st Ampoule

 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

· UN "Model Regulation":

Not applicable. Not Regulated

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 United States (USA)
 SARA

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

3017-60-5 cobalt dithiocyanate

• TSCA (Toxic Substances Control Act):

All ingredients are listed.

Proposition 65 (California):

· Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

• Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Carcinogenic Categories

· EPA (Environmental Protection Agency)

10043-35-3 boric acid

· IARC (International Agency for Research on Cancer)

3017-60-5 cobalt dithiocyanate

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

· Canada

· Canadian Domestic Substances List (DSL)

All ingredients are listed.

Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients are listed.

(Cont'd. on page 10)

I (oral)

2B

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date November 30, 2015

## Revision: November 30, 2015

#### Trade name: ODV Cocaine Reagent 1st Ampoule

(Cont'd. from page 9)

#### Canadian Ingredient Disclosure list (limit 1%)

10043-35-3 boric acid

## · Directive 2012/18/EU

Named dangerous substances - ANNEX I

None of the ingredients are listed.

#### · Other regulations, limitations and prohibitive regulations

• Substances of very high concern (SVHC) according to REACH, Article 57

10043-35-3 boric acid

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H302 Harmful if swallowed.

- H312 Harmful in contact with skin.
- H318 Causes serious eye damage.
- H332 Harmful if inhaled.

H360FD May damage fertility. May damage the unborn child.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

#### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety Acute Tox. 4: Acute toxicity, Hazard Category 4 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2 Repr. 1B: Reproductive toxicity, Hazard Category 1B Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

(Cont'd. on page 11)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date November 30, 2015

Revision: November 30, 2015

### Trade name: ODV Cocaine Reagent 1st Ampoule

(Cont'd. from page 10)


Sources
SDS Prepared by: ChemTel Inc.
1305 North Florida Avenue
Tampa, Florida USA 33602-2902
Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573
Website: www.chemtelinc.com

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date November 30, 2015

Revision: November 30, 2015



according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date November 30, 2015

Revision: November 30, 2015

#### Trade name: ODV Cocaine Reagent 2nd Ampoule (Cont'd. from page 1) · Hazard pictograms GHS05 GHS07 Signal word Danger · Hazard-determining components of labelling: hydrochloric acid Hazard statements H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage. H335 May cause respiratory irritation. Precautionary statements P260 Do not breathe mist/vapours/spray. P264 Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection. P280 P234 Keep only in original container. P271 Use only outdoors or in a well-ventilated area. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P363 Wash contaminated clothing before reuse. Call a POISON CENTER/doctor if you feel unwell. P312 P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P390 Absorb spillage to prevent material damage. P405 Store locked up. P406 Store in corrosive resistant container with a resistant inner liner. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · NFPA ratings (scale 0 - 4) Health = 3Fire = 0Reactivity = 0 · HMIS-ratings (scale 0 - 4) HEALTH 3 Health = 3 Fire = 0 FIRE Reactivity 0 Reactivity = 0 · 2.3 Other hazards Results of PBT and vPvB assessment · PBT: Not applicable. (Cont'd. on page 3)

(Cont'd. from page 2)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date November 30, 2015

Revision: November 30, 2015

#### Trade name: ODV Cocaine Reagent 2nd Ampoule

· vPvB: Not applicable.

## **SECTION 3: Composition/information on ingredients**

#### · 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

### · Dangerous components:

	· J· · · · · · · · ·			
(	CAS: 7647-01-0	hydrochloric acid	25-50%	
E	EINECS: 231-595-7	🔶 Met. Corr.1, H290; Skin Corr. 1B, H314		
I	ndex number: 017-002-00-2			

### · Additional information:

For the listed ingredient(s), the identity and exact percentages are being withheld as a trade secret. For the wording of the listed Hazard Statements refer to section 16.

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

• After inhalation: Supply fresh air; consult doctor in case of complaints.

#### • After skin contact:

Immediately remove any clothing soiled by the product.

Immediately rinse with water.

If skin irritation is experienced, consult a doctor.

Seek immediate medical help for blistering or open wounds.

#### After eye contact:

Protect unharmed eye.

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

#### · After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

Coughing

Breathing difficulty

Gastric or intestinal disorders.

Nausea

Strong caustic effect on skin and mucous membranes.

#### Hazards

Danger of gastric perforation. Danger of impaired breathing.

Causes serious eye damage.

May cause respiratory irritation.

May be harmful if inhaled.

(Cont'd. on page 4)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date November 30, 2015

Revision: November 30, 2015

(Cont'd. from page 3)

Trade name: ODV Cocaine Reagent 2nd Ampoule

# • 4.3 Indication of any immediate medical attention and special treatment needed

If necessary oxygen respiration treatment.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- For safety reasons unsuitable extinguishing agents: None.
- 5.2 Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- 5.3 Advice for firefighters
- · Protective equipment:
- Wear self-contained respiratory protective device.
- Wear fully protective suit.

· Additional information No further relevant information available.

## **SECTION 6: Accidental release measures**

## · 6.1 Personal precautions, protective equipment and emergency procedures

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol. Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Use limestone to neutralize and absorb spill.

Clean the affected area carefully; suitable cleaners are:

Warm water

Dispose contaminated material as waste according to section 13.

- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

## · 7.1 Precautions for safe handling

Use only in well ventilated areas.

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Information about fire - and explosion protection: No special measures required.

## · 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: Store only in the original receptacle.

- Information about storage in one common storage facility:
- Store away from oxidising agents.

(Cont'd. on page 5)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date November 30, 2015

Revision: November 30, 2015

## Trade name: ODV Cocaine Reagent 2nd Ampoule

(Cont'd. from page 4)

Store away from foodstuffs. Do not store together with alkalis (caustic solutions). Store away from metals. • Further information about storage conditions: Keep container tightly sealed. • 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

· Additional information about design of technical facilities: No further data; see section 7.

#### · 8.1 Control parameters

<ul> <li>Ingredients with limit values that</li> </ul>	t require monitoring at the workplace:
--	--

## 7647-01-0 hydrochloric acid

•	
IOELV (EU)	Short-term value: 15 mg/m³, 10 ppm Long-term value: 8 mg/m³, 5 ppm
PEL (USA)	Short-term value: C 7 mg/m³, C 5 ppm
REL (USA)	Short-term value: C 7 mg/m <sup>3</sup> , C 5 ppm Short-term value: C 2,98 mg/m <sup>3</sup> , C 2 ppm
TLV (USA)	Short-term value: C 2,98 mg/m <sup>3</sup> , C 2 ppm
EL (Canada)	Short-term value: C 2 ppm

## · 8.2 Exposure controls

### · Personal protective equipment:

#### · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

#### **Respiratory protection:**

Not necessary if room is well-ventilated.

Use suitable respiratory protective device when aerosol or mist is formed.

For spills, respiratory protection may be advisable.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. **For the permanent contact gloves made of the following materials are suitable:** Nitrile rubber, NBR Neoprene gloves PVC gloves Natural rubber, NR **Not suitable are gloves made of the following materials:** PVA gloves Leather gloves

(Cont'd. on page 6)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date November 30, 2015

Revision: November 30, 2015

### Trade name: ODV Cocaine Reagent 2nd Ampoule

(Cont'd. from page 5)

• Eye protection:

Contact lenses should not be worn.



Safety glasses

• Body protection: Acid resistant protective clothing

· Limitation and supervision of exposure into the environment

No further relevant information available.

· Risk management measures No further relevant information available.

SECTION 9: Physical and chemical properties		
• 9.1 Information on basic physical an • General Information	d chemical properties	
· Appearance: Form:	Liquid	
Colour:	Liquid Colourless	
· Odour:	Pungent	
· Odour threshold:	Not determined.	
· pH-value at 20 °C (68 °F):	< 1	
<ul> <li>Change in condition Melting point/Melting range: Boiling point/Boiling range:</li> </ul>	Not determined. < 104 °C (< 219 °F)	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Auto/Self-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Self-igniting:	Product is not self-igniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
<ul> <li>Explosion limits: Lower: Upper:</li> </ul>	Not determined. Not determined.	
· Vapour pressure at 20 °C (68 °F):	23 hPa (17 mm Hg)	
<ul> <li>Density at 20 °C (68 °F):</li> <li>Relative density</li> <li>Vapour density</li> <li>Evaporation rate</li> </ul>	1,16 g/cm³ (9,68 lbs/gal) Not determined. Not determined. Not determined.	
<ul> <li>Solubility in / Miscibility with water:</li> </ul>	Fully miscible.	
		(Cont'd. on page 7)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date November 30, 2015

Revision: November 30, 2015

## Trade name: ODV Cocaine Reagent 2nd Ampoule

(Cont'd. from page 6)

· Partition coefficient (n-octanol/water): Not determined.

 Viscosity: Dynamic: Kinematic:
 9.2 Other information

Not determined. Not determined. No further relevant information available.

## **SECTION 10: Stability and reactivity**

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· 10.3 Possibility of hazardous reactions

Toxic fumes may be released if heated above the decomposition point.

Reacts with alkali (lyes).

Reacts with strong oxidising agents.

Reacts with amines.

Corrosive action on metals.

Reacts with metals forming hydrogen.

• **10.4 Conditions to avoid** Store away from oxidising agents.

• **10.5 Incompatible materials:** No further relevant information available.

#### · 10.6 Hazardous decomposition products:

Chlorine compounds

Hydrogen chloride (HCl)

## **SECTION 11: Toxicological information**

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

## · LD/LC50 values relevant for classification:

7647-01-0 hydrochloric acid

Oral LD50 900 mg/kg (rabbit)

- Primary irritant effect:
- · Skin corrosion/irritation
- Causes severe skin burns and eye damage.
- · Serious eye damage/irritation
- Causes serious eye damage.

• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Acute effects (acute toxicity, irritation and corrosivity):

May be harmful if inhaled.

Irritating to respiratory system.

## CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

(Cont'd. on page 8)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date November 30, 2015

Revision: November 30, 2015

## Trade name: ODV Cocaine Reagent 2nd Ampoule

(Cont'd. from page 7)

· Carcinogenicity Based on available data, the classification criteria are not met.

· Reproductive toxicity Based on available data, the classification criteria are not met.

· STOT-single exposure

May cause respiratory irritation.

• **STOT-repeated exposure** Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

· 12.1 Toxicity

· Aquatic toxicity: The product contains materials that are harmful to the environment.

**12.2 Persistence and degradability** A part of the components is biodegradable.

• 12.3 Bioaccumulative potential Does not accumulate in organisms.

• **12.4 Mobility in soil** No further relevant information available.

Ecotoxical effects:

• **Remark:** After neutralisation a reduction of the harming action may be recognised.

· Additional ecological information:

### · General notes:

At present there are no ecotoxicological assessments.

This statement was deduced from the properties of the single components.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. If the dilution of the use-level pH-value is considerably increased after use, the aqueous waste, emptied into drains, is only low water-dangerous.

## 12.5 Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

· 12.6 Other adverse effects No further relevant information available.

## **SECTION 13: Disposal considerations**

## · 13.1 Waste treatment methods

#### Recommendation

Small amounts may be diluted with plenty of water and washed away. Dispose of larger amounts in accordance with Local Authority requirements.

Can be disposed of with household garbage with prior chemical-physical or biological treatment following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

(Cont'd. on page 9)

Printing date November 30, 2015

Revision: November 30, 2015

Trade name: ODV Cocaine Reagent 2nd Ampoule

(Cont'd. from page 8)

· Uncleaned packaging: • **Recommendation:** Disposal must be made according to official regulations. • **Recommended cleansing agents:** Water only.

14.1 UN-Number	
DOT, ADR, IMDG, IATA	UN1789
14.2 UN proper shipping name	
Limited Quantity for package gal).	es less than 30 kg (66 lb) and inner packagings less than 1 L
DOT	HYDROCHLORIC ACID
ADR	1789 HYDROCHLORIC ACID, solution
IMDG, IATA	HYDROCHLORIC ACID, solution
• 14.3 Transport hazard class(es)	,,,,
DOT	
CORROSVE S	
Class	8 Corrosive substances.
Label	8
ADR	
Class	8 (C1) Corrosive substances.
Label	8
IMDG, IATA	
Class	8 Corrosive substances.
Label	8
14.4 Packing group DOT, ADR, IMDG, IATA	II
14.5 Environmental hazards: Marine pollutant:	No

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date November 30, 2015

Revision: November 30, 2015

## Trade name: ODV Cocaine Reagent 2nd Ampoule

	(Cont'd. from page
· 14.6 Special precautions for user	Warning: Corrosive substances.
Danger code (Kemler):	80
· EMS Number:	F-A,S-B
· Segregation groups	Acids
· 14.7 Transport in bulk according to Ann	ex II of
Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	1L
· Transport category	2
Tunnel restriction code	E
· UN "Model Regulation":	UN1789, HYDROCHLORIC ACID, solution, 8, II

## **SECTION 15: Regulatory information**

 $\cdot$  15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  United States (USA)

· SARA

· Section 355 (extremely hazardous substances):

7647-01-0 hydrochloric acid

· Section 313 (Specific toxic chemical listings):

7647-01-0 hydrochloric acid

• TSCA (Toxic Substances Control Act):

All ingredients are listed.

Proposition 65 (California):

· Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

 $\cdot$  Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

• Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Carcinogenic Categories

· EPA (Environmental Protection Agency)

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer)

7647-01-0 hydrochloric acid

(Cont'd. on page 11)

3

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date November 30, 2015

Revision: November 30, 2015

## Trade name: ODV Cocaine Reagent 2nd Ampoule

(Cont'd. from page 10)

## · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

## · Canada

#### · Canadian Domestic Substances List (DSL)

All ingredients are listed.

## Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients are listed.

## Canadian Ingredient Disclosure list (limit 1%)

7647-01-0 hydrochloric acid

### · Directive 2012/18/EU

## Named dangerous substances - ANNEX I

None of the ingredients are listed.

## · Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients are listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage. H335 May cause respiratory irritation.

#### • Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety Met. Corr.1: Corrosive to metals. Hazard Category 1 Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

Printing date November 30, 2015

Revision: November 30, 2015

SECTION 1. Id	entification of the substance/mixture and of the company/
undertaking	
· 1.1 Product identifie	۶r
• Trade name: ODV C	ocaine Reagent 3rd Ampoule
<ul> <li>CAS Number: 67-66-3</li> <li>EC number: 200-663-8</li> <li>1.2 Relevant identifi</li> </ul>	B (1006319), 7604 (1006031) ed uses of the substance or mixture and uses advised against salts and Base Reagent Test Kit
• <b>Manufacturer/Suppl</b> Safariland, LLC 13386 International P Jacksonville, FL 3221 Customer Care (800)	Parkway 18 347-1200 D
• <b>1.4 Emergency telep</b> ChemTel Inc. +1 (800)255-3924, +1	$\mathbf{V} \mathbf{A} \mathbf{A} \mathbf{A} \mathbf{A}$
SECTION 2: Haz	ards identification
<ul> <li>Classification accor</li> </ul>	the substance or mixture rding to Regulation (EC) No 1272/2008 ted are applicable to the OSHA GHS Hazard Communication Standard
skull and cros	ssbones
Acute Tox. 3 H331	Toxic if inhaled.
health hazard	I
•	Suspected of causing cancer. Suspected of damaging the unborn child. Causes damage to organs through prolonged or repeated exposure.
Skin Irrit. 2 H315 Eye Irrit. 2 H319	Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. ion: 0 % of the mixture consists of component(s) of unknown toxicity.

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date November 30, 2015

Revision: November 30, 2015

## Trade name: ODV Cocaine Reagent 3rd Ampoule

(Cont'd. from page 1) · 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the Globally Harmonized System within the United States (GHS). The substance is classified and labelled according to the CLP regulation. · Hazard pictograms GHS06 GHS08 · Signal word Danger · Hazard-determining components of labelling: trichloromethane · Hazard statements H302 Harmful if swallowed. H331 Toxic if inhaled. H315 Causes skin irritation. H319 Causes serious eye irritation. H351 Suspected of causing cancer. H361d Suspected of damaging the unborn child. H372 Causes damage to organs through prolonged or repeated exposure. · Precautionary statements P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P260 Do not breathe mist/vapours/spray. Wash thoroughly after handling. P264 P280 Wear protective gloves/protective clothing/eye protection. Do not eat, drink or smoke when using this product. P270 Use only outdoors or in a well-ventilated area. P271 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF ON SKIN: Wash with plenty of water. P302+P352 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P330 Rinse mouth. P308+P313 IF exposed or concerned: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse. P405 Store locked up. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · Additional information: For use in industrial installations only. NFPA ratings (scale 0 - 4) Health = 1 Fire = 0Reactivity = 0

(Cont'd. on page 3)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date November 30, 2015

#### Revision: November 30, 2015

### Trade name: ODV Cocaine Reagent 3rd Ampoule

(Cont'd. from page 2)

## · HMIS-ratings (scale 0 - 4)

HEALTH1Health = \*1FIRE0Fire = 0REACTIVITY0Reactivity = 0

\* - Indicates a long term health hazard from repeated or prolonged exposures.

2.3 Other hazards

## · Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

## **SECTION 3: Composition/information on ingredients**

· 3.1 Substances

· CAS No. Description

67-66-3 trichloromethane

· Identification number(s)

· EC number: 200-663-8

· Index number: 602-006-00-4

## **SECTION 4: First aid measures**

## · 4.1 Description of first aid measures

#### • General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Immediately remove any clothing soiled by the product.

In case of irregular breathing or respiratory arrest provide artificial respiration.

After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

#### • After skin contact:

Immediately remove any clothing soiled by the product. Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

## • After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

#### After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

### • **4.2 Most important symptoms and effects, both acute and delayed** Breathing difficulty

Coughing

May cause respiratory irritation.

Irritant to skin and mucous membranes.

(Cont'd. on page 4)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date November 30, 2015

Revision: November 30, 2015

## Trade name: ODV Cocaine Reagent 3rd Ampoule

(Cont'd. from page 3) Disorientation Unconsciousness · Hazards Danger of cerebral oedema. Danger of convulsion. Danger of impaired breathing. Limited evidence of a carcinogenic effect. May cause neurotoxic effects. Danger of serious damage to health by prolonged exposure. Vapours may cause drowsiness and dizziness. Causes damage to organs through prolonged or repeated exposure. • 4.3 Indication of any immediate medical attention and special treatment needed If swallowed, gastric irrigation with added, activated carbon. May produce a hepatotoxic / neurotoxic effect. If necessary oxygen respiration treatment. Medical supervision for at least 48 hours.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- For safety reasons unsuitable extinguishing agents: None.
- 5.2 Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- 5.3 Advice for firefighters
- · Protective equipment:
- Wear self-contained respiratory protective device.
- Wear fully protective suit.
- Additional information No further relevant information available.

## **SECTION 6: Accidental release measures**

· 6.1 Personal precautions, protective equipment and emergency procedures

For large spills, wear protective clothing.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol. Ensure adequate ventilation

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles.

Dispose contaminated material as waste according to section 13.

## 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Cont'd. on page 5)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date November 30, 2015

Revision: November 30, 2015

(Cont'd. from page 4)

#### Trade name: ODV Cocaine Reagent 3rd Ampoule

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

Use only in well ventilated areas.

Keep away from heat and direct sunlight.

Avoid splashes or spray in enclosed areas.

· Information about fire - and explosion protection: Keep respiratory protective device available.

#### · 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: Store only in the original receptacle.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidising agents.

Store away from metals.

- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

· Additional information about design of technical facilities: No further data; see section 7.

· 8.1 Control parameters

· Ingredients v	vith limit values that require monitoring at the workplace:	
67-66-3 trich	loromethane	
IOELV (EU)	Long-term value: 10 mg/m³, 2 ppm Skin	
PEL (USA)	Ceiling limit: 240 mg/m³, 50 ppm	
REL (USA)	Short-term value: 9,78* mg/m³, 2* ppm *60-min; See Pocket Guide App. A	
TLV (USA)	Long-term value: 49 mg/m³, 10 ppm	
EL (Canada)	Long-term value: 2 ppm IARC 2B; R	
EV (Canada)	Long-term value: 49 mg/m³, 10 ppm	
	rther relevant information available. rther relevant information available.	
General prot The usual pre Keep away fro Immediately r	e controls tective equipment: ective and hygienic measures: ecautionary measures are to be adhered to when handling chemicals. for foodstuffs, beverages and feed. emove all soiled and contaminated clothing. before breaks and at the end of work.	(Cont'd. on page 6)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date November 30, 2015

Revision: November 30, 2015

#### Trade name: ODV Cocaine Reagent 3rd Ampoule

(Cont'd. from page 5)

Avoid contact with the eyes and skin. Do not inhale gases / fumes / aerosols. **Respiratory protection:** Not required under normal conditions of use. Use suitable respiratory protective device when aerosol or mist is formed. Use suitable respiratory protective device in case of insufficient ventilation. For spills, respiratory protection may be advisable. Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Eye protection: Safety glasses · Body protection: Protective work clothing · Limitation and supervision of exposure into the environment No further relevant information available. · Risk management measures See Section 7 for additional information. No further relevant information available.

SECTION 9: Physical and chemical properties				
9.1 Information on basic physical a	and chemical properties			
General Information				
· Appearance: Form:	l invital			
	Liquid			
Colour:	Colourless			
Odour:	Ether-like			
Odour threshold:	Not determined.			
· pH-value:	Not determined.			
Change in condition				
Melting point/Melting range:	-63 °C (-81 °F)			
Boiling point/Boiling range:	62 °C (144 °F)			
· Flash point:	Not applicable - does not support sustained combustion.			
· Flammability (solid, gaseous):	Not applicable.			
• Auto/Self-ignition temperature:	Not determined.			
Decomposition temperature:	Not determined.			
Self-igniting:	Not determined.			

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date November 30, 2015

Revision: November 30, 2015

## Trade name: ODV Cocaine Reagent 3rd Ampoule

		(Cont'd. from page
· Danger of explosion:	Product does not present an explosion hazard	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure at 20 °C (68 °F):	210 hPa (158 mm Hg)	
· Density at 20 °C (68 °F):	1,48 g/cm <sup>3</sup> (12,351 lbs/gal)	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
water at 20 °C (68 °F):	8 g/l	
· Partition coefficient (n-octanol/wate	r): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
• 9.2 Other information	No further relevant information available.	

## **SECTION 10: Stability and reactivity**

- **10.1 Reactivity** No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions
- Reacts with strong oxidising agents.
- Reacts with certain metals.
- Reacts with strong alkali.
- Toxic fumes may be released if heated above the decomposition point.

## · 10.4 Conditions to avoid

Store away from oxidising agents.

Keep away from heat and direct sunlight.

- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: Chlorine compounds

## **SECTION 11: Toxicological information**

• **11.1 Information on toxicological effects** • **Acute toxicity** Harmful if swallowed. Toxic if inhaled.

(Cont'd. on page 8)

Printing date November 30, 2015

Revision: November 30, 2015

## Trade name: ODV Cocaine Reagent 3rd Ampoule

	(Cont'd. from page)
	alues relevant for classification:
	chloromethane
	50 908 mg/kg (rat)
	50 75 mg/kg (rat)
	itant effect:
	sion/irritation
Causes skii	
	e damage/irritation
	ious eye irritation.
	y or skin sensitisation Based on available data, the classification criteria are not met.
	o chronic toxicity: Vapours have narcotic effect.
	toxicological information: Toxic and/or corrosive effects may be delayed up to 12 hours. cts (acute toxicity, irritation and corrosivity):
	ve narcotic effect.
	mful if inhaled.
Harmful if s	
	lose toxicity:
	xposure may cause skin dryness or cracking.
May cause	neurotoxic effects.
	ts (carcinogenity, mutagenicity and toxicity for reproduction):
	nutagenicity Based on available data, the classification criteria are not met.
Carcinoge	
	of causing cancer.
Reproduct	
	of damaging the unborn child.
	le exposure Based on available data, the classification criteria are not met. ated exposure
	nage to organs through prolonged or repeated exposure.
	hazerd Based on available data, the classification criteria are not met.
SECTION	I 12: Ecological information
12.1 Toxici	ty
	kicity: No further relevant information available.
	tence and degradability Not easily biodegradable.
	cumulative potential No further relevant information available.
	ty in soil No further relevant information available.
	ecological information:
General no	
	v product to reach ground water, water course or sewage system, even in small quantities. Irinking water if even extremely small quantities leak into the ground.
	al is harmful to the environment.
	fer into the environment.
	ilable data on eliminability/decomposition and bioaccumulation potential prolonged to
	the environment can not be excluded.
	(Cont'd. on pa

(Cont'd. on page 9)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date November 30, 2015

Revision: November 30, 2015

### Trade name: ODV Cocaine Reagent 3rd Ampoule

(Cont'd. from page 8)

### · 12.5 Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

12.6 Other adverse effects No further relevant information available.

## **SECTION 13: Disposal considerations**

## · 13.1 Waste treatment methods

#### · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. After prior treatment product has to be disposed of in an incinerator for hazardous waste adhering to the regulations pertaining to the disposal of particularly hazardous waste.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

## · Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

• Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN-Number		
DOT, ADR, IMDG, IATA	UN1888	
14.2 UN proper shipping name DOT, IMDG, IATA	CHLOROFORM	
ADR	1888 CHLOROFORM	
14.3 Transport hazard class(es)		
DOT		
TOXIC		
Class	6.1 Toxic substances.	
Label	6.1	
ADR		
Class	6.1 (T1) Toxic substances.	

Printing date November 30, 2015

Revision: November 30, 2015

## Trade name: ODV Cocaine Reagent 3rd Ampoule

	(Cont'd. from page
Label	6.1
IMDG, IATA	
Class	6.1 Toxic substances.
Label	6.1
· 14.4 Packing group · DOT, ADR, IMDG, IATA	111
• 14.5 Environmental hazards: • Marine pollutant:	No
14.6 Special precautions for user	Warning: Toxic substances.
Danger code (Kemler):	60
EMS Number: Segregation groups	F-A,S-A Liquid halogenated hydrocarbons
<ul> <li>14.7 Transport in bulk according to Ann Marpol and the IBC Code</li> </ul>	ex II of Not applicable.
Transport/Additional information:	
ADR Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
Transport category Tunnel restriction code	2 E
IMDG Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
IATA	Limited quantity by air: 2L
UN "Model Regulation":	UN1888, CHLOROFORM, 6.1, III

(Cont'd. on page 11)

Printing date November 30, 2015

Revision: November 30, 2015

## Trade name: ODV Cocaine Reagent 3rd Ampoule

(Cont'd. from page 10)

15.1 Safety, health and environmental regulations/legislation speci United States (USA) SARA	ific for the substance or mixt
Section 355 (extremely hazardous substances):	
Substance is listed.	
Section 313 (Specific toxic chemical listings):	
Substance is listed.	
TSCA (Toxic Substances Control Act):	
Substance is listed.	
Proposition 65 (California):	
Chemicals known to cause cancer:	
Substance is listed.	
Chemicals known to cause reproductive toxicity for females:	
Substance is not listed.	
Chemicals known to cause reproductive toxicity for males:	
Substance is not listed.	
Chemicals known to cause developmental toxicity:	
Substance is listed.	
Carcinogenic Categories	
EPA (Environmental Protection Agency)	
67-66-3 trichloromethane	B2, L,
IARC (International Agency for Research on Cancer)	
67-66-3 trichloromethane	
NIOSH-Ca (National Institute for Occupational Safety and Health)	
Substance is listed.	
Canada	
Canadian Domestic Substances List (DSL)	
Substance is listed.	
Canadian Ingredient Disclosure list (limit 0.1%)	
Substance is listed.	
Canadian Ingredient Disclosure list (limit 1%)	
Substance is not listed.	
Directive 2012/18/EU	
Named dangerous substances - ANNEX I	

Revision: November 30, 2015

# **Safety Data Sheet**

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date November 30, 2015

Trade name: ODV Cocaine Reagent 3rd Ampoule

(Cont'd. from page 11)

## • Other regulations, limitations and prohibitive regulations

• Substances of very high concern (SVHC) according to REACH, Article 57

Substance is not listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety Acute Tox. 4: Acute toxicity, Hazard Category 4 Acute Tox. 3: Acute toxicity, Hazard Category 3 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2 Carc. 2: Carcinogenicity, Hazard Category 2 Repr. 2: Reproductive toxicity, Hazard Category 2 STOT RE 1: Specific target organ toxicity - Repeated exposure, Hazard Category 1 Sources SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com