Page: 1/13

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: February 22, 2016 Revision: February 22, 2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: ODV KN Reagent (Fast Blue B) 1st Ampoule
- Article number: 909 (1006327), 7609 (1006036)
- · CAS number:

79-01-6

· EC number:

201-167-4

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

NarcoPouch Marijuana - Hashish - Hash Oil and THC Presumptive Screening Test Kit

- · Uses advised against: Contact manufacturer.
- · 1.3 Details of the supplier of the Safety Data Sheet
- · Manufacturer/Supplier:

Safariland, LLC

13386 International Parkway

Jacksonville, FL 32218

Customer Care (800) 347-1200



ChemTel Inc.

+1 (800)255-3924, +1 (813)248-0585



SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Classifications listed are applicable to the OSHA GHS Hazard Communication Standard (29CFR1910.1200).

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Muta. 2 H341 Suspected of causing genetic defects.

Carc. 1A H350 May cause cancer.

STOT SE 3 H336 May cause drowsiness or dizziness.

Aguatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· Additional information:

There are no other hazards not otherwise classified that have been identified.

0 % of the mixture consists of component(s) of unknown toxicity.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is additionally classified and labelled according to the Globally Harmonized System within the United States (GHS).

The substance is classified and labelled according to the CLP regulation.

(Cont'd. on page 2)

Page: 2/13

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA **GHS**

Printing date: February 22, 2016 Revision: February 22, 2016

Trade name: ODV KN Reagent (Fast Blue B) 1st Ampoule

(Cont'd. from page 1)

· Hazard pictograms





· Signal word Danger

· Hazard-determining components of labelling:

trichloroethylene

o-Dianisidine bis(diazotized) zinc double salt

· Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

H336 May cause drowsiness or dizziness.

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing mist.

Wash thoroughly after handling. P264

Wear protective gloves / eye protection. P280 Use only outdoors or in a well-ventilated area. P271

Contaminated work clothing should not be allowed out of the workplace. P272

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. IF ON SKIN: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If skin irritation or rash occurs: Get medical advice/attention. P333+P313 P337+P313 If eye irritation persists: Get medical advice/attention. P308+P313 IF exposed or concerned: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. P362+P364

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Additional information:

Restricted to professional users.

· NFPA ratings (scale 0 - 4)



P302+P352

Health = 1Fire = 0Reactivity = 0

(Cont'd. on page 3)

Page: 3/13

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: February 22, 2016 Revision: February 22, 2016

Trade name: ODV KN Reagent (Fast Blue B) 1st Ampoule

(Cont'd. from page 2)

· HMIS-ratings (scale 0 - 4)



- * Indicates a long term health hazard from repeated or prolonged exposures.
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.1 Substances
- · CAS No. Description

79-01-6 trichloroethylene

- · Identification number(s)
- **EC number:** 201-167-4
- · Index number: 602-027-00-9
- · Components:

14263-94-6 o-Dianisidine bis(diazotized) zinc double salt

🕸 Carc. 1A, H350

0,1-1%

·SVHC

79-01-6 trichloroethylene

SECTION 4: First aid measures

· 4.1 Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

In case of irregular breathing or respiratory arrest provide artificial respiration.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Immediately remove any clothing soiled by the product.

Immediately wash with water and soap and rinse thoroughly.

If skin irritation or rash occurs: Get medical advice/attention.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

(Cont'd. on page 4)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: February 22, 2016 Revision: February 22, 2016

Trade name: ODV KN Reagent (Fast Blue B) 1st Ampoule

(Cont'd. from page 3)

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

Headache

Breathing difficulty

Dizziness

Coughing

Allergic reactions

Irritant to skin and mucous membranes.

Irritant to eyes.

Gastric or intestinal disorders when ingested.

Nausea in case of ingestion.

· Hazards:

Danger of impaired breathing.

May cause drowsiness or dizziness.

· 4.3 Indication of any immediate medical attention and special treatment needed

Medical supervision for at least 48 hours.

If necessary oxygen respiration treatment.

Treat skin and mucous membrane with antihistamine and corticoid preparations.

Contains trichloroethylene. May produce an allergic reaction.

If medical advice is needed, have product container or label at hand.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · For safety reasons unsuitable extinguishing agents: None.
- · 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information: No further relevant information available.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

· 6.2 Environmental precautions

Inform respective authorities in case of seepage into water course or sewage system.

· 6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

(Cont'd. on page 5)

Page: 5/13

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: February 22, 2016 Revision: February 22, 2016

Trade name: ODV KN Reagent (Fast Blue B) 1st Ampoule

(Cont'd. from page 4)

Ensure adequate ventilation.

Send for recovery or disposal in suitable receptacles.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Prevent formation of aerosols.

Use only in well ventilated areas.

- · Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with oxidising and acidic materials.

· Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Keep container tightly sealed.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

79-01-6 trichloroethylene

PEL (USA) Long-term value: 100 ppm Ceiling limit: 200; 300* ppm *5-min peak in any 2 hrs REL (USA) See Pocket Guide Apps. A and C

TLV (USA) Short-term value: 135 mg/m³, 25 ppm Long-term value: 54 mg/m³, 10 ppm

BEI

- · DNELs: No further relevant information available.
- · PNECs: No further relevant information available.

(Cont'd. on page 6)

Page: 6/13

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: February 22, 2016 Revision: February 22, 2016

Trade name: ODV KN Reagent (Fast Blue B) 1st Ampoule

(Cont'd. from page 5)

· Ingredients with biological limit values:

79-01-6 trichloroethylene

BEI (USA) 15 mg/L

15 mg/L

Medium: urine

Time: end of shift at end of workweek

Parameter: Trichloroacetic acid (nonspecific)

0,5 mg/L Medium: blood

Time: end of shift at end of workweek

Parameter: Trichloroethanol without hydrolysis (nonspecific)

_

Medium: blood

Time: end of shift at end of workweek

Parameter: Trichloroethylene (semi-quantitative)

-

Medium: end-exhaled air

Time: end of shift at end of workweek

Parameter: Trichloroethylene (semi-quantitative)

· 8.2 Exposure controls

· Personal protective equipment:

· General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

Respiratory protection:

Not required under normal conditions of use.

Use suitable respiratory protective device in case of insufficient ventilation.

Use suitable respiratory protective device when high concentrations are present.

For spills, respiratory protection may be advisable.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Eve protection:



(Cont'd. on page 7)

Page: 7/13

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHŚ

Printing date: February 22, 2016 Revision: February 22, 2016

Trade name: ODV KN Reagent (Fast Blue B) 1st Ampoule

(Cont'd. from page 6)

- Body protection: Protective work clothing
 Limitation and supervision of exposure into the environment: No further relevant information available.

SECTION 9: Physical and che	mical properties
· 9.1 Information on basic physica	al and chemical properties
· Appearance	• •
Form:	Liquid
Colour:	Colourless
· Odour:	Ether-like
· Odour threshold:	Not determined.
· pH-value:	6,7-7,5
· Melting point/Melting range:	-86,8 °C (-124 °F)
· Boiling point/Boiling range:	84-88 °C (183-190 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Auto/Self-ignition temperature:	420 °C (788 °F)
· Decomposition temperature:	Not determined.
· Self-igniting:	Not determined.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits	
Lower:	7,8 Vol %
Upper:	52,0 Vol %
 Oxidising properties 	Not determined.
· Vapour pressure at 20 °C (68 °F):	57,8 hPa (43 mm Hg)
· Density at 20 °C (68 °F):	1,47 g/cm³ (12,267 lbs/gal)
· Relative density:	Not determined.
· Vapour density:	Not determined.
Evaporation rate:	Not determined.
· Solubility in / Miscibility with	
water at 20 °C (68 °F):	1 g/l
· Partition coefficient (n-octanol/wate	er): Not determined.
· Viscosity	
Dynamic:	Not determined.
Kinematic:	Not determined.
· 9.2 Other information	No further relevant information available.

Page: 8/13

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: February 22, 2016 Revision: February 22, 2016

Trade name: ODV KN Reagent (Fast Blue B) 1st Ampoule

(Cont'd. from page 7)

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· 10.3 Possibility of hazardous reactions

Reacts with strong oxidising agents.

Toxic fumes may be released if heated above the decomposition point.

- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials No further relevant information available.
- · 10.6 Hazardous decomposition products

Carbon monoxide and carbon dioxide

Hydrohalogens

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.

· LD/LC5	0 valu	es relevant for classification:
79-01-6	trichle	proethylene
Oral	LD50	2402 mg/kg (mouse)
Dermal	LD50	8450 mg/kg (mouse)

- · Primary irritant effect
- Skin corrosion/irritation:

Causes skin irritation.

· Serious eye damage/irritation:

Causes serious eye irritation.

· Respiratory or skin sensitisation:

May cause an allergic skin reaction.

· Carcinogenic categories

· IARC (Int	ernational Agency for Research on Cancer):	
79-01-6	trichloroethylene	1
106-88-7	1,2-epoxybutane	2B
· NTP (Nat	ional Toxicology Program):	
79-01-6 t	richloroethylene	R
· OSHA-Ca	(Occupational Safety & Health Administration):	
Substance	e is not listed.	

· Probable routes of exposure:

Ingestion. Inhalation.

Eye contact.

(Cont'd. on page 9)

Page: 9/13

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: February 22, 2016 Revision: February 22, 2016

Trade name: ODV KN Reagent (Fast Blue B) 1st Ampoule

(Cont'd. from page 8)

Skin contact.

· Acute effects (acute toxicity, irritation and corrosivity):

Vapours have narcotic effect.

May cause drowsiness or dizziness.

Irritating to eyes and skin.

- · Repeated dose toxicity: Danger of very serious irreversible effects.
- · Germ cell mutagenicity:

Suspected of causing genetic defects.

· Carcinogenicity:

May cause cancer.

- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure:

May cause drowsiness or dizziness.

- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: The material is harmful to the environment.
- · 12.2 Persistence and degradability

Not easily biodegradable.

Specific ecological information is not available but it is known that such organic compounds can be persistent pollutants. Do not release product into waterways or sewer systems.

- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Harmful to aquatic organisms

- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Cont'd. on page 10)

Page: 10/13

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: February 22, 2016 Revision: February 22, 2016

Trade name: ODV KN Reagent (Fast Blue B) 1st Ampoule

(Cont'd. from page 9)

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

· 14.1 UN-Number

· DOT, IMDG, IATA

· DOT, ADR, IMDG, IATA

UN1710

· 14.2 UN proper shipping name



Limited Quantity for packages less than 30 kg (66 lb) and inner packagings less than 5 L (1,3 gal).

TRICHLOROETHYLENE

1710 TRICHLORETHYLENE

· ADR

· 14.3 Transport hazard class(es)

· DOT



· Class 6.1 Toxic substances.

· Label

· ADR



· Class 6.1 (T1) Toxic substances.

· Label 6

· IMDG, IATA



· Class 6.1 Toxic substances.

· Label 6.

· 14.4 Packing group

· DOT, ADR, IMDG, IATA

(Cont'd. on page 11)

Page: 11/13

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: February 22, 2016 Revision: February 22, 2016

Trade name: ODV KN Reagent (Fast Blue B) 1st Ampoule

		(Cont'd. from page 10)
· 14.5 Environmental hazards:	Not applicable.	
 · 14.6 Special precautions for user · Danger code (Kemler): · EMS Number: · Segregation groups 	Warning: Toxic substances. 60 F-A,S-A Liquid halogenated hydrocarbons	
 14.7 Transport in bulk according to Annex of Marpol and the IBC Code 	Not applicable.	
· Transport/Additional information:		
ADRLimited quantities (LQ)Transport categoryTunnel restriction code	5L 2 E	

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- · Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is listed.

· TSCA (Toxic Substances Control Act):

Substance is listed.

- · Proposition 65 (California):
- · Chemicals known to cause cancer:

79-01-6 trichloroethylene

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

79-01-6 trichloroethylene

· Chemicals known to cause developmental toxicity:

79-01-6 trichloroethylene

- Carcinogenic Categories
- · EPA (Environmental Protection Agency)

79-01-6 trichloroethylene

(Cont'd. on page 12)

CaH

Page: 12/13

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: February 22, 2016 Revision: February 22, 2016

Trade name: ODV KN Reagent (Fast Blue B) 1st Ampoule

	(Cont'd. from page 11)			
· IARC (International Agency for Research on Cancer)				
79-01-6 trichloroethylene	1			
106-88-7 1,2-epoxybutane	2B			
· NIOSH-Ca (National Institute for Occupational Safety and Health)				
79-01-6 trichloroethylene				
· Canada				
· Canadian Domestic Substances List (DSL)				
Substance is listed.				
· Canadian Ingredient Disclosure list (limit 0,1%)				
Substance is not listed.				
· Canadian Ingredient Disclosure list (limit 1%)				

Directive 2012/18/EU

79-01-6 trichloroethylene

- · Named dangerous substances ANNEX I Substance is not listed.
- · Information about limitation of use:

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57

79-01-6 trichloroethylene

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H350 May cause cancer.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern

(Cont'd. on page 13)

Page: 13/13

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: February 22, 2016 Revision: February 22, 2016

Trade name: ODV KN Reagent (Fast Blue B) 1st Ampoule

(Cont'd. from page 12)

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

Muta. 2: Germ cell mutagenicity, Hazard Category 2 Carc. 1A: Carcinogenicity, Hazard Category 1A

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com

Page: 1/12

Safety Data Sheet


according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: February 22, 2016 Revision: February 22, 2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: ODV KN Reagent (Fast Blue B) 2nd Ampoule
- Article number: 909 (1006327), 7609 (1006036)
- 1.2 Relevant identified uses of the substance or mixture and uses advised against NarcoPouch Marijuana Hashish Hash Oil and THC Presumptive Screening Test Kit
- · Uses advised against: Contact manufacturer.
- · 1.3 Details of the supplier of the Safety Data Sheet
- · Manufacturer/Supplier:

Safariland, LLC 13386 International Parkway Jacksonville, FL 32218 Customer Care (800) 347-1200



· 1.4 Emergency telephone number:

ChemTel Inc.

+1 (800)255-3924, +1 (813)248-0585

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Classifications listed are applicable to the OSHA GHS Hazard Communication Standard (29CFR1910.1200).

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · Additional information: There are no other hazards not otherwise classified that have been identified.
- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is additionally classified and labelled according to the Globally Harmonized System within the United States (GHS).

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS05

- Signal word Danger
- Hazard-determining components of labelling: sodium hydroxide
- · Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

(Cont'd. on page 2)

Page: 2/12

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: February 22, 2016 Revision: February 22, 2016

Trade name: ODV KN Reagent (Fast Blue B) 2nd Ampoule

(Cont'd. from page 1)

· Precautionary statements

P260 Do not breathe mist.

P264 Wash thoroughly after handling. P280 Wear protective gloves / eye protection.

P234 Keep only in original container.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Wash contaminated clothing before reuse. P363

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P390 Absorb spillage to prevent material damage.

P405 Store locked up.

P406 Store in corrosive resistant container with a resistant inner liner.

Dispose of contents/container in accordance with local/regional/national/international P501

regulations.

· NFPA ratings (scale 0 - 4)



Health = 3Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



4 Health = 4 Fire = 0 REACTIVITY 0 Reactivity = 0

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Components:

CAS: 1310-73-2 EINECS: 215-185-5

Index number: 011-002-00-6

sodium hydroxide

Met. Corr.1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318

≤10%

· Additional information:

For the listed ingredient(s), the identity and exact percentages are being withheld as a trade secret.

(Cont'd. on page 3)

Page: 3/12

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: February 22, 2016 Revision: February 22, 2016

Trade name: ODV KN Reagent (Fast Blue B) 2nd Ampoule

(Cont'd. from page 2)

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately remove any clothing soiled by the product.

Immediately rinse with water.

If skin irritation continues, consult a doctor.

Seek immediate medical help for blistering or open wounds.

· After eye contact:

Protect unharmed eye.

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

Strong caustic effect on skin and mucous membranes.

Danger of severe eye injury.

Gastric or intestinal disorders when ingested.

Nausea in case of ingestion.

- · Hazards: Danger of impaired breathing.
- · 4.3 Indication of any immediate medical attention and special treatment needed

Medical supervision for at least 48 hours.

If necessary oxygen respiration treatment.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: None.
- · 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

(Cont'd. on page 4)

Page: 4/12

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: February 22, 2016 Revision: February 22, 2016

Trade name: ODV KN Reagent (Fast Blue B) 2nd Ampoule

(Cont'd. from page 3)

Ensure adequate ventilation

· 6.2 Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· 6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Send for recovery or disposal in suitable receptacles.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Unsuitable material for receptacle: aluminium.

Unsuitable material for receptacle: steel.

Unsuitable material for receptacle: glass or ceramic.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with oxidising and acidic materials.

Store away from metals.

- Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

1310-73-2 sodium hydroxide

PEL (USA) Long-term value: 2 mg/m³
REL (USA) Ceiling limit: 2 mg/m³
TLV (USA) Ceiling limit: 2 mg/m³

· DNELs: No further relevant information available.

(Cont'd. on page 5)

Page: 5/12

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: February 22, 2016 Revision: February 22, 2016

Trade name: ODV KN Reagent (Fast Blue B) 2nd Ampoule

(Cont'd. from page 4)

- · PNECs: No further relevant information available.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

· Respiratory protection:

Use suitable respiratory protective device when high concentrations are present.

Use suitable respiratory protective device when aerosol or mist is formed.

For spills, respiratory protection may be advisable.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

For the permanent contact gloves made of the following materials are suitable:

Nitrile rubber, NBR

PVC gloves

Neoprene gloves

· Eye protection:

Contact lenses should not be worn.



Safety glasses

- · Body protection: Alkaline resistant protective clothing
- · Limitation and supervision of exposure into the environment:

No further relevant information available.

· Risk management measures:

See Section 7 for additional information.

No further relevant information available.

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · Appearance

Form: Liquid

Colour: Clear to slightly hazy.

Odour: Characteristic

Odour threshold: Not determined.

(Cont'd. on page 6)

Page: 6/12

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: February 22, 2016 Revision: February 22, 2016

Trade name: ODV KN Reagent (Fast Blue B) 2nd Ampoule

	(Cont'd. from page
· pH-value at 20 °C (68 °F):	12 - 14
· Melting point/Melting range:	Not determined.
· Boiling point/Boiling range:	> 100 °C (> 212 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Auto/Self-ignition temperature:	Not determined.
· Decomposition temperature:	Not determined.
· Self-igniting:	Product is not self-igniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure:	Not determined.
· Density at 20 °C (68 °F):	1,47 - 1,53 g/cm³ (12,267 - 12,768 lbs/gal)
· Relative density:	Not determined.
· Vapour density:	Not determined.
· Evaporation rate:	Not determined.
· Solubility in / Miscibility with	
water:	Fully miscible.
· Partition coefficient (n-octanol/wat	ter): Not determined.
· Viscosity	
Dynamic:	Not determined.
Kinematic:	Not determined.
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· 10.3 Possibility of hazardous reactions

Toxic fumes may be released if heated above the decomposition point.

Exothermic reaction with acids.

Reacts with strong acids and oxidising agents.

Reacts with certain metals.

- · 10.4 Conditions to avoid Avoid acids.
- · 10.5 Incompatible materials No further relevant information available.

(Cont'd. on page 7)

Page: 7/12

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: February 22, 2016 Revision: February 22, 2016

Trade name: ODV KN Reagent (Fast Blue B) 2nd Ampoule

(Cont'd. from page 6)

· 10.6 Hazardous decomposition products

Carbon monoxide and carbon dioxide Nitrogen oxides (NOx) Sulphur oxides (SOx)

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

1310-73-2 sodium hydroxide

Oral LD50 2000 mg/kg (rat)

- · Primary irritant effect
- · Skin corrosion/irritation:

Causes severe skin burns and eye damage.

- · Serious eye damage/irritation:
- Causes serious eye damage.
- · Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable routes of exposure:

Ingestion.

Inhalation.

Eye contact.

Skin contact.

- · Acute effects (acute toxicity, irritation and corrosivity): Causes severe skin burns and eye damage.
- · Repeated dose toxicity: No further relevant information available.
- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: The product contains materials that are harmful to the environment.

(Cont'd. on page 8)

Page: 8/12

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA **GHS**

Printing date: February 22, 2016 Revision: February 22, 2016

Trade name: ODV KN Reagent (Fast Blue B) 2nd Ampoule

(Cont'd. from page 7)

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Harmful to aquatic organisms

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. If the dilution of the use-level pH-value is considerably reduced, the aqueous waste, emptied into drains, is only low water-dangerous.

- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Small amounts may be diluted with plenty of water and washed away. Dispose of larger amounts in accordance with Local Authority requirements.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

n
UN1824
Sodium hydroxide solution
1824 SODIUM HYDROXIDE SOLUTION SODIUM HYDROXIDE SOLUTION

(Cont a. on page 9)

Page: 9/12

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: February 22, 2016 Revision: February 22, 2016

Trade name: ODV KN Reagent (Fast Blue B) 2nd Ampoule

	(Cont'd. from p	oage
· 14.3 Transport hazard class(es)		
· DOT		
SE SE CONRESSIVE		
· Class	8 Corrosive substances.	
· Label	8	
· ADR		
Je Je		
· Class	8 (C5) Corrosive substances.	
· Label	8	
· IMDG, IATA		
Jair Jac		
· Class	8 Corrosive substances.	
· Label	8	
· 14.4 Packing group		
· DOT, ADR, IMDG, IATA	II	
· 14.5 Environmental hazards:		
· Marine pollutant:	No	
· 14.6 Special precautions for user	Warning: Corrosive substances.	
· EMS Number:	F-A,S-B	
· Segregation groups	Alkalis	
· 14.7 Transport in bulk according to An	nex II	
of Marpol and the IBC Code	Not applicable.	
· Transport/Additional information:		
· ADR · Limited quantities (LQ)	1L	
· Transport category	2	
· Tunnel restriction code	E	

Page: 10/12

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: February 22, 2016 Revision: February 22, 2016

Trade name: ODV KN Reagent (Fast Blue B) 2nd Ampoule

(Cont'd. from page 9)

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- · SARA
- · Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65 (California):
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

- · Carcinogenic Categories
- · EPA (Environmental Protection Agency)

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

- · Canada
- · Canadian Domestic Substances List (DSL)

All ingredients are listed.

Canadian Ingredient Disclosure list (limit 0,1%)

None of the ingredients are listed.

· Canadian Ingredient Disclosure list (limit 1%)

1310-73-2 sodium hydroxide

- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients are listed.

(Cont'd. on page 11)

Page: 11/12

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: February 22, 2016 Revision: February 22, 2016

Trade name: ODV KN Reagent (Fast Blue B) 2nd Ampoule

(Cont'd. from page 10)

- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients are listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

Met. Corr.1: Corrosive to metals, Hazard Category 1

Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A

Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

(Cont'd. on page 12)

Page: 12/12

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: February 22, 2016 Revision: February 22, 2016

Trade name: ODV KN Reagent (Fast Blue B) 2nd Ampoule

(Cont'd. from page 11)

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com