

Four Star Chemical  
3137 26th Street  
MATERIAL SAFETY Los Angeles Ca 90023  
DATA SHEET (323) 266-7111  
24-HOUR  
EMERGENCY  
TELEPHONE  
(800) 255-3924

**MANUFACTURED FOR:  
SYNDYX**

SLIDER, LIQUID  
PRODUCT ID NO.: 11447  
\*\*\*\*\*  
PAGE: 1

EFFECTIVE DATE: 12/22/98  
PRODUCT ID NO.: 11447

DATE PREPARED: 09/06/10

=====

This Material Safety Data Sheet contains environmental, health and toxicology information for your employees. Please make sure this information is given to them. It also contains information to help you meet community Right To Know emergency response reporting requirements under SARA TITLE III and many other laws. If you resell this product, this MSDS must be given to the buyer or the information incorporated in your MSDS.

---

This MSDS complies with 29 CFR 1910.1200  
(The Hazard Communication Standard)

===== SECTION I - PRODUCT IDENTIFICATION =====

PRODUCT DESCRIPTION: SLIDER, LIQUID  
D.O.T. PROPER SHIPPING NAME: NOT CLASSIFIED AS HAZARDOUS  
NFPA CODES: HEALTH - 0 FLAMMABILITY - 0 CORROSIVE - 0 REACTIVITY - 0

===== SECTION II - COMPONENTS =====

POLYDIMETHYLSILOXANE FLUID PEL: NOT ESTABLISHED  
CAS #: 63148-62-9 TLV: NOT ESTABLISHED

\* If present, IARL, NTP and OSHA carcinogens and chemical subject to this reporting requirements of SARA TITLE III, SECTION 313 are identified in this section.

===== SECTION III - PHYSICAL DATA =====

BOILING POINT FOR PRODUCT: 212 F  
VAPOR PRESSURE FOR PRODUCT: 0.956  
VAPOR DENSITY FOR PRODUCT: AIR=1 > 1  
SPECIFIC GRAVITY: 0.99  
V.O.C.(GRAMS PER LITER): 0  
WATER SOLUBILITY: SOLUBLE  
APPEARANCE: WHITE LIQUID

===== SECTION IV - FIRE AND EXPLOSION DATA =====

FLASH POINT(TCC): >200 F  
EXPLOSIVE LIMIT (PRODUCT): LOWER - N/A UPPER - N/A  
FIRE & EXPLOSIONS HAZARDS: Keep containers cool. Use equipment or shielding required to protect personnel against bursting, rupturing, venting containers.

FIRE FIGHTING EQUIPMENT: At elevated temperatures (above 120 F) containers may vent, rupture, or burst.

EXTINGUISHING MEDIA: Foam Dry Chemical, Carbon Dioxide.

Four Star Chemical  
3137 26th Street  
MATERIAL SAFETY Los Angeles Ca 90023  
DATA SHEET (323) 266-7111

24-HOUR  
EMERGENCY  
TELEPHONE  
(800) 255-3924

**MANUFACTURED FOR:  
SYNDYX**

SLIDER, LIQUID  
PRODUCT ID NO.: 11447  
\*\*\*\*\*  
PAGE: 2

===== SECTION IV - FIRE AND EXPLOSION DATA(CONTINUED) =====

===== SECTION V - HEALTH HAZARD DATA =====

SEC05.10

THRESHOLD LIMIT VALUE: See Section II

EFFECTS OF OVER EXPOSURE: Irritation to skin and eyes.

EMERGENCY FIRST AID PROCEDURES:

SKIN: Wash with soap and water.

EYE: Flush with water for at least 15 minutes.

INHALATION: Remove to fresh air. See a physician if irritation persist.

ORAL: Call a physician. Do not induce vomiting.

ADDITIONAL: Contact with eyes will be painful and irritating.

Prolonged or repeated contact with skin may cause irritation. Mist  
caused by manufacturing operations may irritate the nasal passages.

===== SECTION VI - REACTIVITY DATA =====

INCOMPATIBILITY: Strong Oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS: Sulfur dioxide, Hydrogen Sulfide,  
Nitrous Oxides and Ammoniacal Vapors.

POLYMERIZATION: Will not occur.

===== SECTION VII - SPILL OR LEAK PROCEDURES =====

SEC07.10

SPILL PROCEDURES: Pick up free material for recycle/disposal.

WASTE DISPOSAL:

Disposal should be in compliance with Federal, State and local laws.

===== SECTION VIII - PROTECTIVE EQUIPMENT TO BE USED =====

SEC08.10

VENTILATION PROCEDURE: Use adequate ventilation

GLOVES PROTECTION: Neoprene or nitrile rubber gloves recommended.

RESPIRATORY PROTECTION: When applicable, wear a NIOSH approved respirator  
appropriate for the vapor or mist concentration at  
the point of use.

EYE PROTECTION: Safety glasses.

OTHER PROTECTION: None

===== SECTION IX - SPECIAL PRECAUTIONS OR OTHER COMMENTS =====

SEC09.10

STORAGE AND HANDLING PRECAUTIONS: Store in a cool, dry well-ventilated  
place away from incompatible materials. Keep container tightly closed

Four Star Chemical  
3137 26th Street  
MATERIAL SAFETY Los Angeles Ca 90023  
DATA SHEET (323) 266-7111

24-HOUR  
EMERGENCY  
TELEPHONE  
(800) 255-3924

**MANUFACTURED FOR:  
SYNDYX**

SLIDER, LIQUID  
PRODUCT ID NO.: 11447  
PAGE: 3  
\*\*\*\*\*

==== SECTION IX - SPECIAL PRECAUTIONS OR OTHER COMMENTS(CONTINUED) ==  
when not in use. Do not use pressure to empty container. Wash thoroughly  
after handling. Do not get in eyes, on skin, or on clothing. Store in  
original containers only at temperatures below 85 deg. f. Do not store  
near acids, oxidizable materials, organics.

OTHER PRECAUTIONS: Containers, even those that have been emptied, will  
retain product residue and vapors. Always obey hazard warnings and handle  
empty containers as if they were full. Do not mix this product with other  
cleaning agents. It is a violation of federal law to use this product in a  
manner inconsistent with its labeling.

SPECIAL PRECAUTIONS: Minimal handling temperature should be maintained. Do  
not ingest.

===== ADDITIONAL COMMENTS =====

Consumer Product Safety Act Certification.

This product was evaluated by Four Star Chemical and is certified to be  
in compliance with the provisions of the Consumer Product Safety Act,  
the Federal Hazardous Substances Act, and the Poison Prevention Packaging  
Act, as applicable. This product was manufactured at the  
location identified on the MSDS. The date of manufacture is stamped on  
the product container. No testing is required to certify compliance  
with the above mentioned regulation.

\*\*\*\*\*

The above information is based on the data of which we are aware and is  
believed to be correct as of the date hereof. Since the information  
contained herein may be applied under conditions beyond our control and  
with which we may be unfamiliar and since data made available subsequent  
to the date hereof may suggest modification of the information, we do not  
assume any responsibility for the results of its use. This information is  
furnished upon condition that the person receiving it shall make his own  
determination of the suitability of the material for his particular purpose.