



1. COMPANY AND PRODUCT IDENTIFICATION

iLoveToCreate
 A Duncan Enterprises Company
 5673 East Shields Avenue
 Fresno, CA 93727
 559-291-4444
 559-291-9444 (Fax)

EMERGENCY TELEPHONE NUMBERS
Health Emergencies:
 559-291-4444 7:00 am – 3:30 pm Pacific Std. Time
Spill and Off-Hour Health Emergencies:
 800-424-9300 U.S. and Canada
 703-527-3887 Outside U.S. and Canada (Collect)

Product Name: ALEENE'S FABRIC FUSION PERMANENT DRYCLEANABLE FABRIC ADHESIVE
Product Description: Water-Based Polyurethane Adhesive

2. HAZARDS IDENTIFICATION

HMIS Hazard Ratings for Product		Rating Scale:
Health	1	0 = Minimal
Flammability	0	1 = Slight
Reactivity	0	2 = Moderate
Personal Protection	See Section 8	3 = Serious
		4 = Severe
		* = Chronic Effects

Emergency Overview	Caution: Off-white Liquid with ammonia odor
Eye Contact:	May cause eye irritation
Skin Contact:	Repeated or prolonged skin contact may result in mild irritation
Inhalation:	Irritating and/or toxic vapors may be released at elevated temperatures. Avoid breathing vapors or mists.
Ingestion:	Ingestion may cause irritation of the gastrointestinal tract

3. COMPOSITION / INGREDIENT INFORMATION

Chemical Family:	Water solution of soluble polymers	
Component	CAS Number	Concentration %
None classified as hazardous under OSHA Hazard Communication Standard (29 CFR 1910.1200)		

4. FIRST AID MEASURES

Eye Contact:	Immediately irrigate with eyewash solution or clean water, holding the eyelids apart, for at least 10 minutes. If symptoms develop, obtain medical attention.
Skin Contact:	Wash skin with soap and water. If symptoms develop, obtain medical attention.
Inhalation:	Remove to fresh air. Get medical attention if irritation persists.
Ingestion:	DO NOT induce vomiting. If individual is conscious, give milk or water to dilute stomach contents. Keep warm and quiet. Get prompt medical attention. DO NOT attempt to give anything by mouth to an unconscious person.

iLoveToCreate Material Safety Data Sheet – Aleene’s Fabric Fusion

5. FIRE FIGHTING MEASURES

Autoignition Temperature:	Not Available
Flash Point:	> 94° C (Pensky-Martens Closed Tester)
Upper Explosive Limit (%):	Not Applicable
Lower Explosive Limit (%):	Not Applicable
Extinguisher Media:	CO ₂ , Dry Chemical, Foam – Use extinguishing media appropriate for surrounding fire
Special Firefighting Procedures:	Fire fighters should be equipped with self-contained breathing apparatus to protect against potentially toxic and irritating fumes. Dry polymer film will burn.
Fire & Explosion Hazards:	Dry polymer film will burn. Combustion will evolve toxic and irritant vapors.
NFPA Flammability Hazard Class:	0 = Insignificant

6. ACCIDENTAL RELEASE MEASURES

Spill or Leak Procedures:	No smoking, flames or flares in hazard area. Keep unnecessary people away; isolate hazard area and deny entry. Avoid contact. Use suitable protective clothing. Provided it is safe to do so, isolate the source of the leak. Do not allow to enter drains, sewers, or watercourses. Absorb spillages onto sand, earth or any suitable absorbent material. Scrape up and place in suitably labeled container for disposal. Disposal should be in accordance with local, state or national legislation.
For safety and environmental precautions, please review entire Material Safety Data Sheet for necessary information.	

7. HANDLING AND STORAGE

Storage Temperature:	40° - 100°F
Handling / Storage:	Protect from freezing; keep container sealed when not in use
Special Sensitivity:	Avoid excessive heat; protect from freezing

8. EXPOSURE CONTROL AND PERSONAL PROTECTION

Conditions Under Which Personal Protective Equipment Required:	Normal work conditions, maintenance / repair
Eye Protection Requirements:	Wear safety glasses with side shields; protect against splashing
Glove Requirements:	Impervious neoprene or rubber gloves are recommended.
Clothing Requirements:	Wear protective clothing to comply with good occupational hygiene practice.
Change / Removal of Clothing:	Remove contaminated clothing and launder before reuse.
Wash Requirements:	Wash before eating, drinking, or using toilet facilities.
Respirator Requirements:	Avoid prolonged or repeated breathing of vapor or mists. If exposure may or does exceed occupational exposure limits, use a NIOSH approved respirator to prevent overexposure.
Ventilation Requirements:	Use in a well-ventilated area.

iLoveToCreate Material Safety Data Sheet – Aleene’s Fabric Fusion

9. PHYSICAL AND CHEMICAL PROPERTIES

Pure Material or Mixture:	Mixture
Physical Form:	Liquid
Appearance / Physical Description:	Off-white liquid, ammonia odor
pH:	Approximately 8.5
Boiling Point:	> 100° C (> 212°F)
Melting / Freezing Point:	Approx. 0°C (32°F)
Odor Threshold:	Not Available
Solubility in Water:	Miscible
Partition Coefficient (n-octanol/water):	Not Applicable
Specific Gravity (Water = 1):	1.08
Bulk Density:	9.0 lb / gal
Volatiles:	Approx. 58% / wt
Vapor Pressure:	Not applicable
Evaporation Rate (Water = 1):	Not applicable
Vapor Density (Air = 1):	0.62
Volatile Organic Compounds:	Estimated to be 0.25 lb/gal
Autoignition Temperature:	Not available
Flash Point:	> 94° C (Pensky-Martens Closed Tester)
Oxidizing Properties:	Not Applicable

10. STABILITY AND REACTIVITY

Stability:	Stable
Stability Detail:	Stable
Materials to Avoid:	Strong acids, strong bases
Conditions to Avoid:	Elevated temperatures
Hazardous Decomposition Products:	Carbon monoxide, carbon dioxide, unknown hydrocarbons
Hazardous Polymerization:	Will not occur

11. TOXICOLOGICAL INFORMATION

Acute (Short-Term) Effects of Exposure

Route of Entry	Eye contact, skin contact, inhalation, ingestion
Product Toxicology	
Product Information:	Low acute toxicity under normal conditions of handling and use
Irritant Properties:	May cause irritation to skin, eyes, and respiratory system.

Chronic (Long-Term) Effects of Exposure

Target Organs:	Eyes, skin
Carcinogen:	IARC, NTP, OSHA Substance Specific Regulation: There is no evidence that this product poses a carcinogenic risk under normal conditions of handling and use.

12. ECOLOGICAL INFORMATION

Potential Effect on Environment:	Do not allow to enter drains, sewers or watercourses
Mobility:	This product is soluble in water
Potential to Bioaccumulate:	Unknown
Aquatic toxicity:	None established

iLoveToCreate Material Safety Data Sheet – Aleene’s Fabric Fusion

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods: Waste disposal should be in accordance with existing Federal, State, and Local environmental regulations.


Empty Container Warnings: Empty containers may contain product residue; follow MSDS and label warnings even after they have been emptied.

14. TRANSPORT INFORMATION

U.S. Department of Transportation Information	
DOT Shipping Name:	Adhesive Glues, NOI 4620 Sub. 5
DOT Hazard Class:	Non-hazardous
DOT Reportable Quantity:	None

United Nations Information	
U.N. Number:	None
U.N. Class:	None
The information provided herein may not include the impact of additional regulatory requirements (e.g., for materials meeting the definition of a hazardous waste under RCRA, hazardous substances under CERCLA, and/or marine pollutants under CWA or other similar federal, state or local laws) or any associated exceptions or exemptions under regulations applicable to the transport of this material.	

15. REGULATORY INFORMATION

TSCA:	This product is manufactured in compliance with all provisions of the Toxic Substances Control Act, 15 U.S.C. 2601 et. seq.				
FDA:	21CFR175.105				
SARA/Title III:	This product contains no substances at or above the reported threshold under Section 313, based on available data.				
	Products bearing the Nontoxic Product Seal are certified in a program of toxicological evaluation by a nationally recognized toxicologist to contain no materials in sufficient quantities to be toxic or injurious to humans or to cause acute or chronic health problems. These products are certified to be labeled in accordance with the voluntary chronic hazard labeling standard ASTM D-4236. In addition, there is no physical hazard as defined within 29 CFR Part 1910.1200(c).				
CALIFORNIA PROPOSITION 65					
WARNING: This product contains the following chemicals that are known to the State of California to cause cancer, birth defects, or other reproductive harm:					
<table border="1"> <thead> <tr> <th>Component</th> <th>CAS Number</th> </tr> </thead> <tbody> <tr> <td>None Reportable</td> <td></td> </tr> </tbody> </table>	Component	CAS Number	None Reportable		
Component	CAS Number				
None Reportable					
Unless a concentration is specified in Section 2 of the MSDS, the above chemical(s) are present in trace amounts.					

16. OTHER INFORMATION

Table of Abbreviations	
ACGIH	American Conference of Governmental Industrial Hygienists
ANSI	American National Standards Institute
ASTM	American Society for Testing Materials
°C	Degrees Centigrade
CAS	Chemical Abstract Service
CERCLA	Comprehensive Environmental Response, Compensation and Liability Act

iLoveToCreate Material Safety Data Sheet – Aleene’s Fabric Fusion

16. OTHER INFORMATION (Continued)

Table of Abbreviations (Continued)	
CFR	Code of Federal Regulations
CPR	Controlled Products Regulations
DOT	Department of Transportation
CPR	Controlled Products Regulations
DOT	Department of Transportation
EPA	Environmental Protection Agency
°F	Degrees Fahrenheit
FDA	Food & Drug Administration
g / l	Grams per liter
DOT	Department of Transportation
EPA	Environmental Protection Agency
°F	Degrees Fahrenheit
FDA	Food & Drug Administration
g / l	Grams per liter
Hg	Mercury
HMIS	Hazardous Materials Identification System
IARC	International Agency for Research on Cancer
LD	Lethal Dose
mg / kg	Milligram per kilogram
mm	Millimeter
MSDS	Material Safety Data Sheet
MSHA	Mine Safety and Health Administration
N / A	Not Applicable
NFPA	National Fire Protection Association
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
ppm	Parts per million
SARA	Superfund Amendment and Reauthorization Act
STEL	Short-Term Exposure Limit
TSCA	Toxic Substances Control Act
TWA	Time - Weighted Average
U.N.	United Nations
WHMIS	Workplace Hazardous Materials Information System
>	Greater Than
<	Less Than

Creation Date:	01/04/07
Revision Date:	03/23/11
Technical Contact:	Frank Peters Research & Development Manager iLoveToCreate A Duncan Enterprises Company 5673 East Shields Avenue Fresno, CA 93727 559-291-4444 559-291-9444 (Fax)

iLoveToCreate Material Safety Data Sheet – Aleene’s Fabric Fusion

Disclaimer

The information given and the recommendations made herein apply to our product(s) alone and not combined with any other product(s). Such are based on our research and on data from other reliable sources and are believed to be accurate. No guarantee of accuracy is made. It is the purchaser’s responsibility before using any product to verify this data under their own operating conditions and to determine whether the product is suitable for their purposes.