

MATERIAL SAFETY DATA SHEET

Emergency Phone 800/535-5053

Size	Product Number	UPC Code
Pint	41116	0 49424 41116 0
Quart	41140	0 49424 41140 5

Note: Be sure to compare the EPA registration number as given on the MSDS with the EPA registration number as given on the label as some products have had the active ingredients changed without a corresponding change in the UPC number or in the item description.

1.	INGREDIENTS: Spinosad Balance, Total, Including Propylene glycol (1,2-Propanediol)	Spinosyn A: Spinosyn D:	CAS#: 131929-60-7 CAS#: 131929-63-0 CAS#: 000057-55-6	0.5% 99.5%
2.	PHYSICAL DATA: BOILING POINT: PHYSICAL STATE: ODOR: DENSITY: SOLUBILITY IN WATER: VAPOR PRESSURE: APPEARANCE:	100°C (212°F) water Liquid suspension Low 1.015 g/mL Disperse Similar to water Off-white to light tan		
3.	FIRST AID MEASURES: EYE:	Hold eves open and rin	se slowly and gently with wate	er for 15-20 minutes
	SKIN:	Remove contact lenses rinsing eyes. Call a point Take off contaminated	s, if present, after the first 5 mi son control center or doctor fo clothing. Rinse skin immediate s. Call a poison conrol center of	nutes, then continue r treatment advice. ely with plenty of
	INGESTION:	Call a poison control ce Have person sip a glas vomiting unless told to	enter or doctor immediately for s of water if able to swallow. I do so by the poison control ce mouth to an unconscious per	Do not induce enter or doctor.
	INHALATION:	Move person to fresh a ambulance, then give a	artificial respiration, preferably enter or doctor for further treat	all 911 or by mouth to mouth.
	NOTE TO PHYSICIAN:	No specific antidote. Tr	reatment of exposure should b ad the clinical condition of the p	e directed at the

4. FIRE AND EXPLOSION HAZARD DATA:

FLASH POINT:	Not determined (aqueous suspension)
METHOD USED:	Not applicable
FLAMMABLE LIMITS:	LFL: Not determined (water-based product)
	UFL: Not determined (water-based product)
EXTINGUISHING MEDIA:	To extinguish combustible residues of this product use water fog, carbon dioxide, dry chemical or foam.
FIRE AND EXPLOSION HAZARDS:	Keep people away. Isolate fire area and deny unnecessary entry. Under fire conditions some components of this product may decompose. The smoke may contain unidentified toxic and/or irritating compounds.



	FIRE-FIGHTING EQUIPMENT:	Wear positive-pressure, self-contained breathing apparatus (SCBA) and protective fire-fighting clothing (includes fire-fighting helmet, coat, pants, boots, and gloves). If protective equipment is not available or not used, fight fire from a protected location or safe distance.
5.	STABILITY & REACTIVITY DATA: STABILITY (CONDITIONS TO AVOID): INCOMPATIBILITY (SPECIFIC MATERIALS TO AVOID): HAZARDOUS DECOMPOSITION PRODUCTS: HAZARDOUS POLYMERIZATION:	Thermally stable at typical use temperatures. Some components of this product can decompose at elevated temperatures. None known Hazardous decomposition products depend upon temperature, air supply, and the presence of other materials. Not known to occur.
6.	ECOLOGICAL INFORMATION: ENVIRONMENTAL FATE MOVEMENT & PARTITIONING:	Bioconcentration potential is low. Bioconcentration factors for rainbow trout are: Spinosyn A = 19 Spinosyn D = 33
	DEGRADATION AND PERSISTENCE:	 Based largely or completely on information for spinosyn A: The photolysis half-life in soil is 8.68 days, the photolysis half-life in pH 7 buffer is 0.96 days. Under aerobic soil conditions the half-life is 9.4 and 14.5 days. Based largely or completely on information for spinosyn D: The photolysis half-life in soil is 9.44 days, the photolysis half-life in pH 7 buffer is 0.84 days. Under aerobic soil conditions the half-life is 14.5 days.
	ECOTOXICOLOGY:	Product is highly toxic to marine mollusks on an acute basis (LC_{50}/EC_{50} between 0.1 and 1.0 mg/L in most sensitive species). Acute EC_{50} for shell deposition inhibition in eastern oyster <u>(Crassostrea</u> <u>virginica)</u> is 0.295 mg/L.
		Product is moderately to slightly toxic to fish on an acute basis (LC ₅₀ between 1 and 100 mg/L). Acute LC ₅₀ for mirror or common carp <u>(Cyprinus carpio)</u> is 3.49-4.99 mg/L. Acute LC ₅₀ for bluegill <u>(Lepomis macrochirus)</u> is 5.94 mg/L. Acute LC ₅₀ for sheepshead minnow <u>(Cyprinodon variegatus)</u> is 7.87 mg/L. Acute LC ₅₀ for rainbow trout <u>(Oncorhynchus mykiss)</u> is 30 mg/L. Product is slightly toxic to aquatic invertebrates on an acute basis (LC/EC ₅₀ between 10 and 100 mg/L). Acute LC ₅₀ for water flea <u>(Daphnia magna)</u> is 92.7 mg/L. Acute immobilization EC ₅₀ for water flea <u>(Daphnia magna)</u> is 14 mg/L. Acute LC ₅₀ for grass shrimp <u>(Palaemonetes pugio)</u> is >9.76 mg/L. Maximum acceptable toxicant concentration (MATC) is 0.692 mg/L in rainbow trout. Growth inhibition EC ₅₀ for diatom <u>(Navicula sp.)</u> is 0.107 mg/L. Growth inhibition EC ₅₀ for marine diatom (<u>Skeletonema costatum</u>) is 0.227 mg/L.



Product: LAWN & GARDEN SPRAY SPINOSAD EPA Reg. No.: 869-245 Effective Date: 09/01/2004

Growth inhibition EC_{50} for blue-green alga <u>(Anabaena flos-aquae)</u> is 8.09 mg/L.

Product is practically non-toxic to birds on an acute basis (LD_{50} >2000 mg/kg).

Product is practically non-toxic to birds on a dietary basis (LC_{50} >5000 ppm).

Acute oral LD₅₀ for bobwhite <u>(Colinus virginianus)</u> is >2000 mg/kg. Acute oral LD₅₀ for mallard <u>(Anas platyrhynchos)</u> is >2000 mg/kg. Dietary LC₅₀ for bobwhite (Colinus virginianus) is >5253 ppm. Dietary LC₅₀ for mallard <u>(Anas platyrhynchos)</u> is >5156 ppm.

7. DISPOSAL CONSIDERATIONS: DISPOSAL METHOD:

If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws and regulations.

ACTION TO TAKE FOR SPILLS/LEAKS:

Use non-reactive absorbent to absorb small spills and collect for disposal. For large spills, contain the material, and report to Dow AgroSciences at 800-992-5994.

8. HANDLING AND STORAGE: PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:

Keep out of reach of children. Avoid eye contact. Do not take internally. Wash thoroughly after handling and before eating, drinking, or smoking. Store product in original container. See product label for additional instructions.

9. HEALTH HAZARD DATA: POTENTIAL HEALTH EFFECTS:

EYE:

SKIN:

INGESTION:

INHALATION:

SYSTEMIC (OTHER TARGET ORGANS) EFFECTS:

CANCER INFORMATION: TERATOLOGY (BIRTH DEFECTS): This section includes possible adverse effects, which could occur if this material is not handled in the recommended manner. May cause slight eye irritation. Corneal injury is unlikely. May cause pain disproportionate to the level of irritation to eye tissues. Prolonged contact may cause slight skin irritation with local redness. The LD_{50} for skin absorption in rabbits is >5000 mg/kg. Prolonged skin contact is unlikely to result in absorption of harmful amounts. Did not cause allergic skin reactions when tested in guinea pigs. Very low toxicity if swallowed. The oral LD_{50} for rats and mice is >5000 mg/kg. Harmful effects not anticipated from swallowing small amounts. No adverse effects are anticipated from single exposure to mist. The aerosol LC_{50} for rats is >5.0 mg/L for 4 hours (limit test).

Repeated exposure did not produce systemic toxicity when applied to the skin of rabbits.

Spinosad did not cause cancer in laboratory animals. Spinosad did not cause birth defects in laboratory animals.



Product: LAWN & GARDEN SPRAY SPINOSAD EPA Reg. No.: 869-245 Effective Date: 09/01/2004

 REPRODUCTIVE EFFECTS:
 For spinosad, in laboratory animal studies, effects on reproduction have been seen only at doses that produced significant toxicity to the parent animals.

 MUTAGENICITY:
 For spinosad, in-vitro and animal genetic toxicity studies were negative.

10. EXPOSURE CONTROLS, PERSONAL PROTECTION:

These precautions are suggested for conditions where the potential for exposure exists. Emergency conditions may require additional precautions.

EXPOSURE GUIDELINES:	Propylene glycol: AIHA WEEL is 10 mg/M ³ vapor and aerosol. Spinosad: Dow AgroSciences Industrial Hygiene Guideline is 0.3 mg/M ³ , TWA
ENGINEERING CONTROLS:	Provide general and/or local exhaust ventilation to control airborne levels below the exposure guidelines.

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:EYE/FACE PROTECTION:Use of safety glasses is recommended.SKIN PROTECTION:Use gloves chemically resistant to this material when prolonged or
frequently repeated contact could occur.RESPIRATORY PROTECTION:Atmospheric levels should be maintained below the exposure guidelines.APPLICATORS AND ALL
OTHER HANDLERS:Refer to the product label for personal protective clothing and equipment.

11. TRANSPORT INFORMATION:

This product is not regulated by DOT when shipped domestically by land.

12. REGULATORY INFORMATION:

U.S. REGULATIONS

NOTICE:

The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ from one location to another; it is the buyer's responsibility to ensure that its activities comply with federal, state or provincial, and local laws. The following specific information is made for the purpose of complying with numerous federal, state or provincial, and local laws and regulations.

SARA 313 INFORMATION:To the best of our knowledge, this product contains no chemical subject
to SARA Title III Section 313 supplier notification requirements.SARA HAZARD CATEGORY:This product has been reviewed according to the EPA "Hazard
Categories" promulgated under Sections 311 and 312 of the Superfund
Amendment and Reauthorization Act of 1986 (SARA Title III) and is
considered, under applicable definitions, to meet the following
categories: An immediate health hazard; A delayed health hazard.
The following product components are cited on certain state lists as
mentioned. Non-listed components may be shown in the composition
section of the MSDS.

CHEMICAL NAME CAS NUMBER LIST

1,2-Propanediol 000057-55-6 PA1

PA1=Pennsylvania Hazardous Substance (present at greater than or equal to 1.0%).



Product: LAWN & GARDEN SPRAY SPINOSAD EPA Reg. No.: 869-245 Effective Date: 09/01/2004

COMPREHENSIVE ENVIRONMENTAL RESPONSE COMPENSATION AND LIABILITY ACT (CERCLA, or SUPERFUND): To the best o

To the best of our knowledge, this product contains no chemical subject to reporting under CERCLA.

The information presented herein is based on available data from reliable sources and is correct to the best of our knowledge. Green Light makes no warranty, express or implied, regarding the accuracy of the data or the results obtained from the use of this product. Nothing herein may be construed as recommending any practice or any product in violation of any law or regulations. The user is solely responsible for determining the suitability of any material or product for a specific purpose and for adopting any appropriate safety precautions. We disclaim all liability for injury or damage stemming from any improper use of the material or product described herein.