

MATERIAL SAFETY DATA SHEET

FMOM No.: 1425-2.5MM-0.00

DATE: 12/04/09

PRODUCT NAME: Prednisone Tablets, USP

POTENCY: 2.5 mg

BATCH SIZE: 2,500,000 Tablets

PREDNISONE: CAS #53-03-2

Signs and Symptoms
of Overexposure:

CAS 53-03-2 TDLo: 113 mg/kg Unknown Woman
LDLo: 800 mg/kg Intraperitoneal Mouse
LDS0: 600 mg/kg Intramuscular Mouse
Mutation Data [RTECS]
Tumorigenic Data [RTECS]
Reproductive Effect Data [RTECS]

Possible allergic reaction to dust if inhaled, ingested or in contact with skin.
Suppression of adrenal gland secretion, Cushing's syndrome, water retention,
electrolyte imbalance, hyperglycemia

ACUTE: Eye, skin and/or respiratory tract irritation

CHRONIC: Possible hypersensitization

Emergency and First
Aid Procedures:

Remove from exposure. Remove contaminated clothing. Persons developing
serious hypersensitivity reactions must receive immediate medical attention.
Upon eye or skin contact, flush affected area with copious quantities of water.
Obtain medical attention. If not breathing give artificial respiration. If breathing
is difficult give oxygen.

1. Inhalation May cause irritation of respiratory tract. Avoid inhalation. Remove to fresh air.
2. Eyes May cause irritation. Flush with copious quantities of water.
3. Skin May cause irritation. Flush with copious quantities of water.
4. Ingestion May cause irritation. Flush out mouth with water.

MICROCRYSTALLINE CELLULOSE (AVICEL): CAS #9004-34-6

Signs and Symptoms
of Overexposure: Not a Health Hazard.

SODIUM STARCH GLYCOLATE (PRIMOJEL): CAS #9063-38-1

Signs and Symptoms
of Overexposure: None - Not a Health Hazard.

Special Fire Fighting
Procedures: Use health protection because poisonous gas will be formed when burning.

LACTOSE: CAS #63-42-3

Signs and Symptoms
of Overexposure: None - Not a Health Hazard.

CAB-O-SIL: CAS #112945-52-5

Is not considered a potential carcinogen by IARC, NTP, or OSHA.

Acute
Overexposure: One known other than possible temporary discomfort due to inhalation of dust concentration above the permissible exposure.

Chronic Overexposure: NONE KNOWN

Emergency and First
Aid Procedures: Flush eyes with plenty of water.

Inhalation: Move victim to fresh air.

TALC: CAS #14807-96-6

Threshold Limit
Values: 20mppcf (OSHA)
2mg/M3, respirable dust (ACGIH)

Signs and Symptoms
of Overexposure: May cause mechanical irritation to eyes and respiratory tract.

Emergency and First
Aid Procedures: Wash dust from skin with soap and water. Flush out eyes with generous amounts of water for at least 15 minutes. See a physician if irritation persists.

MAGNESIUM STEARATE: CAS # 557-04-0

Exposure/Health Effects:

Inhalation: Symptoms from excessive inhalation of dust may include coughing and difficult breathing.

Ingestion: Low level of toxicity by ingestion.

Skin Contact: No information found. Not expected to be a hazard.

Eye Contact: May cause mechanical irritation.

Chronic Exposure: Grossly excessive and chronic inhalation of the dust may cause a progressive chemical pneumonitis.

Aggravation of Pre-existing Conditions: Persons with pre-existing skin disorders, impaired respiratory function, or a history of pulmonary disease should not be exposed to dusts.