Material Safety Data Sheet U.S. Department of Labor May be used to comply with Occupational Safety and Health Administration OSHA's Hazard Communication Standard (Non-Mandatory Form) 29 CFR 1910.1200. Standard must be Form Approved consulted for specific requirements. OMB No. 1218-0072 IDENTITY Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

Section I

Manufacturer's Name	Emergency Telephone Number		
SUN PINE CORP	1-800-326-6691		
Address (Number, Street, City, State, and ZIP Code)	Telephone Number for Information		
340 BARFIELD AVE.	1-800-326-6691		
	Date Prepared		
CANTON, MS. 39046	May-06		
	Signature of Preparer (optional)		

Section II - Hazardous Ingredients/Identity Information

				Other Limits
Hazardous Components (Specific C	hemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Recommended % (optional)
AMMONIUM HYDROXIDE	CAS# 1336-21-6	25 PPM	40 PPM	<0.20%
2-BUTOXYETHANOL	CAS# 111-76-2	240MG/M3	20 PPM	< 2.0%
ETHANOL	CAS# 64-17-6	1000 PPM	1000 PPM	< 5.0%
AND/OR				
ISOPROPANOL	CAS# 67-63-0	400 PPM	400 PPM	< 5.0%

Section III - Physical/Chemical Characteristics

Boiling Point		Specific Gravity (H2O = 1)	
	212 F		1.02
Vapor Pressure (mm Hg)		Melting Point	
	N/A		N/A
Vapor Density (AIR = 1)		Evaporation rate	
	N/A	(Butyl Acetate = 1)	<1.0

Solubility in Water

100%

Appearance and Odor

CLEAR LIGHT COLORED LIQUID WITH AMMONIA ODOR OR FRAGRANCE AS DESCRIBED ON LABEL

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used)	Flammable Limits	LEL	UEL	
N/A		N/A	N/A	
Extinguishing Media				

N/A

Special Firefighting Procedures

NOT FLAMMABLE OR EXPLOSIVE

Unusual Fire and Explosion Hazards

NOT FLAMMABLE OR EXPLOSIVE; HOWEVER CONTAINERS EXPOSED TO FIRE MAY RUPTURE RELEASING

	CT OR STEAM					
	Reactivity Data					
Stability	Unstable	Conditions to Avoid STRONG OXIDIZING	AGENTS. DO NOT USE WITH (OTHER HOUSEHOLD CHEMICALS		
	Stable	X THAT CONTAIN CHI	ORINE SUCH AS BLEACH			
	Materials to Avoid)	HLORTTE)				
	omposition or Bypro					
Hazardous						
Polymerization						
<u> </u>		X				
Section VI - Route(s) of Entry	Health Hazard	I Data Inhalation?	Skin?	Ingestion?		
	(Acute and Chronic	c)	WILL CAUSE GASTOINTESTIN	• 		
SWALLOWED.	CHRONIC RE	ESPIRATORY PROBLEMS MA	Y BE AGGRAVATED BY			
EXPOSURE 1	O HIGH CONC	CENTRATIONS OF VAPOR (R MIST			
Carcinogenicity:		NTP?	IARC Monographs?	OSHA Regulated?		
	IE INGREDIEN toms of Exposure	NTS IN THIS PRODUCT AF	E ON THE IARC, NTP OR OS	AH CARCINOGEN LIST.		
UNDER NOF	vated by Exposure RMAL CONSUME First Aid Procedure	ER USE THE LIKELIHOOD	OF ADVERSE HEALTH CONDIT PROMPT MEDICAL ATTENTION			
			SICIAN, DRINK WATER, DO D	NOT INDUCE VOMITING		
		for Safe Handling and Use				
		IZE. WASH RESIDUAL DOW	N TO SANITARY SEWER			
Waste Disposal		ANCE WITH ALL LOCAL S	TATE AND FEDERAL REGULAT	TONS		
<u>DIDIODI</u> 01				10100		
Precautions to b	e Taken in Handlin	g and Storage				
		JSE AND STORAGE CONDIT	IONS			
Other Precaution KEEP AWAY		REN AND PETS. STORE IN	A COOL DRY PLACE AWAY F	ROM CHILDREN.		
STORE AWAY	FROM PRODI	ICTS THAT CONTAIN BLFZ	CH (SODIUM HYPOCHLORITE)			
Section VIII	- Control Meas	sures				
Respiratory Protection (Specify Type)						
Ventilation	Local Exhaust		Special	Special		
	Mechanical (Gen	neral)	Other			
Protective Glove						
	G WITH PRODU Clothing or Equipr		DS OF TIME USE RUBBER GLO	OVES		
IF WORKING	G WITH PRODU	JCT FOR PROLOGED PERIC	DS OF TIME USE SAFETY GL	ASSES		
	AFTER CONTA	ACT.				