



Material Safety Data Sheet

NFPA 	HMIS <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="background-color: #00FFFF;">Health Hazard</td> <td style="text-align: center; border: 1px solid black;">1</td> </tr> <tr> <td style="background-color: #FFCCCC;">Fire Hazard</td> <td style="text-align: center; border: 1px solid black;">1</td> </tr> <tr> <td style="background-color: #FFFF00;">Reactivity</td> <td style="text-align: center; border: 1px solid black;">0</td> </tr> </table>	Health Hazard	1	Fire Hazard	1	Reactivity	0	Personal Protective Equipment  See Section 15.
Health Hazard	1							
Fire Hazard	1							
Reactivity	0							

Section 1. Chemical Product and Company Identification		Page Number: 1
Common Name/Trade Name	Linseed Oil, Boiled	Catalog Number(s). LI111
		CAS# 8001-26-1
Manufacturer	SPECTRUM LABORATORY PRODUCTS INC. 14422 S. SAN PEDRO STREET GARDENA, CA 90248	RTECS Not available.
		TSCA TSCA 8(b) inventory: Linseed Oil
Commercial Name(s)	Not available.	CI# Not available.
Synonym	The term "boiled" is a misnomer. The Linseed Oil is not actually boiled. Small amounts of driers (e.g., oxides of Manganese, lead or cobalt, or their naphthenates, resinates, or linoleates) are added to the hot linseed oil to accelerate drying. The oil becomes thicker and darker. This particular "boiled" Linseed Oil contains trace amounts (<0.05%) of Cobalt Neodecanoate, Cobalt Ethylhexanoate, Manganese Neodecanoate, and Manganese Ethylhexanoate as well as Mineral Spirits, and Diethylene Glycol.	<u>IN CASE OF EMERGENCY</u> <u>CHEMTREC (24hr) 800-424-9300</u> CALL (310) 516-8000
Chemical Name	Not available.	
Chemical Family	Not available.	
Chemical Formula	Not available.	
Supplier	SPECTRUM LABORATORY PRODUCTS INC. 14422 S. SAN PEDRO STREET GARDENA, CA 90248	

Section 2. Composition and Information on Ingredients					
		<i>Exposure Limits</i>			
Name	CAS #	TWA (mg/m³)	STEL (mg/m³)	CEIL (mg/m³)	% by Weight
1) Linseed Oil, Boiled					100
Toxicological Data on Ingredients Not applicable.					

Section 3. Hazards Identification	
Potential Acute Health Effects	Slightly hazardous in case of skin contact (irritant), of eye contact (irritant), of ingestion. Non-hazardous in case of inhalation.
Potential Chronic Health Effects	CARCINOGENIC EFFECTS: Not available. MUTAGENIC EFFECTS: Not available. TERATOGENIC EFFECTS: Not available. DEVELOPMENTAL TOXICITY: Not available. Repeated or prolonged exposure is not known to aggravate medical condition.

Section 4. First Aid Measures

Eye Contact	Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if irritation occurs.
Skin Contact	Wash with soap and water. Cover the irritated skin with an emollient. Get medical attention if irritation develops.
Serious Skin Contact	Not available.
Inhalation	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
Serious Inhalation	Not available.
Ingestion	Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If large quantities of this material are swallowed, call a physician immediately. Loosen tight clothing such as a collar, tie, belt or waistband.
Serious Ingestion	Not available.

Section 5. Fire and Explosion Data

Flammability of the Product	May be combustible at high temperature.
Auto-Ignition Temperature	Not available.
Flash Points	CLOSED CUP: >121.11°C (250°F). (Setaflash.) OPEN CU P: 206°C (402.8°F) (Cleveland.).
Flammable Limits	Not available.
Products of Combustion	Not available.
Fire Hazards in Presence of Various Substances	Slightly flammable to flammable in presence of open flames and sparks, of heat, of combustible materials.
Explosion Hazards in Presence of Various Substances	Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available.
Fire Fighting Media and Instructions	SMALL FIRE: Use DRY chemical powder. LARGE FIRE: Use water spray, fog or foam. Do not use water jet.
Special Remarks on Fire Hazards	It may ignite spontaneously if absorbed by combustible materials such as paper, rags, insulation, saw dust.
Special Remarks on Explosion Hazards	Liquid chlorine reacts explosively with linseed oil.

Section 6. Accidental Release Measures

Small Spill	Absorb with an inert material and put the spilled material in an appropriate waste disposal.
Large Spill	Absorb with an inert material and put the spilled material in an appropriate waste disposal. Finish cleaning by spreading water on the contaminated surface and allow to evacuate through the sanitary system.

Section 7. Handling and Storage

Precautions	Keep away from heat. Keep away from sources of ignition. Empty containers pose a fire risk, evaporate the residue under a fume hood. Ground all equipment containing material. Do not breathe gas/fumes/vapor/spray. Keep away from incompatibles such as oxidizing agents, combustible materials.
Storage	Keep container tightly closed. Keep container in a cool, well-ventilated area.

Section 8. Exposure Controls/Personal Protection

Engineering Controls	Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.
Personal Protection	Safety glasses. Synthetic apron or Lab Coat. Gloves (impervious). Respiratory protection is generally not required during normal operations. Respiratory protection is not necessary for normal handling. Good room ventilation or use of local exhaust (fume hood) is sufficient. Use a vapor respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapor, inadequate ventilation, development of respiratory tract irritation), and engineering controls are not feasible. Be sure to use an approved/certified respirator or equivalent.
Personal Protection in Case of a Large Spill	Splash goggles. Full suit. Boots. Gloves. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.
Exposure Limits	Not available.

Section 9. Physical and Chemical Properties

Physical state and appearance	Liquid.	Odor	mild
Molecular Weight	Not available.	Taste	Not available.
pH (1% soln/water)	Not applicable.	Color	Amber. Brownish
Boiling Point	>121.11°C (250°F)		
Melting Point	Not available.		
Critical Temperature	Not available.		
Specific Gravity	0.921 - 0.936(Water = 1)		
Vapor Pressure	Not available.		
Vapor Density	Not available.		
Volatility	Not available.		
Odor Threshold	Not available.		
Water/Oil Dist. Coeff.	Not available.		
Ionicity (in Water)	Not available.		
Dispersion Properties	Not available.		
Solubility	Insoluble in cold water. Miscible with chloroform, ether, petroleum ether, carbon disulfide, oil turpentine. Slightly soluble in alcohol.		

Section 10. Stability and Reactivity Data

Stability	The product is stable.
Instability Temperature	Not available.
Conditions of Instability	Excess heat, ignition sources, incompatible materials. It may polymerize on exposure to air.
Incompatibility with various substances	Reactive with oxidizing agents, combustible materials.
Corrosivity	Not available.
Special Remarks on Reactivity	Exposed to air it gradually thickens, becomes darker, and acquires a more pronounced odor and taste. It may polymerize on exposure to air. It may ignite spontaneously if absorbed by combustible materials such as paper, rags, insulation, saw dust.
Special Remarks on Corrosivity	Not available.

Continued on Next Page

Polymerization Will not occur.

Section 11. Toxicological Information

Routes of Entry Absorbed through skin. Eye contact.

Toxicity to Animals LD50: Not available.
LC50: Not available.

Chronic Effects on Humans Not available.

Other Toxic Effects on Humans Slightly hazardous in case of skin contact (irritant), of ingestion.
Non-hazardous in case of inhalation under normal room temperature conditions and when product is not misted or heated.

Special Remarks on Toxicity to Animals Not available.

Special Remarks on Chronic Effects on Humans Not available.

Special Remarks on other Toxic Effects on Humans Acute Potential Health Effects:
Skin: May cause mild skin irritation including redness, burning sensation, drying and cracking of the skin. It can be absorbed through the skin, but no harmful effects from skin absorption have been reported.
Eyes: May cause eye irritation.
Inhalation: Expected to have a low degree of toxicity by inhalation. Excessive inhalation of mist or vapor from heated oil may cause respiratory tract (nose, throat) irritation, asthma-like bronchospasm.
Ingestion: Boiled linseed is more dangerous than raw linseed oil and should never be taken internally because toxic elements (e.g. manganese, cobalt) have usually been added. Aspiration hazard. This material can enter the lungs during swallowing or vomiting and cause lung inflammation and damage. It may cause gastrointestinal tract irritation with nausea and vomiting. Linseed oil may contain cyclic acids, which may affect the liver (fatty liver degeneration). Contains manganese and cobalt which may affect behavior/central nervous system and individual may show signs of central nervous system depression (e.g. headache, drowsiness, dizziness, loss of coordination, and fatigue).
Chronic Potential Health Effects:
Skin: Sensitive individuals may experience dermatitis (allergic skin reaction) after prolonged skin contact.
Ingestion: Prolonged or repeated ingestion may affect the blood (changes in serum composition), liver.

Section 12. Ecological Information

Ecotoxicity Not available.

BOD5 and COD Not available.

Products of Biodegradation Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

Toxicity of the Products of Biodegradation Not available.

Special Remarks on the Products of Biodegradation Not available.

Section 13. Disposal Considerations

Waste Disposal Waste must be disposed of in accordance with federal, state and local environmental control regulations.


Section 14. Transport Information

DOT Classification Not a DOT controlled material (United States).

Identification Not applicable.

Special Provisions for Transport Not applicable.

DOT (Pictograms)



Section 15. Other Regulatory Information and Pictograms

Federal and State Regulations

TSCA 8(b) inventory: Linseed Oil

California Proposition 65 Warnings

California prop. 65: This product contains the following ingredients for which the State of California has found to cause cancer which would require a warning under the statute: No products were found.
California prop. 65: This product contains the following ingredients for which the State of California has found to cause birth defects which would require a warning under the statute: No products were found.

Other Regulations

EINECS: This product is on the European Inventory of Existing Commercial Chemical Substances (EINECS No. 232-278-6).
Canada: Listed on Canadian Domestic Substance List (DSL).
China: Listed on National Inventory.
Japan: Not listed on National Inventory (ENCS).
Korea: Listed on National Inventory (KECI).
Philippines: Listed on National Inventory (PICCS).
Australia: Listed on AICS.

Other Classifications

WHMIS (Canada) Not controlled under WHMIS (Canada).

DSCL (EEC) This product is not classified according to the EU regulations. Not applicable.

HMIS (U.S.A.)

Health Hazard	1
Fire Hazard	1
Reactivity	0
Personal Protection	C

National Fire Protection Association (U.S.A.)

Health Flammability
Reactivity
Specific hazard

WHMIS (Canada) (Pictograms)




DSCL (Europe) (Pictograms)



TDG (Canada) (Pictograms)



ADR (Europe) (Pictograms)



Protective Equipment



Gloves (impervious).



Synthetic apron.

Not applicable.



Safety glasses.

Section 16. Other Information**MSDS Code** L3390**References** Not available.**Other Special Considerations** Not available.

Validated by Sonia Owen on 8/24/2010.

Verified by Sonia Owen.

Printed 8/24/2010.

CALL (310) 516-8000

Notice to Reader

All chemicals may pose unknown hazards and should be used with caution. This Material Safety Data Sheet (MSDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this MSDS. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this MSDS is based on technical data judged to be reliable, Spectrum Quality Products, Inc. assumes no responsibility for the completeness or accuracy of the information contained herein.