

**Safety Data Sheet**  
according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
OSHA GHS

Printing date: May 16, 2016

Revision: May 16, 2016

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** Direct Impact® Adjustable Range 40 mm Round - OC
- **Product code:** 6320-A (1188257)
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture:** Crowd Control Device
- **Uses advised against:** Contact manufacturer.
- **1.3 Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**  
Safariland, LLC  
13386 International Parkway  
Jacksonville, FL 32218  
Customer Care (800) 347-1200
- **Further information obtainable from:** Customer Care Department
- **1.4 Emergency telephone number:**  
ChemTel Inc.  
(800)255-3924, +1 (813)248-0585



### SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**  
Classifications listed are applicable to the OSHA GHS Hazard Communication Standard (29CFR1910.1200).  
Expl. 1.4 H204 Fire or projection hazard.  
Skin Irrit. 2 H315 Causes skin irritation.  
Eye Irrit. 2 H319 Causes serious eye irritation.  
STOT SE 3 H335 May cause respiratory irritation.
- **Additional information:**  
There are no other hazards not otherwise classified that have been identified.  
0 % of the mixture consists of component(s) of unknown toxicity.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The product is additionally classified and labelled according to the Globally Harmonized System within the United States (GHS).  
Elements relevant to explosives are not used in Canada.  
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS01 GHS07

(Cont'd. on page 2)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
OSHA GHS

Printing date: May 16, 2016

Revision: May 16, 2016

**Trade name: Direct Impact® Adjustable Range 40 mm Round - OC**

(Cont'd. from page 1)

- **Signal word** Warning

- **Hazard-determining components of labelling:**

Nitrocellulose, colloided, granular  
Oleoresin Capsicum

- **Hazard statements**

H204 Fire or projection hazard.  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H335 May cause respiratory irritation.

- **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P250 Do not subject to grinding/shock/friction.  
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P373 DO NOT fight fire when fire reaches explosives.  
P374 Fight fire with normal precautions from a reasonable distance.  
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P372 Explosion risk in case of fire.  
P403+P233 Store in a well-ventilated place. Keep container tightly closed.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Additional information:**

Can become highly flammable in use.

- **NFPA ratings (scale 0 - 4)**



Health = 1  
Fire = 0  
Reactivity = 3

- **HMIS-ratings (scale 0 - 4)**

Warning: Contains lead salt(s). Long-term health hazard.



HEALTH 1 Health = 1  
FIRE 0 Fire = 0  
REACTIVITY 3 Reactivity = 3

- **2.3 Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **Explosive Product Notice**

PREVENTION OF ACCIDENTS IN THE USE OF EXPLOSIVES - The prevention of accidents in the use of explosives is a result of careful planning and observance of the best known practices. The explosives user must remember that he is dealing with a powerful force and that various devices and methods have been developed to assist him in directing this force. He should realize that this force, if misdirected, may either kill or injure both him and his fellow workers.

WARNING - All explosives are dangerous and must be carefully handled and used following approved safety procedures either by or under the direction of competent, experienced persons in accordance with

(Cont'd. on page 3)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
OSHA GHS

Printing date: May 16, 2016

Revision: May 16, 2016

**Trade name: Direct Impact® Adjustable Range 40 mm Round - OC**





(Cont'd. from page 2)

all applicable federal, state, and local laws, regulations, or ordinances. If you have any questions or doubts as to how to use any explosive product, DO NOT USE IT before consulting with your supervisor, or the manufacturer, if you do not have a supervisor. If your supervisor has any questions or doubts, he should consult the manufacturer before use.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components:








CAS: 1309-48-4 EINECS: 215-171-9 Index number: 025-199-09-0	magnesium oxide substance with a Community workplace exposure limit	60-80%
CAS: 112945-52-5	Silicon Dioxide (Amorphous)	5-10%
CAS: 7757-69-9 EINECS: 231-817-2	carbonic acid, magnesium salt	1-5%
CAS: 9004-70-0 EC number: 603-037-0	Nitrocellulose, colloided, granular  Expl. 1.1, H201	1-5%
CAS: 8023-77-6 EINECS: 288-920-0	Oleoresin Capsicum  Eye Dam. 1, H318  Acute Tox. 4, H302; Skin Irrit. 2, H315	< 1,0%
CAS: 85-98-3 EINECS: 201-645-2	1,3-diethyldiphenylurea  Acute Tox. 4, H302 Aquatic Chronic 3, H412	< 1,0%

#### Additional information:

For the wording of the listed Hazard Statements refer to section 16.

For the listed ingredient(s), the identity and/or exact percentages are being withheld as a trade secret.

#### Notable Trace Components (≤ 0,1% w/w)

CAS: 15245-44-0 EINECS: 239-290-0 Index number: 609-019-00-4	lead 2,4,6-trinitro-m-phenylene dioxide/ lead styphnate  Unst. Expl., H200  Repr. 1A, H360Df; STOT RE 2, H373  Aquatic Acute 1, H400; Aquatic Chronic 1, H410  Acute Tox. 4, H302; Acute Tox. 4, H332
CAS: 122-39-4 EINECS: 204-539-4 Index number: 612-026-00-5	diphenylamine  Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331  STOT RE 2, H373  Aquatic Acute 1, H400; Aquatic Chronic 1, H410

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General information:

Immediately remove any clothing soiled by the product.

Take affected persons out into the fresh air.

(Cont'd. on page 4)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
OSHA GHS

Printing date: May 16, 2016

Revision: May 16, 2016

**Trade name: Direct Impact® Adjustable Range 40 mm Round - OC**

(Cont'd. from page 3)

- **After inhalation:**  
Remove victim to fresh air.  
Seek medical help for symptoms or if unconscious.
- **After skin contact:**  
Brush off loose particles from skin.  
If skin irritation continues, consult a doctor.
- **After eye contact:**  
Remove contact lenses if worn.  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**  
Rinse out mouth and then drink plenty of water.  
Do not induce vomiting; call for medical help immediately.
- **4.2 Most important symptoms and effects, both acute and delayed**  
Blast injury if mishandled.  
May cause respiratory irritation.  
Coughing  
Breathing difficulty  
Slight irritant effect on skin and mucous membranes.  
Irritant to eyes.
- **Hazards:**  
Danger of blast or crush-type injuries.  
Danger of impaired breathing.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
Product may produce physical injury if mishandled. Treatment of these injuries should be based on the blast and compression effects.  
If necessary oxygen respiration treatment.

## SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
DO NOT fight fire when fire reaches explosives.  
Flood area with water. If no water is available, carbon dioxide, dry chemical or earth may be used. If the fire reaches the cargo, withdraw and let fire burn.
- **For safety reasons unsuitable extinguishing agents:** None.
- **5.2 Special hazards arising from the substance or mixture**  
Fire or projection hazard.  
During heating or in case of fire poisonous gases are produced.  
Product may explode if burned in confined space. Individual cartridges may explode. Mass explosion of many cartridges at once is unlikely.
- **5.3 Advice for firefighters**
- **Protective equipment:**  
Wear self-contained respiratory protective device.  
Wear fully protective suit.
- **Additional information:**  
Eliminate all ignition sources if safe to do so.  
Cool endangered receptacles with water spray.

(Cont'd. on page 5)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
OSHA GHS

Printing date: May 16, 2016

Revision: May 16, 2016

**Trade name: Direct Impact® Adjustable Range 40 mm Round - OC**

(Cont'd. from page 4)

Evacuate area and fight fire from from the upwind side.

Flammability Classification: (defined by 29 CFR 1910.1200) Explosive. Can explode under fire conditions. Individual devices will randomly explode. Will not mass explode if multiple devices are involved. Burning material may produce toxic and irritating vapors. In unusual cases, shrapnel may be thrown from exploding devices under containment. See 2008 Emergency response Guidebook for further information.

## SECTION 6: Accidental release measures

### · 6.1 Personal precautions, protective equipment and emergency procedures

FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTEL AT 1-800-255-3924. Spills of this material should be handled carefully. Do not subject materials to mechanical shock or extreme heat. A spill of this material will normally not require emergency response team capabilities.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

Remove persons from danger area.

Ensure adequate ventilation

Protect from heat.

Isolate area and prevent access.

### · 6.2 Environmental precautions

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

### · 6.3 Methods and material for containment and cleaning up

Pick up mechanically.

Dispose contaminated material as waste according to section 13.

Send for recovery or disposal in suitable receptacles.

### · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

### · 7.1 Precautions for safe handling

Handle with care. Avoid jolting, friction and impact.

Use only in well ventilated areas.

### · Information about fire - and explosion protection:

Protect from heat.

Keep respiratory protective device available.

Emergency cooling must be available in case of nearby fire.

### · 7.2 Conditions for safe storage, including any incompatibilities

#### · Storage:

#### · Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

#### · Information about storage in one common storage facility: Store away from foodstuffs.

#### · Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.

(Cont'd. on page 6)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
OSHA GHS

Printing date: May 16, 2016

Revision: May 16, 2016

**Trade name: Direct Impact® Adjustable Range 40 mm Round - OC**

(Cont'd. from page 5)

· **7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

### · 8.1 Control parameters

· **Ingredients with limit values that require monitoring at the workplace:**

#### **1309-48-4 magnesium oxide**

PEL (USA)	Long-term value: 15* mg/m <sup>3</sup> fume; *total particulate
TLV (USA)	Long-term value: 10* mg/m <sup>3</sup> *as inhalable fraction
EL (Canada)	Short-term value: 10** mg/m <sup>3</sup> Long-term value: 10* 3** mg/m <sup>3</sup> *inhalable fume;**respirable dust and fume
EV (Canada)	Long-term value: 10 mg/m <sup>3</sup> inhalable

#### **15245-44-0 lead 2,4,6-trinitro-m-phenylene dioxide/ lead styphnate**

EV (Canada)	Long-term value: 0,05 mg/m <sup>3</sup> as Pb, Skin (organic compounds)
-------------	--

- **DNELs:** No further relevant information available.
- **PNECs:** No further relevant information available.

### · 8.2 Exposure controls

· **Personal protective equipment:**

· **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Do not inhale dust / smoke / mist.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

· **Respiratory protection:**

Wear positive pressure NIOSH or European EN149 vapor respirators when deploying product in large quantities.

Use suitable respiratory protective device when high concentrations are present.

· **Protection of hands:**



Protective gloves

Wear gloves when handling deployed rounds.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several

(Cont'd. on page 7)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
OSHA GHS

Printing date: May 16, 2016

Revision: May 16, 2016

**Trade name: Direct Impact® Adjustable Range 40 mm Round - OC**

(Cont'd. from page 6)

substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**



Safety glasses

- **Limitation and supervision of exposure into the environment:**

No further relevant information available.

- **Risk management measures:**

See Section 7 for additional information.

Organizational measures should be in place for all activities involving this product.

No further relevant information available.

## SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**

- **Appearance**

**Form:** Solid metal container containing liquid and solid contents.

**Colour:** According to product specification

- **Odour:** Odourless

- **Odour threshold:** Not determined.

- **pH-value:** Not applicable.

- **Melting point/Melting range:** Not determined.

- **Boiling point/Boiling range:** Not determined.

- **Flash point:** Not applicable.

- **Flammability (solid, gaseous):** Not determined.

- **Auto/Self-ignition temperature:** Not determined.

- **Decomposition temperature:** Not determined.

- **Danger of explosion:** Heating may cause an explosion.

- **Explosion limits**

**Lower:** Not determined.

**Upper:** Not determined.

- **Vapour pressure:** Not applicable.

- **Density:** Not determined.

- **Relative density:** Not determined.

- **Vapour density:** Not applicable.

- **Evaporation rate:** Not applicable.

(Cont'd. on page 8)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
OSHA GHS

Printing date: May 16, 2016

Revision: May 16, 2016

**Trade name: Direct Impact® Adjustable Range 40 mm Round - OC**

(Cont'd. from page 7)

- |   |  |
|---|--|
| <b>· Solubility in / Miscibility with water:</b>  | Insoluble.                                 |
| <b>· Partition coefficient (n-octanol/water):</b> | Not determined.                            |
| <b>· Viscosity</b>                                |  |
| <b>Dynamic:</b>                                   | Not applicable.                            |
| <b>Kinematic:</b>                                 | Not applicable.                            |
| <b>· 9.2 Other information</b>                    | No further relevant information available. |

## SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used and stored according to specifications.  
Risk of explosion if heated under confinement.
- **10.3 Possibility of hazardous reactions**  
Fire or projection hazard.  
Toxic fumes may be released if heated above the decomposition point.  
Reacts with strong acids and alkali.  
Reacts violently with oxidising agents.
- **10.4 Conditions to avoid** Sources of ignition, open flame, incompatible materials.
- **10.5 Incompatible materials** Oxidizers
- **10.6 Hazardous decomposition products**  
Carbon monoxide and carbon dioxide  
Nitrogen oxides  
Sulphur oxides (SO<sub>x</sub>)

## SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity:** Based on available data, the classification criteria are not met.

<b>· LD/LC50 values relevant for classification:</b>
--

<b>15245-44-0 lead 2,4,6-trinitro-m-phenylene dioxide/ lead styphnate</b>
---

Oral   LD50   650 mg/kg (rat)
-------------------------------

- **Primary irritant effect**
- **Skin corrosion/irritation:**  
Not a skin irritant in unused form. Vapors/particles from used product are possibly irritating to skin.  
Causes skin irritation.
- **Serious eye damage/irritation:**  
Not an eye irritant in unused form. Vapors/particles from used product are possibly irritating to eyes.  
Causes serious eye irritation.

(Cont'd. on page 9)



## Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
OSHA GHS

Printing date: May 16, 2016

Revision: May 16, 2016

**Trade name: Direct Impact® Adjustable Range 40 mm Round - OC**

(Cont'd. from page 8)

- **Respiratory or skin sensitisation:** Based on available data, the classification criteria are not met.
- **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

· **NTP (National Toxicology Program):**

15245-44-0 | lead 2,4,6-trinitro-m-phenylene dioxide/ lead styphnate

R

· **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

- **Acute effects (acute toxicity, irritation and corrosivity):**  
Inhalation may cause irritation to the respiratory system.
- **Germ cell mutagenicity:** Based on available data, the classification criteria are not met.
- **Carcinogenicity:** Based on available data, the classification criteria are not met.
- **Reproductive toxicity:** Based on available data, the classification criteria are not met.
- **STOT-single exposure:**  
May cause respiratory irritation.
- **STOT-repeated exposure:** Based on available data, the classification criteria are not met.
- **Aspiration hazard:** Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** Toxic for aquatic organisms
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** May be accumulated in organism
- **12.4 Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Toxic for fish
- **Additional ecological information:**
- **General notes:**  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.  
Also poisonous for fish and plankton in water bodies.  
The product contains heavy metals. Avoid transfer into the environment. Specific preliminary treatments are necessary  
Toxic for aquatic organisms  
Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

(Cont'd. on page 10)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
OSHA GHS

Printing date: May 16, 2016

Revision: May 16, 2016

**Trade name: Direct Impact® Adjustable Range 40 mm Round - OC**

(Cont'd. from page 9)

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Recommendation

After prior treatment product has to be disposed of in an incinerator for hazardous waste adhering to the regulations pertaining to the disposal of particularly hazardous waste.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

#### Uncleaned packaging:

**Recommendation:** Disposal must be made according to official regulations.

## SECTION 14: Transport information

### 14.1 UN-Number

· DOT, ADR, IMDG, IATA UN0301

### 14.2 UN proper shipping name

· DOT, IATA Ammunition Tear-producing with burster, expelling charge or propelling charge

· ADR 0301 AMMUNITION TEAR-PRODUCING with burster, expelling charge or propelling charge

· IMDG AMMUNITION TEAR-PRODUCING with burster, expelling charge or propelling charge

### 14.3 Transport hazard class(es)

#### DOT



· Class 1.4  
· Label 1.4G, 6.1, 8

#### ADR



· Class 1.4

(Cont'd. on page 11)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
OSHA GHS

Printing date: May 16, 2016

Revision: May 16, 2016

Trade name: Direct Impact® Adjustable Range 40 mm Round - OC

(Cont'd. from page 10)

<b>· Label</b>	1.4G+6.1+8
----------------	------------

<b>· IMDG</b>	
---------------	--



<b>· Class</b>	1.4
<b>· Label</b>	1.4G/6.1/8

<b>· IATA</b>	
---------------	--



<b>· Class</b>	1.4
<b>· Label</b>	1.4G (6.1, 8)

<b>· 14.4 Packing group</b>	
<b>· DOT, ADR, IMDG, IATA</b>	II

<b>· 14.5 Environmental hazards:</b>	Not applicable.
--------------------------------------	-----------------

<b>· 14.6 Special precautions for user</b>	Not applicable.
<b>· EMS Number:</b>	F-A,S-Q

<b>· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b>	Not applicable.
--	-----------------

## SECTION 15: Regulatory information

**· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**· United States (USA)**  
**· SARA**

<b>· Section 355 (extremely hazardous substances):</b>	
--	--

	None of the ingredients are listed.
--	-------------------------------------

<b>· Section 313 (Specific toxic chemical listings):</b>	
--	--

	None of the ingredients are listed.
--	-------------------------------------

<b>· TSCA (Toxic Substances Control Act):</b>	
---	--

	All ingredients are listed.
--	-----------------------------

**· Proposition 65 (California):**

**· Chemicals known to cause cancer:**  
Present in trace quantities.

15245-44-0	lead 2,4,6-trinitro-m-phenylene dioxide/ lead styphnate
------------	---

(Cont'd. on page 12)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
OSHA GHS

Printing date: May 16, 2016

Revision: May 16, 2016

**Trade name: Direct Impact® Adjustable Range 40 mm Round - OC**

(Cont'd. from page 11)

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity:**

Present in trace quantities.

15245-44-0 | lead 2,4,6-trinitro-m-phenylene dioxide/ lead styphnate

· **Carcinogenic Categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients are listed.

· **IARC (International Agency for Research on Cancer)**

None of the ingredients are listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients are listed.

· **Directive 2012/18/EU**

· **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t

· **National regulations:**

· **Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

· **Other regulations, limitations and prohibitive regulations**

· **Substances of very high concern (SVHC) according to REACH, Article 57**

15245-44-0 | lead 2,4,6-trinitro-m-phenylene dioxide/ lead styphnate

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H201 Explosive; mass explosion hazard.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

· **Abbreviations and acronyms:**

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

(Cont'd. on page 13)

**Safety Data Sheet**  
according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
OSHA GHS

Printing date: May 16, 2016

Revision: May 16, 2016

**Trade name: Direct Impact® Adjustable Range 40 mm Round - OC**

(Cont'd. from page 12)

HMIS: Hazardous Materials Identification System (USA)  
DNEL: Derived No-Effect Level (REACH)  
PNEC: Predicted No-Effect Concentration (REACH)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
SVHC: Substances of Very High Concern  
vPvB: very Persistent and very Bioaccumulative  
NIOSH: National Institute for Occupational Safety  
OSHA: Occupational Safety & Health  
Expl. 1.1: Explosives, Division 1.1  
Expl. 1.4: Explosives, Division 1.4  
Acute Tox. 4: Acute toxicity, Hazard Category 4  
Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2  
Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1  
Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2  
STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3  
Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

**Sources**

SDS Prepared by:  
ChemTel Inc.  
1305 North Florida Avenue  
Tampa, Florida USA 33602-2902  
Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573  
Website: [www.chemtelinc.com](http://www.chemtelinc.com)