

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 27, 2019

## 1 Identification

- **Product identifier**

- **Trade name:** NIK® Test S - Marijuana, Hashish and Hash Oil 1st Ampoule

- **Product code:** 800-6092 (1224143)

- **CAS Number:**

79-01-6

- **Recommended use and restriction on use**

- **Recommended use:** Forensics.

- **Restrictions on use:** No relevant information available.

- **Details of the supplier of the Safety Data Sheet**

- **Manufacturer/Supplier:**

Safariland, LLC

13386 International Parkway

Jacksonville, FL 32218 USA

Customer Care (800) 347-1200



- **Emergency telephone number:**

ChemTel Inc.

(800)255-3924 (North America)

+1 (813)248-0585 (International)

## 2 Hazard(s) identification

- **Classification of the substance or mixture**

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Muta. 2 H341 Suspected of causing genetic defects.

Carc. 1A H350 May cause cancer.

STOT SE 3 H336 May cause drowsiness or dizziness.

- **Additional information:**

There are no other hazards not otherwise classified that have been identified.

0 % of the mixture consists of component(s) of unknown toxicity.

- **Label elements**

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms:**



GHS07 GHS08

- **Signal word:** Danger

- **Hazard statements:**

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H341 Suspected of causing genetic defects.

(Cont'd. on page 2)

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 27, 2019

**Trade name: NIK® Test S - Marijuana, Hashish and Hash Oil 1st Ampoule**

(Cont'd. of page 1)

H350 May cause cancer.

H336 May cause drowsiness or dizziness.

· **Precautionary statements:**

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing mist, vapors, or spray.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing must not be allowed out of the workplace.

P280 Wear protective gloves/protective clothing/eye protection.

P302+P352 If on skin: Wash with plenty of soap and water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.


## 3 Composition/information on ingredients

· **Chemical characterization: Substances**

· **CAS No. Description**

79-01-6 Trichloroethylene

· **Components:**

14263-94-6	o-Dianisidine bis(diazotized) zinc double salt	 Carc. 1A, H350	0.1-<1%
------------	--	--	---------

## 4 First-aid measures

· **Description of first aid measures**

· **General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· **After inhalation:**

Supply fresh air.

Provide oxygen treatment if affected person has difficulty breathing.

In case of irregular breathing or respiratory arrest provide artificial respiration.

If experiencing respiratory symptoms: Call a doctor.

· **After skin contact:**

Immediately remove any clothing soiled by the product.

Immediately wash with water and soap and rinse thoroughly.

If skin irritation or rash occurs: Get medical advice/attention.

· **After eye contact:**

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

(Cont'd. on page 3)

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 27, 2019

**Trade name: NIK® Test S - Marijuana, Hashish and Hash Oil 1st Ampoule**

(Cont'd. of page 2)

- **After swallowing:**  
Rinse out mouth and then drink plenty of water.  
Do not induce vomiting; immediately call for medical help.
- **Most important symptoms and effects, both acute and delayed:**  
Headache  
Breathing difficulty  
Dizziness  
Coughing  
Allergic reactions  
Irritant to skin and mucous membranes.  
Causes eye irritation.  
Gastric or intestinal disorders when ingested.  
Nausea in case of ingestion.
- **Danger:**  
Danger of impaired breathing.  
May cause drowsiness or dizziness.  
Suspected of causing genetic defects.  
May cause cancer.
- **Indication of any immediate medical attention and special treatment needed:**  
Medical supervision for at least 48 hours.  
If necessary oxygen respiration treatment.  
Treat skin and mucous membrane with antihistamine and corticoid preparations.  
Contains trichloroethylene. May produce an allergic reaction.  
If medical advice is needed, have product container or label at hand.

## 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents:** None.
- **Special hazards arising from the substance or mixture**  
During heating or in case of fire poisonous gases are produced.
- **Advice for firefighters**
- **Protective equipment:**  
Wear self-contained respiratory protective device.  
Wear fully protective suit.
- **Additional information:** No relevant information available.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.  
Ensure adequate ventilation.  
For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.
- **Environmental precautions** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Send for recovery or disposal in suitable receptacles.

(Cont'd. on page 4)

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 27, 2019

**Trade name: NIK® Test S - Marijuana, Hashish and Hash Oil 1st Ampoule**

(Cont'd. of page 3)

· **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

· **Handling**

· **Precautions for safe handling:**

Prevent formation of aerosols.

Use only in well ventilated areas.

Avoid splashes or spray in enclosed areas.

· **Information about protection against explosions and fires:**

Keep respiratory protective device available.

· **Conditions for safe storage, including any incompatibilities**

· **Requirements to be met by storerooms and receptacles:** No special requirements.

· **Information about storage in one common storage facility:**

Store away from foodstuffs.

Do not store together with oxidizing and acidic materials.

· **Further information about storage conditions:** Keep containers tightly sealed.

· **Specific end use(s)** No relevant information available.

## 8 Exposure controls/personal protection

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

**79-01-6 Trichloroethylene**

PEL (USA)	Long-term value: 100 ppm Ceiling limit value: 200; 300* ppm *5-min peak in any 2 hrs
REL (USA)	See Pocket Guide Apps. A and C
TLV (USA)	Short-term value: 135 mg/m <sup>3</sup> , 25 ppm Long-term value: 54 mg/m <sup>3</sup> , 10 ppm BEI
EL (Canada)	Short-term value: 25 ppm Long-term value: 10 ppm ACGIH A2, IARC 1
EV (Canada)	Short-term value: 25 ppm Long-term value: 10 ppm
LMPE (Mexico)	Short-term value: 25 ppm Long-term value: 10 ppm A2, IBE

· **Ingredients with biological limit values:**

**79-01-6 Trichloroethylene**

BEI (USA) | 15 mg/L

(Cont'd. on page 5)

## Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 27, 2019

**Trade name: NIK® Test S - Marijuana, Hashish and Hash Oil 1st Ampoule**

(Cont'd. of page 4)

	<p>Medium: urine Time: end of shift at end of workweek Parameter: Trichloroacetic acid (nonspecific)</p> <p>0.5 mg/L Medium: blood Time: end of shift at end of workweek Parameter: Trichloroethanol without hydrolysis (nonspecific)</p> <p>- Medium: blood Time: end of shift at end of workweek Parameter: Trichloroethylene (semi-quantitative)</p> <p>- Medium: end-exhaled air Time: end of shift at end of workweek Parameter: Trichloroethylene (semi-quantitative)</p>
--	---

- **Exposure controls**

- **General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Store protective clothing separately.  
Do not inhale gases / fumes / aerosols.  
Avoid contact with the eyes and skin.

- **Engineering controls:** No relevant information available.

- **Breathing equipment:**

Not required under normal conditions of use.  
Use suitable respiratory protective device in case of insufficient ventilation.  
Use suitable respiratory protective device when high concentrations are present.  
For spills, respiratory protection may be advisable.

- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- **Material of gloves**

PVA gloves  
Laminated film gloves.

- **For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:**

Butyl rubber, BR

- **Not suitable are gloves made of the following materials:**

PVC gloves  
Nitrile rubber, NBR

- **Eye protection:**

(Cont'd. on page 6)

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 27, 2019

Trade name: NIK® Test S - Marijuana, Hashish and Hash Oil 1st Ampoule

(Cont'd. of page 5)



Safety glasses

- **Body protection:** Protective work clothing
- **Limitation and supervision of exposure into the environment**  
No relevant information available.

## 9 Physical and chemical properties

### · Information on basic physical and chemical properties

#### · Appearance:

Form: Liquid  
Color: Colorless

· Odor: Ether-like

· Odor threshold: Not determined.

· pH-value: 6.7-7.5

· Melting point/Melting range: -86.8 °C (-124.2 °F)

· Boiling point/Boiling range: 84-88 °C (183.2-190.4 °F)

· Flash point: Not applicable.

· Flammability (solid, gaseous): Not applicable.

· Auto-ignition temperature: 420 °C (788 °F)

· Decomposition temperature: Not determined.

· Danger of explosion: Product does not present an explosion hazard.

#### · Explosion limits

Lower: 7.8 Vol %

Upper: 52.0 Vol %

· Oxidizing properties: Not determined.

· Vapor pressure at 20 °C (68 °F): 57.8 hPa (43.4 mm Hg)

· Density at 20 °C (68 °F): 1.47 g/cm<sup>3</sup> (12.27 lbs/gal)

· Relative density: Not determined.

· Vapor density: Not determined.

· Evaporation rate: Not determined.

#### · Solubility in / Miscibility with

Water at 20 °C (68 °F): 1 g/l

· Partition coefficient (n-octanol/water): Not determined.

#### · Viscosity

Dynamic: Not determined.

Kinematic: Not determined.

· Other information: No relevant information available.

(Cont'd. on page 7)

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 27, 2019

Trade name: NIK® Test S - Marijuana, Hashish and Hash Oil 1st Ampoule

(Cont'd. of page 6)

## 10 Stability and reactivity

- **Reactivity:** No relevant information available.
- **Chemical stability:** Stable under normal temperatures and pressures.
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions**  
Reacts with strong oxidizing agents.  
Toxic fumes may be released if heated above the decomposition point.
- **Conditions to avoid** No relevant information available.
- **Incompatible materials**  
Oxidizing agents.  
Strong acids
- **Hazardous decomposition products**  
Under fire conditions only:  
Chlorine compounds  
Carbon monoxide and carbon dioxide  
Hydrohalogens

## 11 Toxicological information

- **Information on toxicological effects**
  - **Acute toxicity:**
- |   |      |                    |
|---|------|--------------------|
| · <b>LD/LC50 values that are relevant for classification:</b> |      |                    |
| <b>79-01-6 Trichloroethylene</b>                              |      |                    |
| Oral  | LD50 | 2402 mg/kg (mouse) |
| Dermal  | LD50 | 8450 mg/kg (mouse) |
- **Primary irritant effect:**
  - **On the skin:** Irritant to skin and mucous membranes.
  - **On the eye:** Irritating effect.
  - **Sensitization:** Sensitization possible through skin contact.

- **IARC (International Agency for Research on Cancer):**

79-01-6	Trichloroethylene	1
106-88-7	1,2-epoxybutane	2B

- **NTP (National Toxicology Program):**

R

- **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

- **Probable route(s) of exposure:**

Ingestion.  
Inhalation.  
Eye contact.  
Skin contact.

- **Acute effects (acute toxicity, irritation and corrosivity):**

Vapors have narcotic effect.

(Cont'd. on page 8)

## Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 27, 2019

**Trade name: NIK® Test S - Marijuana, Hashish and Hash Oil 1st Ampoule**

(Cont'd. of page 7)

- Irritating to eyes and skin.
- **Repeated dose toxicity:** Danger of serious damage to health by prolonged exposure.
- **Germ cell mutagenicity:** Suspected of causing genetic defects.
- **Carcinogenicity:** May cause cancer.
- **Reproductive toxicity:** Based on available data, the classification criteria are not met.
- **STOT-single exposure:** May cause drowsiness or dizziness.
- **STOT-repeated exposure:** Based on available data, the classification criteria are not met.
- **Aspiration hazard:** Based on available data, the classification criteria are not met.

### 12 Ecological information

- **Toxicity**
- **Aquatic toxicity** The material is harmful to the environment.
- **Persistence and degradability**  
Not easily biodegradable  
Specific ecological information is not available but it is known that such organic compounds can be persistent pollutants. Do not release product into waterways or sewer systems.
- **Bioaccumulative potential:** No relevant information available.
- **Mobility in soil:** No relevant information available.
- **Ecotoxic effects:**
- **Remark:** Harmful to fish
- **Additional ecological information**
- **General notes:**  
Do not allow product to reach ground water, water course or sewage system, even in small quantities.  
Danger to drinking water if even extremely small quantities leak into the ground.  
Harmful to aquatic organisms
- **Other adverse effects** No relevant information available.

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.  
The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.
- **Uncleaned packagings**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

### 14 Transport information

- **UN-Number**
- **DOT, ADR/RID/ADN, IMDG, IATA** UN1710

(Cont'd. on page 9)



# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 27, 2019

Trade name: NIK® Test S - Marijuana, Hashish and Hash Oil 1st Ampoule

(Cont'd. of page 8)

· **UN proper shipping name**



Limited Quantity for packages less than 30 kg (66 lb) and inner packagings less than 5 L (1.3 gal).

· **DOT, IMDG, IATA**

TRICHLOROETHYLENE

· **ADR/RID/ADN**

1710 TRICHLOROETHYLENE

· **Transport hazard class(es)**

· **DOT**



· **Class**

6.1

· **Label**

6.1

· **ADR/RID/ADN**



· **Class**

6.1 (T1)

· **Label**

6.1

· **IMDG, IATA**



· **Class**

6.1

· **Label**

6.1

· **Packing group**

· **DOT, ADR/RID/ADN, IMDG, IATA**

III

· **Environmental hazards**

Not applicable.

· **Special precautions for user**

Warning: Toxic substances

· **Danger code (Kemler):**

60

· **EMS Number:**

F-A,S-A

· **Segregation groups**

Liquid halogenated hydrocarbons

· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable.

## 15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

(Cont'd. on page 10)

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 27, 2019

**Trade name: NIK® Test S - Marijuana, Hashish and Hash Oil 1st Ampoule**

(Cont'd. of page 9)

· **United States (USA)**

· **SARA**

· **Section 302 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**

All ingredients are listed.

· **TSCA (Toxic Substances Control Act)**

All ingredients are listed or exempt.

· **Proposition 65 (California)**

· **Chemicals known to cause cancer:**

79-01-6 Trichloroethylene

· **Chemicals known to cause developmental toxicity for females:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity for males:**

79-01-6 Trichloroethylene

· **Chemicals known to cause developmental toxicity:**

79-01-6 Trichloroethylene

· **EPA (Environmental Protection Agency):**

CaH

· **IARC (International Agency for Research on Cancer):**

79-01-6	Trichloroethylene	1
106-88-7	1,2-epoxybutane	2B

· **Canadian Domestic Substances List (DSL):**

All ingredients listed on DSL or NDSL.

· **Information about limitation of use:**

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Abbreviations and acronyms:**

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road  
 IMDG: International Maritime Code for Dangerous Goods  
 DOT: US Department of Transportation  
 IATA: International Air Transport Association  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 LC50: Lethal concentration, 50 percent  
 LD50: Lethal dose, 50 percent  
 OSHA: Occupational Safety & Health Administration  
 Skin Irrit. 2: Skin corrosion/irritation – Category 2

(Cont'd. on page 11)

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 27, 2019

**Trade name: NIK® Test S - Marijuana, Hashish and Hash Oil 1st Ampoule**

(Cont'd. of page 10)

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A  
Skin Sens. 1: Skin sensitisation – Category 1  
Muta. 2: Germ cell mutagenicity – Category 2  
Carc. 1A: Carcinogenicity – Category 1A  
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

**Sources**

Website, European Chemicals Agency (echa.europa.eu)  
Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)  
Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)  
Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6  
Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.  
Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 27, 2019

## 1 Identification

- **Product identifier**
- **Trade name: NIK® Test S - Marijuana, Hashish and Hash Oil 2nd Ampoule**
- **Product code:** 800-6092 (1224143)
- **Recommended use and restriction on use**
- **Recommended use:** Forensics.
- **Restrictions on use:** No relevant information available.
- **Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**  
Safariland, LLC  
13386 International Parkway  
Jacksonville, FL 32218 USA  
Customer Care (800) 347-1200
- **Emergency telephone number:**  
ChemTel Inc.  
(800)255-3924 (North America)  
+1 (813)248-0585 (International)



## 2 Hazard(s) identification

- **Classification of the substance or mixture**  
Met. Corr.1 H290 May be corrosive to metals.  
Skin Corr. 1B H314 Causes severe skin burns and eye damage.  
Eye Dam. 1 H318 Causes serious eye damage.
- **Additional information:** There are no other hazards not otherwise classified that have been identified.

### Label elements

#### GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

#### Hazard pictograms:



GHS05

- **Signal word:** Danger
- **Hazard statements:**  
H290 May be corrosive to metals.  
H314 Causes severe skin burns and eye damage.
- **Precautionary statements:**  
P234 Keep only in original container.  
P260 Do not breathe mist.  
P264 Wash thoroughly after handling.  
P280 Wear protective gloves and eye protection.  
P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.  
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

(Cont'd. on page 2)

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 27, 2019

**Trade name: NIK® Test S - Marijuana, Hashish and Hash Oil 2nd Ampoule**

(Cont'd. of page 1)

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.

P321 Specific treatment (see on this label).

P363 Wash contaminated clothing before reuse.

P390 Absorb spillage to prevent material damage.

P405 Store locked up.

P406 Store in corrosive resistant container with a resistant inner liner.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

## 3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Components:**

1310-73-2	Sodium hydroxide	10-20%
	Met. Corr. 1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318	

· **Additional information:**

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret.

## 4 First-aid measures

· **Description of first aid measures**

· **General information:** Immediately remove any clothing soiled by the product.

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

· **After skin contact:**

Immediately remove any clothing soiled by the product.

Immediately rinse with water.

If skin irritation continues, consult a doctor.

Seek immediate help for blistering or open wounds.

· **After eye contact:**

Protect unharmed eye.

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing:**

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

· **Most important symptoms and effects, both acute and delayed:**

Strong caustic effect on skin and mucous membranes.

Danger of severe eye injury.

Gastric or intestinal disorders when ingested.

Nausea in case of ingestion.

· **Danger:**

Danger of gastric perforation.

Causes severe skin burns and eye damage.

· **Indication of any immediate medical attention and special treatment needed:**

Medical supervision for at least 48 hours.

If necessary oxygen respiration treatment.

(Cont'd. on page 3)

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 27, 2019

Trade name: NIK® Test S - Marijuana, Hashish and Hash Oil 2nd Ampoule

(Cont'd. of page 2)

## 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** None.
- **Special hazards arising from the substance or mixture**  
Formation of toxic gases is possible during heating or in case of fire.
- **Advice for firefighters**
- **Protective equipment:**  
Wear self-contained respiratory protective device.  
Wear fully protective suit.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Use respiratory protective device against the effects of fumes/dust/aerosol.  
Wear protective equipment. Keep unprotected persons away.  
Ensure adequate ventilation.
- **Environmental precautions**  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Methods and material for containment and cleaning up**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to item 13.  
Send for recovery or disposal in suitable receptacles.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## 7 Handling and storage

- **Handling**
- **Precautions for safe handling:**  
Prevent formation of aerosols.  
Avoid splashes or spray in enclosed areas.  
Use only in well ventilated areas.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Requirements to be met by storerooms and receptacles:**  
Store only in the original receptacle.  
Unsuitable material for receptacle: aluminium.  
Unsuitable material for receptacle: steel.  
Unsuitable material for receptacle: glass or ceramic.
- **Information about storage in one common storage facility:**  
Store away from foodstuffs.

(Cont'd. on page 4)

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 27, 2019

**Trade name: NIK® Test S - Marijuana, Hashish and Hash Oil 2nd Ampoule**

(Cont'd. of page 3)

Do not store together with oxidizing and acidic materials.

Store away from metals.

- **Further information about storage conditions:** Keep containers tightly sealed.
- **Specific end use(s)** No relevant information available.

## 8 Exposure controls/personal protection

### · Control parameters

#### · Components with limit values that require monitoring at the workplace:

##### 1310-73-2 Sodium hydroxide

PEL (USA)	Long-term value: 2 mg/m <sup>3</sup>
REL (USA)	Ceiling limit value: 2 mg/m <sup>3</sup>
TLV (USA)	Ceiling limit value: 2 mg/m <sup>3</sup>
EL (Canada)	Ceiling limit value: 2 mg/m <sup>3</sup>
EV (Canada)	Ceiling limit value: 2 mg/m <sup>3</sup>
LMPE (Mexico)	Ceiling limit value: 2 mg/m <sup>3</sup>

### · Exposure controls

#### · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

- **Engineering controls:** Provide adequate ventilation.

#### · Breathing equipment:

Use suitable respiratory protective device when high concentrations are present.

Use suitable respiratory protective device when aerosol or mist is formed.

For spills, respiratory protection may be advisable.

- **Protection of hands:**



Protective gloves

- **For the permanent contact gloves made of the following materials are suitable:**

Nitrile rubber, NBR

PVC gloves

Neoprene gloves

- **Eye protection:**

Contact lenses should not be worn.



Safety glasses

- **Body protection:** Alkaline resistant protective clothing

- **Limitation and supervision of exposure into the environment**

No relevant information available.

(Cont'd. on page 5)

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 27, 2019

**Trade name: NIK® Test S - Marijuana, Hashish and Hash Oil 2nd Ampoule**

(Cont'd. of page 4)

- **Risk management measures**  
See Section 7 for additional information.  
No relevant information available.

## 9 Physical and chemical properties

### · Information on basic physical and chemical properties

#### · Appearance:

**Form:** Liquid  
**Color:** Clear to slightly hazy.

· **Odor:** Characteristic

· **Odor threshold:** Not determined.

· **pH-value at 20 °C (68 °F):** 12 - 14

· **Melting point/Melting range:** Not determined.

· **Boiling point/Boiling range:** > 100 °C (>212 °F)

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Not applicable.

· **Auto-ignition temperature:** Not determined.

· **Decomposition temperature:** Not determined.

· **Danger of explosion:** Product does not present an explosion hazard.

#### · Explosion limits

**Lower:** Not determined.

**Upper:** Not determined.

· **Oxidizing properties:** Non-oxidizing.

· **Vapor pressure:** Not determined.

· **Density at 20 °C (68 °F):** 1.47 - 1.53 g/cm<sup>3</sup> (12.27-12.77 lbs/gal)

· **Relative density:** Not determined.

· **Vapor density:** Not determined.

· **Evaporation rate:** Not determined.

#### · Solubility in / Miscibility with

**Water:** Fully miscible.

· **Partition coefficient (n-octanol/water):** Not determined.

#### · Viscosity

**Dynamic:** Not determined.

**Kinematic:** Not determined.

· **Other information** No relevant information available.

## 10 Stability and reactivity

- **Reactivity:** No relevant information available.
- **Chemical stability:**

(Cont'd. on page 6)



# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 27, 2019

**Trade name: NIK® Test S - Marijuana, Hashish and Hash Oil 2nd Ampoule**

(Cont'd. of page 5)

- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions**  
Toxic fumes may be released if heated above the decomposition point.  
Exothermic reaction with acids.  
Reacts with strong acids and oxidizing agents.  
Reacts with certain metals.
- **Conditions to avoid** Avoid acids.
- **Incompatible materials** No relevant information available.
- **Hazardous decomposition products** Possible in traces.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

**1310-73-2 Sodium hydroxide**

Oral	LD50	2000 mg/kg (rat)
------	------	------------------

- **Primary irritant effect:**
- **On the skin:** Strong caustic effect on skin and mucous membranes.
- **On the eye:** Strong caustic effect.
- **Sensitization:** No sensitizing effects known.

- **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

- **NTP (National Toxicology Program):**

None of the ingredients are listed.

- **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

- **Probable route(s) of exposure:**

Ingestion.  
Inhalation.  
Eye contact.  
Skin contact.

- **Acute effects (acute toxicity, irritation and corrosivity):** Causes severe skin burns and eye damage.
- **Repeated dose toxicity:** No relevant information available.
- **Germ cell mutagenicity:** Based on available data, the classification criteria are not met.
- **Carcinogenicity:** Based on available data, the classification criteria are not met.
- **Reproductive toxicity:** Based on available data, the classification criteria are not met.
- **STOT-single exposure:** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure:** Based on available data, the classification criteria are not met.
- **Aspiration hazard:** Based on available data, the classification criteria are not met.

## 12 Ecological information

- **Toxicity**

(Cont'd. on page 7)

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 27, 2019

**Trade name: NIK® Test S - Marijuana, Hashish and Hash Oil 2nd Ampoule**

(Cont'd. of page 6)

- **Aquatic toxicity** The product contains materials that are harmful to the environment.
- **Persistence and degradability** No relevant information available.
- **Bioaccumulative potential:** No relevant information available.
- **Mobility in soil:** No relevant information available.
- **Additional ecological information**
- **General notes:**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- **Other adverse effects** No relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**

- **Recommendation:**

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- **Uncleaned packagings**

- **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

- **UN-Number**

· DOT, ADR/RID/ADN, IMDG, IATA UN1824

- **UN proper shipping name**

· DOT Sodium hydroxide solution  
 · ADR/RID/ADN 1824 SODIUM HYDROXIDE SOLUTION  
 · IMDG, IATA SODIUM HYDROXIDE SOLUTION

- **Transport hazard class(es)**

· DOT



· Class 8  
 · Label 8

(Cont'd. on page 8)

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 27, 2019

Trade name: NIK® Test S - Marijuana, Hashish and Hash Oil 2nd Ampoule

(Cont'd. of page 7)

· **ADR/RID/ADN**



· **Class** 8 (C5)  
 · **Label** 8

· **IMDG, IATA**



· **Class** 8  
 · **Label** 8

· **Packing group**

· **DOT, ADR/RID/ADN, IMDG, IATA** II

· **Environmental hazards**

· **Marine pollutant:** No

· **Special precautions for user**

Warning: Corrosive substances

· **EMS Number:**

F-A,S-B

· **Segregation groups**

Alkalis

· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable.

· **Transport/Additional information:**

· **DOT**

· **Quantity limitations**

On passenger aircraft/rail: 5 L

On cargo aircraft only: 60 L

## 15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **United States (USA)**

· **SARA**

· **Section 302 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients are listed.

· **TSCA (Toxic Substances Control Act)**

All ingredients are listed or exempt.

(Cont'd. on page 9)

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 27, 2019

**Trade name: NIK® Test S - Marijuana, Hashish and Hash Oil 2nd Ampoule**

(Cont'd. of page 8)

· **Proposition 65 (California)**

· **Chemicals known to cause cancer:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity for females:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity for males:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

· **EPA (Environmental Protection Agency):**

None of the ingredients are listed.

· **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

· **Canadian Domestic Substances List (DSL):**

All ingredients listed on DSL or NDSL.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Abbreviations and acronyms:**

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

OSHA: Occupational Safety & Health Administration

Met. Corr. 1: Corrosive to metals – Category 1

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

· **Sources**

Website, European Chemicals Agency ([echa.europa.eu](http://echa.europa.eu))

Website, US EPA Substance Registry Services ([ofmpub.epa.gov/sorinternet/registry/substreg/home/overview/home.do](http://ofmpub.epa.gov/sorinternet/registry/substreg/home/overview/home.do))

Website, Chemical Abstracts Registry, American Chemical Society ([www.cas.org](http://www.cas.org))

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaassen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

(Cont'd. on page 10)

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 27, 2019

**Trade name: NIK® Test S - Marijuana, Hashish and Hash Oil 2nd Ampoule**

(Cont'd. of page 9)

Website: [www.chemtelinc.com](http://www.chemtelinc.com)