

Page:1 Printed: 06/10/2019 Revision: 06/10/2019

Supersedes Revison: 09/06/2018

1. Product and Company Identification

Product Code: MC42940

Product Name: meltco Premium **Trade Name:** Commercial Ice Melter

meltco Inc. Company name:

6-425 Hespeler Road, Suite 313

Cambridge, ON N1R 8J8

Emergency Contact: PERS (800)633-8253 Information: meltco Inc. (844)635-8423

2. Hazards Identification

Serious Eye Damage/Eye Irritation, Category 2A



GHS Signal Word: Warning

GHS Hazard Phrases: Causes serious eye irritation.

GHS Precaution Phrases: Wash hands thoroughly after handling.

Avoid breathing dust.

Wear protective appropriate personal protective equipment

Acute: May be harmful in contact with skin or if inhaled. Maye cause burning

GHS Response Phrases: IF IN EYES. Rinse cautiously with water for serval minutes. Remove contact

Store in a closed container. Store in a dry place.

lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.

GHS Storage and Disposal

Potential Health Effects

Phrases:

(Acute and Chronic)

of eyes and flow of tears.

May be harmful if swallowed.

Chronic: May cause kidney damage

Inhalation: Causes respiratory tract irritation. May be harmful if inhaled. No hazard

expected in normal industrial use.

Skin Contact: May cause skin irritation. Low hazard for usual industrial handling. May be

harmful if absorbed through skin.

Eye Contact: May cause eye irritation

May cause irritation of digestive tract. May be harmful if swallowed. No hazard Ingestion:

expected in normal industrial use.

3. Composition

or composition			
CAS # Components (Chemical Name)			
7647-14-5	Sodium chloride		
7447-40-7	Potassium chloride		
7786-30-3	Magnesium chloride		



Page:2 Printed: 06/10/2019 Revision: 06/10/2019

Supersedes Revison: 09/06/2018

N/A MCi3

76123-46-1 Calcium Magnesium Acetate

4. First Aid Measures

Emergency and First Aid

Procedures:

In Case of Inhalation: Remove from exposure and move to fresh air immediately. If not breathing,

give artificial respiration. If breathing is difficult, give oxygen. Get medical aid if

cough or other symptoms appear

In Case of Skin Contact: Wash skin with soap and water. Get medical aid if irritation develops or

persists. Wash clothing before reuse.

Flush eyes with plenty of water at least 15 minutes, occasionally lifting the In Cases of Eye Contact:

upper and lower eyelids. If irritation develops, get medical aid.

DO NOT induce vomiting. Get medical aid if irritation or symptoms occur. If In Case of Ingestion:

victim is conscious and alert, give 2-4 cupful's of milk or water.

Note to Physician: Treat symptomatically and supportively.

5. Fire Fighting Measures

Flash Pt: No data.

Explosive Limits: LEL: No data. UEL: No data.

Autoignition Pt: No data.

Suitable Extinguishing Media: Substance is noncombustible; use agent most appropriate to extinguish

surrounding fire.

Fire Fighting Instruction: As in any fire, wear a self-contained breathing apparatus in pressure-

demand, MSHA/NIOSH (approved or equivalent), and full protective gear.

Substance is noncombustible. Material will not burn.

Flammable Properties and

Hazards:

No data available.

Hazardous Combustion

Products:

No data available.

6. Accidental Release Measures

Protective Precautions.

Protective Equipment and

Emergency Procedures:

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133

or European Standard EN166.

Environmental Precautions: If possible, dispose of unused product by completely using it for its intended

purpose according to label instructions.

Steps To Be Taken In Case

Material Is Released Or

Spilled:

Use proper personal protective equipment as indicated in Section

8. Spills/Leaks: Vacuum or sweep up material and place into a suitable disposal container. Avoid generating dusty conditions. Provide ventilation.

Sweep up or absorb material, then place into a suitable clean, dry, closed

container for disposal.



Page:3 Printed: 06/10/2019 Revision: 06/10/2019

Supersedes Revison: 09/06/2018

7. Handling and Storage

Precautions To Be Taken in

Handling:

Minimize dust generation and accumulation. Avoid contact with eyes, skin, and clothing. Avoid ingestion and inhalation. Use with adequate ventilation.

Wash thoroughly after handling.

Precautions To Be Taken in

Store in a closed container and in a dry place.

Storing:

8. Exposure Controls/Personal Protection						
CAS # Partial Chemical I		ical Name	OSHA TWA	ACGIH TWA	Other Limits	
7647-14-5 Sodium chlori		ide	No data.	No data.	No data.	
7447-40-7 Potassium chl		lloride	No data.	No data.	No data.	
7786-30-3	Magnesium o	chloride	No data.	No data.	No data.	
N/A	MCi3		No data.	No data.	No data.	
76123-46-1	Calcium Mag	nesium Acetate	No data.	No data.	No data.	
Respiratory Equipment		Follow the OSH	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or			
(Specific Type):		European Stand	lard EN 149. Use	a NIOSH/MSHA or E	uropean Standard EN	
		149 approved re	espirator if expos	ure limits are excee	ded or if irritation or	
		other symptoms are experienced. Respirator protection is not normally				
		required.				
Eye Protection:		Wear appropriate protective eyeglasses or chemical safety goggles as				
		described by OSHA's eye and face protection regulations in 29 CFR 1910.133				
		or European Standard EN166.				
Protective Gloves:		Wear appropriate protective gloves to prevent skin exposure.				
Other Protecti	ve Clothing:	Wear appropriate protective clothing to prevent skin exposure. Wear				
		appropriate protective clothing to minimize contact with skin. Protective				
		garments not normally required.				
		Facilities storing or utilizing this material should be equipped with an				
(Ventilation etc.):		eyewash facility and a safety shower. Use adequate ventilation to keep				
		airborne concentrations low. Good general ventilation should be sufficient to				
		control airborne levels.				

9. Physical and Chemical Properties

Physical States: [] Gas [] Liquid [X] Solid

Appearance and Odor: Translucent green, granular solid

No apparent odor.

pH: No data.

Melting Point: >700.00 C

Boiling Point: No data.

Flash Pt: No data.

Evaporation Rate: No data.

Flammability (solid, gas): No data.

Explosive Limits: LEL: No data. UEL: No data.



Page:4 Printed: 06/10/2019 Revision: 06/10/2019

Supersedes Revison: 09/06/2018

Vapor Pressure (vs. Air ot No data.

mm Hg):

Vapor Density (vs. Air = 1) No data.

Specific Gravity (Water = 1) No data.

Bulk Density 65 – 80 LB/CF

Solubility in Water 357 g/L – (NaCl) at 25.0 C

Octanol/Water Partition

Coefficient:

No data.

Autoignition Pt: No data.

Decomposition No data.

Temperature:

Viscosity: No data.

10. Stability and Reactivity

Stability: Unstable [] Stable [X]

Conditions To Avoid – Incompatible materials, dust generation, Excess heat.

Instability:

Incompatibility – Strong oxidizing agents, Strong acids, potassium permanganate, attacks metals in

Materials To Avoid: the presence of moisture.

Hazardous Hydrogen chloride, chlorine, sodium oxide.

Decomposition or

Byproducts:

Possibility of Will Occur [] Will not occur [X]

Hazardous Reactions:

Conditions to Avoid – No data available.

Hazardous Reactions:

11. Toxicological Information

Toxicological Epidemiology: No information found.

Information: Teratogenicity: No information available.

Neurotoxicity: No data available. Teratogenicity: No data available.

CAS# 7647-14-5: Sodium chloride:

Acute toxicity, TDLo, Oral, Human, 12357. MG/KG, 23 D; American Journal of Digestive Diseases., For publisher information, see DDSCDJ, New York, NY,

Vol/p/yr: 21,180, 1954

Acute toxicity, LD50, Oral, Rat, 3.000 GM/KG; Toxicology and Applied

Pharmacology, Academic Press, Inc., 1 E. First St., Duluth, MN 55802, Vol/p/yr:

20,57, 1971



Page:5 Printed: 06/10/2019 Revision: 06/10/2019

Supersedes Revison: 09/06/2018

Acute toxicity, LC50, Inhalation, Rat, > 42.00 GM/M3, 1 H; BIOFAX Industrial Bio-Test Laboratories, Inc., Data Sheets., Vol/p/yr: 20-3, 1971

Standard Draize Test, Skin, Species: Rabbit, 50.00 MG, 24 H; BIOFAX Industrial Bio-Test Laboratories, Inc., Data Sheets., Vol/p/yr: 20-3, 1971

Standard Draize Test, Eyes, Species: Rabbit, 100.0 MG; BIOFAX Industrial Bio-Test Laboratories, Inc., Data Sheets., Vol/p/yr: 20-3, 1971

CAS# 7447-40-7: Potassium chloride: Acute toxicity, LD50, Oral, Rat, 2600. MG/KG; "Sbornik Vysledku Toxixologickeho Vysetreni Latek A Pripravku,", Institut Pro Vychovu Vedoucicn P, Marhold, J.V., Institut Pro Vychovu Vedoucicn, Pracovniku Chemickeho, Prumyclu Praha Czechoslovakia, Vol/p/yr: -,8, 1972

Standard Draize Test, Eyes, Species: Rabbit, 500.0 MG, 24 H; "Sbornik Vysledku Toxixologickeho Vysetreni Latek A Pripravku,", Institut Pro Vychovu Vedoucicn P, Marhold, J.V., Institut Pro Vychovu Vedoucicn, Pracovniku Chemickeho, Prumyclu Praha Czechoslovakia, Vol/p/yr: -,8, 1972

CAS# 7786-30-3: Magnesium chloride: Acute toxicity, LD50, Oral, Rat, 2800. MG/KG; Journal of Pharmacology and Experimental Therapeutics, Williams & Wilkins Co., 428 E. Preston St., Baltimore, MD 21202, Vol/p/yr: 35,1, 1929

Carcinogenicity/Other

information:

Carcinogenicity

information.						
CAS #	Components (Chemical Name)	NTP	IARC	ACGIH	OSHA	
7647-14-5	Sodium chloride	n.a.	n.a.	n.a.	n.a.	
7447-40-7	Potassium chloride	n.a.	n.a.	n.a.	n.a.	
7786-30-3	Magnesium chloride	n.a.	n.a.	n.a.	n.a.	
N/A	MCi3	n.a.	n.a.	n.a.	n.a.	
76123-46-1	Calcium Magnesium Acetate	n.a.	n.a.	n.a.	n.a.	

12. Ecological Information	
General Ecological	Other: Do not empty into drains.
Information:	CAS# 7647-14-5: Sodium chloride:
	LC50, Rainbow Trout (Oncorhynchus mykiss), egg(s), 7461000. UG/L, 96 H,
	Mortality, Water temperature: 9.80 C C, pH: 7.65, Hardness: 46.00 mg/L;
	Criteria Document Data. Memorandum to D.J. Call, Center for Lake Superior
	Environmental Studies, University of Wisconsin-Superior. September 16,
	1986, Spehar, R.L., 1986



Page:6 Printed: 06/10/2019 Revision: 06/10/2019

Supersedes Revison: 09/06/2018

CAS# 7447-40-7: Potassium chloride:
LC50, Rainbow Trout (Oncorhynchus mykiss), 1610000. UG/L, 48 H, Mortality,
Water temperature: 17.00 C C, pH: 7.70, Hardness: 40.00 MG/L; Toxicity of
Candidate Molluscicides to Zebra Mussels (Dreissena polymorpha) and
Selected Nontarget Organisms, Waller, D.L., J.J. Rach, W.G. Cope, L.L.
Marking, S.W. Fisher, and H. Dabrowska, 1993

13. Disposal Considerations	3
Waste Disposal Method:	Chemical waste generators must determine whether a discarded chemical is
	classified as a hazardous waste. US EPA guidelines for the classification
	determination are listed in 40 CFR Parts 261. Additionally, waste generators
	must consult state and local hazardous waste regulations to ensure complete
	and accurate classification.
	RCRA P-Series: None listed.
	RCRA U-Series: None listed.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not Regulated.

DOT Hazard Class: UN/NA Number:

15. Regulato	ory Information						
EPA SARA (S	Superfund Amei	ndments and Reautho	orization Act of 1986	5) Lists			
CAS#	Components	(Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)		
7647-14-5	Sodium chlori	Sodium chloride		No	No		
7447-40-7	Potassium ch	Potassium chloride		No	No		
7786-30-3	B Magnesium chloride		No	No	No		
N/A	MCi3		No	No	No		
76123-46-1	Calcium Magi	nesium Acetate	No No No		No		
This material meets the [X] YES [] NO		Acute (immediate) Health Hazard					
EPA "Hazard Categories" [] YES [X] NO		Chronic (delayed) Health Hazard					
defined for SARA Title III [] YES [X] NO			Fire Hazard				
Sections 311/312 as [] YES [X] NO		Sudden Release of Pressure Hazard					
indicated:		[] YES [X] NO	Reactive Hazard				
CAS # Components (Chemical Name)		Other US EPA or State Lists					
7647-14-5	7647-14-5 Sodium chloride			CAA HAP, ODC: No; CWA NPDES: No; TSCA: Yes –			
			Inventory; CA TAC, Title 8: No; MA Oil/HazMat: NO;				
			MI CMR, Part 5: NO; NJ EHS: No; NY Part 597: No; P.				
			HSL: No				
7447-40-7 Potassium chloride			CAA HAP, ODC: No; CWA NPDES: No; TSCA: Yes –				
			Inventory; CA TAC, Title 8: No; MA Oil/HazMat: NO;				



Page:7 Printed: 06/10/2019 Revision: 06/10/2019

Supersedes Revision: 09/06/2018

MI CMR, Part 5: NO; NJ EHS: No; NY Part 597: No; PA

HSL: No

7791-18-6 Magnesium chloride CAA HAP, ODC: No; CWA NPDES: No; TSCA: Yes –

Inventory; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: NO; NJ EHS: No; NY Part 597: No; PA HSL:

No

76123-46-1 Calcium Magnesium Acetate CAA HAP, ODC: No; CWA NPDES: No; TSCA: Yes –

Inventory; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: NO; NJ EHS: No; NY Part 597: No; PA HSL:

No

16. Other Information

Revision Date:

Hazard Rating System:

06/10/2019



Additional Information About This Product:

Company Policy or Disclaimer:

No data available.

Disclaimer and Limitation of Liability. This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and meltco Inc. disclaims all liability for the reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purposes.