according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 25, 2020

1 Identification

- · Product identifier
- · Trade name: NIK Test T Morris Reagent, Ketamine 1st Ampoule
- · Product code: 800-6091 (1006169)
- · Recommended use and restriction on use
- · Recommended use: Forensics.
- · Restrictions on use: Contact manufacturer/supplier
- Details of the supplier of the Safety Data Sheet
- · Manufacturer/Supplier:

Safariland, LLC 13386 International Parkway Jacksonville, FL 32218 Customer Care (800) 347-1200



· Emergency telephone number:

ChemTel Inc.

(800)255-3924 (North America)

+1 (813)248-0585 (International)

2 Hazard(s) identification

· Classification of the substance or mixture

The substance is not classified as hazardous according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements None.
- · Hazard pictograms: None.
- · Signal word: None
- · Hazard statements: None.
- · Precautionary statements: None.

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · Components:

1310-73-2 Sodium hydroxide

<0.5%

Met. Corr.1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318

4 First-aid measures

- Description of first aid measures
- · General information: No special measures required.
- After inhalation: Supply fresh air.
- · After skin contact:

Immediately rinse with water.

If skin irritation is experienced, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

(Cont'd. on page 2)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 25, 2020

Trade name: NIK Test T - Morris Reagent, Ketamine - 1st Ampoule

(Cont'd. of page 1)

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting: immediately call for medical help.

· Most important symptoms and effects, both acute and delayed:

Gastric or intestinal disorders when ingested.

- · Danger: No relevant information available.
- Indication of any immediate medical attention and special treatment needed:

If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents: The product is not flammable.
- · For safety reasons unsuitable extinguishing agents: None.
- Special hazards arising from the substance or mixture No relevant information available.
- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information: No relevant information available.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

For large spills, wear protective clothing.

Particular danger of slipping on leaked/spilled product.

- · Environmental precautions No special measures required.
- Methods and material for containment and cleaning up

Absorb liquid components with liquid-binding material.

Dispose unusable material as waste according to item 13.

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- ·Handling
- · Precautions for safe handling: No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility:

Do not store together with acids.

(Cont'd. on page 3)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 25, 2020

Trade name: NIK Test T - Morris Reagent, Ketamine - 1st Ampoule

(Cont'd. of page 2)

Store away from foodstuffs.

- Further information about storage conditions: No special requirements.
- · Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.

1310-73-2 Sodium hydroxide			
PEL (USA)	Long-term value: 2 mg/m³		
REL (USA)	Ceiling limit value: 2 mg/m³		
TLV (USA)	Ceiling limit value: 2 mg/m³		
EL (Canada)	Ceiling limit value: 2 mg/m³		

EL (Canada) EV (Canada) Ceiling limit value: 2 mg/m3

LMPE (Mexico) Ceiling limit value: 2 mg/m³

- · Exposure controls
- · General protective and hygienic measures: No relevant information available.
- Engineering controls: Provide adequate ventilation.
- · Breathing equipment: Not required under normal conditions of use.
- Protection of hands:



Protective gloves

Material of gloves

Nitrile rubber, NBR

Neoprene gloves

Butyl rubber, BR

Natural rubber, NR

Sensibilization by the components in the glove materials is possible.

· Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- · Body protection: Protection may be required for spills.
- Limitation and supervision of exposure into the environment No special requirements.
- · Risk management measures No special requirements.

9 Physical and chemical properties

- Information on basic physical and chemical properties
- · Appearance:

(Cont'd. on page 4)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 25, 2020

Trade name: NIK Test T - Morris Reagent, Ketamine - 1st Ampoule

		(Cont'd. of page 3)
Form: Color: Odor: Odor threshold:	Liquid Colorless Odorless Not determined.	
· pH-value at 20 °C (68 °F): · Melting point/Melting range: · Boiling point/Boiling range:	> 9 Not determined. 100-101 °C (212-149.8 °F)	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Auto-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Danger of explosion:	Product does not present an explosion hazard.	
 Explosion limits Lower: Upper: Oxidizing properties: 	Not determined. Not determined. Non-oxidizing.	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
 Density at 20 °C (68 °F): Relative density: Vapor density: Evaporation rate: 	1 g/cm³ (8.35 lbs/gal) Not determined. Not determined. Not determined.	
· Solubility in / Miscibility with Water:	Fully miscible.	
· Partition coefficient (n-octanol/water):	: Not determined.	
· Viscosity Dynamic: Kinematic: · Other information	Not determined. Not determined. No relevant information available.	

10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability:
- Thermal decomposition / conditions to be avoided:

Can be distilled without decomposing at normal pressure.

No decomposition if used and stored according to specifications.

· Possibility of hazardous reactions

Exothermic reaction with acids.

Toxic fumes may be released if heated above the decomposition point.

Reacts with certain metals.

- · Conditions to avoid No relevant information available.
- · Incompatible materials No relevant information available.

(Cont'd. on page 5)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 25, 2020

Trade name: NIK Test T - Morris Reagent, Ketamine - 1st Ampoule

(Cont'd. of page 4)

· Hazardous decomposition products Possible in traces.

11 Toxicological information

- Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- On the skin: No irritant effect.
- · On the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

Probable route(s) of exposure:

Indestion.

Inhalation.

Eye contact.

Skin contact.

- · Acute effects (acute toxicity, irritation and corrosivity): No relevant information available.
- · Repeated dose toxicity: No relevant information available.
- Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- Reproductive toxicity: Based on available data, the classification criteria are not met.
- STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- · Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · **Mobility in soil:** No relevant information available.
- Additional ecological information
- · General notes: Generally not hazardous for water.
- Other adverse effects No relevant information available.

13 Disposal considerations

· Waste treatment methods

(Cont'd. on page 6)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 25, 2020

Trade name: NIK Test T - Morris Reagent, Ketamine - 1st Ampoule

(Cont'd. of page 5)

- · **Recommendation:** Smaller quantities can be disposed of with household waste.
- Uncleaned packagings
- Recommendation: Disposal must be made according to official regulations.

14 Transport information			
· UN-Number · DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.		
· UN proper shipping name · DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.		
· Transport hazard class(es)			
· DOT, ADR/RID/ADN, IMDG, IATA · Class	Not regulated.		
· Packing group · DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.		
· Environmental hazards · Marine pollutant:	No		
· Special precautions for user	Not applicable.		
Transport in bulk according to Annex II MARPOL73/78 and the IBC Code	of Not applicable.		

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act)

All ingredients are listed or exempt.

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for males:

(Cont'd. on page 7)

Page: 7/7

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 25, 2020

Trade name: NIK Test T - Morris Reagent, Ketamine - 1st Ampoule

(Cont'd. of page 6)

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· Canadian Domestic Substances List (DSL):

All ingredients listed on DSL or NDSL.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

OSHA: Occupational Safety & Health Administration

Met. Corr.1: Corrosive to metals - Category 1

Skin Corr. 1A: Skin corrosion/irritation - Category 1A

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

· Sources

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 25, 2020

1 Identification

- · Product identifier
- · Trade name: NIK Test T Morris Reagent, Ketamine 2nd Ampoule
- · Product code: 800-6091 (1006169)
- · Recommended use and restriction on use
- · Recommended use: Forensics.
- · Restrictions on use: Contact manufacturer/supplier
- Details of the supplier of the Safety Data Sheet
- · Manufacturer/Supplier:

Safariland, LLC 13386 International Parkway Jacksonville, FL 32218 USA Customer Care (800) 347-1200

Emergency telephone number: ChemTel Inc.

(800)255-3924 (North America) +1 (813)248-0585 (International)



2 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified as hazardous according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements None.
- · Hazard pictograms: None.
- · Signal word: None
- · Hazard statements: None.
- · Precautionary statements: None.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Components:

3017-60-5 cobalt dithiocyanate

1-2%

① Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332

· Additional information: For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

- Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately rinse with water.

If skin irritation is experienced, consult a doctor.

· After eye contact:

(Cont'd. on page 2)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 25, 2020

Trade name: NIK Test T - Morris Reagent, Ketamine - 2nd Ampoule

(Cont'd. of page 1)

Protect unharmed eye.

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

Most important symptoms and effects, both acute and delayed:

Slight irritant effect on eyes.

Gastric or intestinal disorders when ingested.

Breathing difficulty

Coughing

- · Danger: May be harmful if inhaled.
- Indication of any immediate medical attention and special treatment needed:

If necessary oxygen respiration treatment.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: None.
- · Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

• Additional information: Use large quantities of foam as it is partially destroyed by the product.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

For large spills, wear protective clothing.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

Ensure adequate ventilation.

- Environmental precautions Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling

(Cont'd. on page 3)

Page: 3/8

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 25, 2020

Trade name: NIK Test T - Morris Reagent, Ketamine - 2nd Ampoule

(Cont'd. of page 2)

- **Precautions for safe handling:** Use only in well ventilated areas.
- · Information about protection against explosions and fires: No special measures required.
- Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with oxidizing and acidic materials.

- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · **Specific end use(s)** No relevant information available.

8 Exposure controls/personal protection

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Exposure controls
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Wash hands before breaks and at the end of work.

- · Engineering controls: Provide adequate ventilation.
- Breathing equipment:

Not required under normal conditions of use.

Use suitable respiratory protective device when aerosol or mist is formed.

For spills, respiratory protection may be advisable.

Protection of hands:



Protective gloves

· Material of gloves

Nitrile rubber, NBR

Neoprene gloves

Butyl rubber, BR

Fluorocarbon rubber (Viton)

Natural rubber, NR

Sensibilization by the components in the glove materials is possible.

· Eye protection:



Safety glasses

- · Body protection: Protection may be required for spills.
- Limitation and supervision of exposure into the environment

No relevant information available.

Risk management measures

See Section 7 for additional information.

No relevant information available.

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 25, 2020

Trade name: NIK Test T - Morris Reagent, Ketamine - 2nd Ampoule

(Cont'd. of page 3)

9 Physical and chemical properties		
Information on basic physical and chemical properties		
· Appearance:		
Form:	Liquid	
Color:	Pink	
· Odor:	Odorless	
· Odor threshold:	Not determined.	
· pH-value:	Not determined.	
Melting point/Melting range:	Not determined.	
Boiling point/Boiling range:	100-102 °C (212-151.6 °F)	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Auto-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits		
Lower:	0.9 Vol %	
Upper:	Not determined.	
Oxidizing properties:	Non-oxidizing.	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
· Density at 20 °C (68 °F):	1 g/cm³ (8.35 lbs/gal)	
Relative density:	Not determined.	
Vapor density:	Not determined.	
· Evaporation rate:	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wa	ter): Not determined.	
· Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Other information	No relevant information available.	

10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability:
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· Possibility of hazardous reactions

Toxic fumes may be released if heated above the decomposition point.

Reacts with strong alkali.

(Cont'd. on page 5)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 25, 2020

Trade name: NIK Test T - Morris Reagent, Ketamine - 2nd Ampoule

(Cont'd. of page 4)

- Reacts with strong oxidizing agents.
- · Conditions to avoid Store away from oxidizing agents.
- · Incompatible materials No relevant information available.
- · Hazardous decomposition products

Under fire conditions only:

Toxic metal oxide smoke

Sulfur oxides (SOx)

11 Toxicological information

- Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- · On the skin: Based on available data, the classification criteria are not met.
- · On the eye: Based on available data, the classification criteria are not met.
- Sensitization: No sensitizing effects known.
- · IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Ingestion.

Inhalation.

Eve contact.

Skin contact.

- · Acute effects (acute toxicity, irritation and corrosivity): No relevant information available.
- · Repeated dose toxicity: No relevant information available.
- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- · Toxicity
- · Aquatic toxicity The product contains materials that are harmful to the environment.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · Mobility in soil: No relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish

(Cont'd. on page 6)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 25, 2020

Trade name: NIK Test T - Morris Reagent, Ketamine - 2nd Ampoule

(Cont'd. of page 5)

- · Additional ecological information
- · General notes:

The product contains materials that are harmful to the environment.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

· Other adverse effects No relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- Uncleaned packagings
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information			
· UN-Number			
· DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.		
· UN proper shipping name · DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.		
· Transport hazard class(es)			
· DOT, ADR/RID/ADN, IMDG, IATA · Class	Not regulated.		
Packing group DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.		
· Environmental hazards · Marine pollutant:	No		
Special precautions for user	Not applicable.		
Transport in bulk according to Annex			
MARPOL73/78 and the IBC Code	Not applicable.		

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 25, 2020

Trade name: NIK Test T - Morris Reagent, Ketamine - 2nd Ampoule

(Cont'd. of page 6)

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- Section 302 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

3017-60-5 cobalt dithiocyanate

TSCA (Toxic Substances Control Act)

All ingredients are listed or exempt.

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

3017-60-5 cobalt dithiocyanate

2B

· Canadian Domestic Substances List (DSL):

All ingredients listed on DSL or NDSL.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

OSHA: Occupational Safety & Health Administration

Acute Tox. 4: Acute toxicity - Category 4

· Sources

SDS Prepared by:

(Cont'd. on page 8)

Page: 8/8

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 25, 2020

Trade name: NIK Test T - Morris Reagent, Ketamine - 2nd Ampoule

(Cont'd. of page 7)

ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com